

By-Law 642-2022 Regarding Zoning

# **LIST OF MODIFICATIONS**

Bylaw number	Article	Notice of motion	Entry into effect
670-2023	Zoning plan (I-2 & RV-29), art. 42,43, 44, 45,46, 49.1, 81, 86, 107, 109, 125, 182 and 200	May 10, 2023	September 13, 2023
673-2023 to 737-2023	Zoning grids prohibiting Tourist accommodation of the principal residence type	May 29, 2023	November 3, 2023
738-2023 to 741-2023	Zoning grids authorizing Tourist accommodation of the principal residence type	May 29, 2023	November 3, 2023
757-2024	Zoning plan (Mix-3), art. 182, grid RV-16	May 8, 2024	August 23, 2024
763-2024	Table 28 line 14, table 28 line 28, articles 182, 182.1 and 183	September 11, 2025	February 14, 2025
768-2025	Zoning Grid I-2	January 15, 2025	In progress

1

**Legal Notice:** This regulation is an administrative version of the Zoning By-law. This administrative version incorporates the amendments made to made to the present by-law. The Municipality of Morin-Heights accepts no responsibility for transcription errors. Only the original regulations, as countersigned by the Director General, have legal value.

# **TABLE OF CONTENTS**

СНА	PTE	RI: DECLARATORY, ADMINISTRATIVE, AND INTERPRETIVE PROVISIONS	. 12
D	IVISI	ON A – DECLARATORY PROVISIONS	. 12
	1.	Title of the by-law	. 12
	2.	Superseded by-law	. 12
	3.	Scope	. 12
	4.	Activities and compliance	. 12
	5.	Schedules	. 12
	6.	Adoption in parts	. 12
	7.	Entry into force	. 12
D	IVISI	ON B – ADMINISTRATIVE PROVISIONS	. 12
	8.	Administration of the by-law	. 12
	9.	Infractions and penalties	. 13
	10.	Infractions and penalties relating to tourist accommodations	. 13
	11.	Infractions and penalties related to swimming pools	. 13
	12.	Tree-related infractions and penalties	. 13
D	IVISI	ON C – INTERPRETIVE PROVISIONS	. 14
	13.	Rules of interpretation	. 14
	14.	Structure	. 14
	15.	Definitions	. 14
D	IVISI	ON D – ZONING MAP AND SPECIFICATIONS GRIDS	. 14
	16.	Division of the territory into zones	. 14
	17.	Identification of zones	. 14
	18.	Specifications grids	. 15
		ON E – PROVISIONS REGARDING CONTRIBUTIONS FOR PARKS, GROUNDS, AND NATURAL AREAS	. 15
	19.	Requirement to contribute	. 15
	20.	Situations requiring contributions	. 15
	21.	Agreements for land that is not part of a site	. 16
	22.	Calculation of value	. 16
	23.	Rule for calculating the transfer or payment	. 16
	24	Conditions for the land to be transferred	16

25.	Costs to be paid by the ceding owner	16
CHAPTE	R II: PROVISIONS FOR MAIN USES	17
DIVISI	ON A - CLASSIFICATION OF MAIN USES	17
26.	Interpretive rules for the classification of main uses	17
27.	Residential (H) use group	17
28.	Commercial (C) use group	18
29.	Industrial (I) use group	24
30.	Public (P) use group	26
31.	Agricultural (A) use group	27
DIVISI	ON B - MAIN USES	28
32.	Permitted and prohibited main uses	28
33.	Generally permitted uses	29
34.	Generally prohibited uses	29
35.	Main use quotas	29
36.	Number of main uses permitted on a lot or in a main building	29
37.	Mixed uses	30
38.	Multiple uses	30
39.	Main building requirement	31
CHAPTE	R III: PROVISIONS FOR ADDITIONAL USES	32
	R III: PROVISIONS FOR ADDITIONAL USESON A – ADDITIONAL USES TO MAIN USES IN THE RESIDENTIAL GROUP	
DIVISI		32
DIVISI 40.	ON A – ADDITIONAL USES TO MAIN USES IN THE RESIDENTIAL GROUP	<b>32</b> 32
<b>DIVISI</b> 40. 41.	ON A – ADDITIONAL USES TO MAIN USES IN THE RESIDENTIAL GROUP	32 32
<b>DIVISI</b> 40. 41. 42.	ON A – ADDITIONAL USES TO MAIN USES IN THE RESIDENTIAL GROUP  Permitted additional uses	32 32 32
40. 41. 42. 43.	ON A – ADDITIONAL USES TO MAIN USES IN THE RESIDENTIAL GROUP  Permitted additional uses	32 32 32
40. 41. 42. 43. 44.	ON A – ADDITIONAL USES TO MAIN USES IN THE RESIDENTIAL GROUP  Permitted additional uses	32 32 32 32 33
40. 41. 42. 43. 44. 45.	ON A – ADDITIONAL USES TO MAIN USES IN THE RESIDENTIAL GROUP  Permitted additional uses	32 32 32 32 32 33
40. 41. 42. 43. 44. 45.	ON A – ADDITIONAL USES TO MAIN USES IN THE RESIDENTIAL GROUP  Permitted additional uses	32 32 32 32 33 34
40. 41. 42. 43. 44. 45. 46.	ON A – ADDITIONAL USES TO MAIN USES IN THE RESIDENTIAL GROUP  Permitted additional uses	32 32 32 32 32 34 34 35
40. 41. 42. 43. 44. 45. 46. 47.	Permitted additional uses  Number of permitted additional uses  Generally permitted additional uses  Intergenerational dwelling units  Additional dwelling units  Guest houses  Room rentals  Home-based personal and professional services	32 32 32 32 33 34 34 35
40. 41. 42. 43. 44. 45. 46. 47. 48. 49.	Permitted additional uses  Number of permitted additional uses  Generally permitted additional uses  Intergenerational dwelling units  Additional dwelling units  Guest houses  Room rentals  Home-based personal and professional services  Home-based artistic and artisanal activities  Hobby farms  ON B – ADDITIONAL USES TO MAIN USES IN THE COMMERCIAL, INDUSTR	32 32 32 33 34 34 35 36
40. 41. 42. 43. 44. 45. 46. 47. 48. 49. DIVISI OR PL	Permitted additional uses  Number of permitted additional uses  Generally permitted additional uses  Intergenerational dwelling units  Additional dwelling units  Guest houses  Room rentals  Home-based personal and professional services  Home-based artistic and artisanal activities  Hobby farms  ON B – ADDITIONAL USES TO MAIN USES IN THE COMMERCIAL, INDUSTRIBLIC GROUPS	32 32 32 33 34 35 36 37
40. 41. 42. 43. 44. 45. 46. 47. 48. 49. DIVISI OR PL 50.	Permitted additional uses  Number of permitted additional uses  Generally permitted additional uses  Intergenerational dwelling units  Additional dwelling units  Guest houses  Room rentals  Home-based personal and professional services  Home-based artistic and artisanal activities  Hobby farms  ON B - ADDITIONAL USES TO MAIN USES IN THE COMMERCIAL, INDUSTRIBLIC GROUPS	32 32 32 33 34 35 36 37  AL,
40. 41. 42. 43. 44. 45. 46. 47. 48. 49. DIVISI OR PU 50. 51.	Permitted additional uses  Number of permitted additional uses  Generally permitted additional uses  Intergenerational dwelling units  Additional dwelling units  Guest houses  Room rentals  Home-based personal and professional services  Home-based artistic and artisanal activities  Hobby farms  ON B – ADDITIONAL USES TO MAIN USES IN THE COMMERCIAL, INDUSTRIBLIC GROUPS  Permitted additional uses  Conditions	32 32 32 32 33 34 35 36 37 IAL, 39 40
40. 41. 42. 43. 44. 45. 46. 47. 48. 49. DIVISI OR PL 50. 51. DIVISI	Permitted additional uses  Number of permitted additional uses  Generally permitted additional uses  Intergenerational dwelling units  Additional dwelling units  Guest houses  Room rentals  Home-based personal and professional services  Home-based artistic and artisanal activities  Hobby farms  ON B - ADDITIONAL USES TO MAIN USES IN THE COMMERCIAL, INDUSTRIBLIC GROUPS	32 32 32 32 33 34 35 36 37 IAL, 39 39 40

54.	Storage, packaging, or processing of agricultural products	41
55.	Country-style dining (table champêtre)	41
56.	Farm tours	42
57.	Farm stays	42
58.	Rest areas inside a maple sugaring operation	42
CHAPTE	R IV: PROVISIONS FOR ACCESSORY AND TEMPORARY USES	44
DIVIS	ON A – ACCESSORY USES	44
59.	Permitted accessory uses	44
60.	Outdoor storage for uses in the Residential group	44
	Outdoor storage for uses in the Commercial, Industrial, Public, and Agricultural ups	44
62.	Outdoor storage of firewood	45
63.	Outdoor displays for uses in the Commercial group	45
DIVIS	ON B - TEMPORARY USES	46
64.	Permitted temporary uses	46
65.	Produce and horticultural product sales	46
66.	Food truck temporary uses	46
67.	Yard sales (garage sales)	46
68.	Social, cultural, and sporting events	47
69.	Temporary sales associated with social, cultural, and sporting events	47
70.	Temporary outdoor storage of construction materials and machinery	47
CHAPTE	R V: PROVISIONS FOR MAIN BUILDINGS	48
DIVIS	ON A – ATTACHMENT AND SIZE	48
71.	Number of main buildings	48
72.	Attachment and size standards indicated in specifications grids	48
73.	Application of siting standards	48
74.	Front set-backs along routes 329 and 364	48
75.	Sight triangles	49
76.	Buildings with garden levels	49
77.	Height of semi-detached or row buildings	49
78.	Land use density	49
79.	Easements	49
DIVIS	ON B – ARCHITECTURE AND CLADDING	49
80.	Projections	49
81.	Front elevation of a main building	50
82.	Number of exterior cladding materials	50
83	Prohibited exterior cladding materials	50

84.	Foundation appearance	50
85.	Roofs of main buildings	50
86.	Attached garages and carports	50
87.	Other buildings or structures attached to a main building	51
88.	Building shape	51
89.	Use of shipping containers	51
90.	Use of other structures	51
91.	Murals	51
92.	Mobile homes	52
DIVISI	ON C – RELOCATION AND DEMOLITION	52
93.	Relocation	52
94.	Demolition	52
CHAPTER	R VI: PROVISIONS FOR ACCESSORY BUILDINGS	53
DIVISI	ON A – GENERAL PROVISIONS	53
95.	General provisions	53
96.	Standards applicable to all accessory buildings	53
97.	Architectural standards for accessory buildings	53
DIVISI	ON B – ACCESSORY BUILDINGS TO RESIDENTIAL USES	53
98.	Permitted accessory buildings	53
99.	Presence of a main building	53
100	.Maximum size of accessory buildings	54
101	.Standards by type of accessory building	54
	ON C – ACCESSORY BUILDINGS TO COMMERCIAL, INDUSTRIAL, PUBLIC, AN	
102	Permitted accessory buildings	57
103	Presence of a main building	57
104	Applicable standards	58
CHAPTER	R VII: PROVISIONS FOR ACCESSORY STRUCTURES	59
DIVISI	ON A – GENERAL PROVISIONS	59
105	.General provisions	59
106	i.Presence of a main building	59
107	Applicable standards	59
108	Accessory structures on main building roofs	59
DIVISI	ON B – ACCESSORY STRUCTURES TO RESIDENTIAL USES	60
109	Permitted accessory structures and applicable standards	60
	ON C – ACCESSORY STRUCTURES TO COMMERCIAL, INDUSTRIAL, PUBLIC,	

110.Additional accessory structures permitted for uses in the Commercial, Industrial, Public, or Agricultural groups	
111.Commercial patios	
·	
CHAPTER VIII: PROVISIONS FOR TEMPORARY BUILDINGS AND STRUCTURES	
DIVISION A – GENERAL PROVISIONS	
112.General provisions	
113.Presence of a main building	
114.Applicable standards	
DIVISION B – TEMPORARY BUILDINGS AND STRUCTURES FOR ALL USE GROUP	
115.Permitted temporary buildings and structures	7′
CHAPTER IX: PROVISIONS FOR PARKING AREAS	74
DIVISION A – PARKING AREA REQUIREMENTS	74
116.General requirement	74
117.Occupying parking areas for purposes other than parking	74
118.Mandatory minimum number of parking spaces	74
119.Minimum number of parking spaces for persons with reduced mobility	75
120.Exemption from providing the minimum number of parking spaces	75
DIVISION B – LOCATION AND DEVELOPMENT OF PARKING AREAS	76
121.Location of parking areas	76
122.Location of parking areas for uses in the Residential group	76
123.Location of parking areas for uses in the Commercial, Industrial, Public, and Agricultural groups	77
124.Minimum dimensions of parking areas (spaces and driveways)	77
125.Development of parking areas	78
DIVISION C – CURB CUTS	79
126.Location of curb cuts	79
127.Number of curb cuts and minimum distance between curb cuts	79
128.Width of curb cuts	79
DIVISION D – VEHICLE PARKING AND STORAGE	79
129.Parking on lots whose uses are in the Residential group	79
130.Vehicle storage on lots whose uses are in the Residential group	79
131.Parking on lots whose uses are in the Commercial, Industrial, Public, or Agricultugroups	
132.Vehicle storage on lots whose uses are in the Commercial, Industrial, Public, or Agricultural groups	80
DIVISION E – LOADING AND UNLOADING AREAS	8′
133.Location of loading and unloading areas	8′
134.Location of curb cuts leading to loading and unloading areas	8′

	135.Location of loading and unloading dock doors	81
	136.Surfacing	81
С	HAPTER X: PROVISIONS RELATING TO SIGNS	82
	DIVISION A – GENERAL PROVISIONS	82
	137.Scope	82
	138.Location in yards and distance from lot lines	82
	139.Prohibited sign locations	82
	140.Prohibited signs	83
	141.Lighting	83
	142.Permitted sign materials	83
	143.Calculation of the size and height of signs	84
	144.Maximum projection or depth of signs	84
	145.Sandwich board signs	84
	DIVISION B – SIGNS NOT REQUIRING A CERTIFICATE OF AUTHORIZATION	85
	146.Permanent signs	85
	147.Temporary signs	86
	DIVISION C – SIGNS REQUIRING A CERTIFICATE OF AUTHORIZATION	88
	148.Scope	88
	149.Standards for signs attached to buildings	88
	150.Standards for freestanding signs	88
	DIVISION D - SIGN MAINTENANCE AND REMOVAL	
	151.Sign maintenance	89
	152.Removal of signs after a use ends	89
С	HAPTER XI: PROVISIONS FOR NATURAL AREAS AND DEVELOPMENT	90
	DIVISION A – GENERAL REQUIREMENTS	90
	153.Mandatory and ongoing requirements of this chapter	90
	DIVISION B - NATURAL AREAS	90
	154.Requirement to keep areas in a natural state	90
	155.Planting in areas to be kept in a natural state	91
	DIVISION C - OPEN SPACES	91
	156.Requirement to landscape open spaces	91
	157.Permitted landscaping	91
	158.Timeframe for completion of landscaping	91
	DIVISION D – TREE PLANTING AND PROTECTION	
	159.Mandatory tree planting	
	160.Protection of trees during construction	
	161.Location of trees to be planted	93

162.Species restrictions	93
DIVISION E – TREE REMOVAL	93
163.Permitted felling	93
164.Felling in stands of 4 hectares or more	94
165.Felling for logging industry uses	94
DIVISION F - OTHER PROVISIONS	94
166.Levelling	94
167.Cutting and backfilling	94
168.Runoff management	95
169.Erosion control	95
CHAPTER XII: SPECIAL PROVISIONS FOR NATURAL CONSTRAINTS	96
DIVISION A – SHORELINES AND LITTORAL ZONES	96
170.General provisions for shorelines and littoral zones	96
171.Shoreline width	96
172.Control of shoreline vegetation	96
173.Shoreline re-naturalization	96
174.Permitted structures and works along shorelines	96
175.Permitted structures and works in a littoral zone	98
DIVISION B – PROVISIONS FOR WETLANDS	98
176.Wetlands adjacent to lakes and watercourses	98
177.Wetlands not adjacent to lakes or watercourses	99
DIVISION C - FLOODPLAINS	99
178.Scope	99
179.Measures for the high-velocity zones (0–20 years) of floodplains	99
180.Exempted structures and works	100
181.Measures for the low-velocity (20–100 year) zones of floodplains	101
DIVISION D – LANDSLIDES AND TOPOGRAPHY	101
182.Areas at risk of landslides	101
182.1 Steep slope areas	101
183.Slope of a lot and plateau	101
CHAPTER XIII: SPECIAL PROVISIONS FOR ANTHROPOGENIC CONSTRAINTS	103
DIVISION A - NOISE	103
184.Sensitive uses	103
185.Road noise zones	103
DIVISION B – OTHER LAND USE CONSTRAINTS	104
186.Water withdrawal systems	104
187.Separation distances	104

	188.Power lines of 120 kilovolts or more	. 104
CHAP	TER XIV: PROVISIONS SPECIFIC TO CERTAIN USES AND ZONES	. 105
DIV	/ISION A – PARC LINÉAIRE DU CORRIDOR AÉROBIQUE	. 105
	189.General provisions	. 105
	190.Uses and activities within the Parc linéaire	. 105
	191.Underground pipes	. 105
	192.Crossings at the edge of the Parc linéaire	. 105
	193.Lots adjacent to the Parc linéaire	. 105
DIV	/ISION B – INTEGRATED PROJECTS	. 106
	194.General provisions	. 106
	195.Commercial integrated projects	. 106
	196.Tourist accommodation integrated projects	. 106
DIV	/ISION C - TOURIST ACCOMMODATION ESTABLISHMENTS	. 107
	197.Experiential accommodation	. 107
	198.Resorts	. 107
	199.Campgrounds	. 108
	200.Tourism residences	. 109
:	201.Boarding Houses	. 109
DIV	/ISION D – ANIMAL HUSBANDRY (USE CATEGORY A2) AND DOG SLEDDING	. 109
:	202.General provisions	. 109
:	203.Establishments Practicing Farm Animal Husbandry	. 109
:	204.Stables and equestrian centres	. 110
:	205.Pet Sitting and Boarding Establishments	. 111
:	206.Animal Activities (dressage, horse jumping, canine sports)	. 111
:	207.Kennels	. 111
:	208.Dog Sledding Businesses	. 112
DIV	/ISION E – OTHER PROVISIONS RELATING TO USES OR ZONES	. 112
:	209.Commercial sales uses	. 112
	210.Distance of certain uses of the Commerce and Industry group from a wetland or be of water	
	211.Recreational vehicles and tents	. 113
:	212.Telecommunication towers and antennae	. 113
;	213.Mobile home parks	. 113
CHAP	TER XV: SPECIAL PROVISIONS REGARDING ACQUIRED RIGHTS	. 115
DIV	/ISION A – GENERAL PROVISIONS	. 115
:	214.General provisions	. 115
:	215.Conforming uses and structures on non-conforming lots protected by acquired rig	hts

DIVISION B - NON-CONFORMING USES PROTECTED BY ACQUIRED RIGHTS	115
216.Changes of use	115
217.Expansion of uses within structures	115
218.Extension of uses outside of structures	115
219.Replacement of uses	116
220.Additional uses to non-conforming main uses that are protected by acquired rig	hts116
221.Accessory uses to non-conforming main uses that are protected by acquired rig	ghts
222.Loss of acquired rights for a use	116
DIVISION C – NON-CONFORMING STRUCTURES PROTECTED BY ACQUIRED RI	
223.Repair and maintenance of buildings and structures	116
224.Renovation of buildings and structures	116
225.Expansion of main buildings	117
226.Expansion of main buildings on shorelines	117
227.Expansion of accessory buildings and structures	117
228.Expansion of accessory buildings and structures on shorelines	117
229.Rebuilding of main buildings	117
230.Rebuilding of main buildings on shorelines	118
231.Rebuilding of accessory buildings and structures	118
232.Rebuilding of accessory buildings and structures on shorelines	118
233.Relocation of buildings and structures	118
234.Relocation of buildings and structures on shorelines	118
235.Access roads within integrated projects approved before December 11, 2020	118
236.Siting standards applicable in the absence of standards indicated in a specifica grid 119	itions
DIVISION D - NON-CONFORMING SIGNS PROTECTED BY ACQUIRED RIGHTS	119
237.Sign maintenance and repair	119
238.Sign expansions	119
239.Sign replacements	119
SCHEDULE A: ZONING MAP	120
SCHEDULE B: SPECIFICATIONS GRIDS	121
SCHEDULE C: WATER WITHDRAWAL SYSTEM PROTECTION ZONES	122
SCHEDULE D: LIST OF NATIVE PLANTS	
SCHEDULE E: TABLE OF FLOOD LEVELS FOR THE RIVIÈRE À SIMON	
SCHEDULE F: FLOOD ZONE MAPS OF THE RIVIÈRE À SIMON	138

	,	,		
SCHEDIII E C:		I CODDIDOD XEDORIOUE		30
SCHEDULE G.	FAIL LINEAINE DU	J COMMIDON ALMODIQUE	• ······ I ·	J

# CHAPTER I: DECLARATORY, ADMINISTRATIVE, AND INTERPRETIVE PROVISIONS

#### **DIVISION A - DECLARATORY PROVISIONS**

#### 1. Title of the by-law

This by-law shall be known as "By-Law 642-2022 Regarding Zoning."

# 2. Superseded by-law

This by-law supersedes, for all legal purposes, *By-Law 416 Regarding Zoning* and its amendments, as well as any irreconcilable provisions of other by-laws.

This replacement does not affect the permits and certificates issued under the authority of the superseded by-law or the rights acquired before this by-law came into force.

## 3. Scope

This by-law applies to all people and throughout the entire territory of the Municipality of Morin-Heights.

# 4. Activities and compliance

Any work on a structure, work, or land, or part thereof, and any use or occupation of a structure or land, or part thereof, must comply with this by-law.

Certain activities, uses, or types of occupancy require a permit or certificate under the *By-Law Regarding Permits and Certificates*.

Compliance with this by-law does not release any person from the obligation to comply with any other provincial or federal legislation or any other municipal by-laws applicable to the matter.

#### 5. Schedules

The schedules attached to this by-law form an integral part thereof.

## 6. Adoption in parts

This by-law is enacted chapter by chapter, division by division, section by section, paragraph by paragraph, and subparagraph by subparagraph so that if any part of this by-law is declared null and void by a court of law, the decision must not affect the remaining parts of the by-law except to the extent that the meaning and scope of the by-law or any of its provisions are thereby altered or modified.

## 7. Entry into force

This by-law shall come into force in accordance with the law.

## **DIVISION B - ADMINISTRATIVE PROVISIONS**

## 8. Administration of the by-law

The administration and enforcement of this by-law shall be the responsibility of the designated official, whose powers are detailed in the *By-Law Regarding Permits and Certificates*.

### 9. Infractions and penalties

Any person who contravenes, or permits or tolerates the contravention, of any provision of this by-law; performs construction without a permit; or maintains a condition that requires a certificate without having first obtained one is guilty of an infraction. Individuals who commit such infractions shall be liable to a fine of not less than \$1,000; legal persons who commit such infractions shall be liable to a fine of not less than \$2,000.

For repeat infractions, individuals shall be liable to a fine of \$2,000 plus costs and legal persons shall be liable to a fine of \$4,000 plus costs.

If the infraction is of a continuous nature, it shall constitute a separate infraction each day and the offender shall be liable to the aforementioned fine for each day on which the infraction continues.

## 10. Infractions and penalties relating to tourist accommodations

Any person who offers an accommodation unit within a tourist accommodation establishment for rent without having first obtained a certificate of authorization is guilty of an infraction. Individuals who commit such infractions shall be liable to a fine of \$1,000; legal persons who commit such infractions shall be liable to a fine of \$2,000.

For repeat infractions, individuals shall be subject to a fine of \$2,000 plus costs and legal persons shall be subject to a fine of \$4,000 plus costs.

If the infraction is of a continuous nature, it shall constitute a separate infraction each day and the offender shall be liable to the aforementioned fine for each day on which the infraction continues.

#### 11. Infractions and penalties related to swimming pools

Pursuant to the *Residential Swimming Pool Safety Regulation* (CQLR c. S-3.1.02, r. 1) and the *Residential Swimming Pool Safety Act* (CQLR c. S-3.1.02), any person who contravenes the legislation or this by-law shall be liable to a fine of not less than \$500 and not more than \$700. For repeat infractions, the minimum fines are increased to \$700 and \$1,000, respectively.

If the infraction is of a continuous nature, it shall constitute a separate infraction each day and the offender shall be liable to the aforementioned fine for each day on which the infraction continues.

# 12. Tree-related infractions and penalties

Pursuant to section 233.1 of the *Act respecting land use planning and development* (CQLR c. A-19.1), the felling of a tree in violation of subparagraphs 12 or 12.1 of the second paragraph of section 113 of that act shall be punishable by a fine of not less than \$500 plus:

- 1. If trees were felled over less than one hectare, a fine of not less than \$100 and not more than \$200 per illegally felled tree, not exceeding \$5,000 in total; or
- 2. If trees were felled over one hectare or more, a fine of not less than \$5,000 and not more than \$15,000 for each full hectare felled plus an amount determined in accordance with subparagraph 1 for each fraction of a hectare felled.

The amounts indicated in the first paragraph are doubled in the event of a repeat infraction.

#### **DIVISION C - INTERPRETIVE PROVISIONS**

#### 13. Rules of interpretation

The following rules of interpretation shall apply to this by-law in the event of conflicting provisions:

- 1. The most specific of the provisions shall prevail.
- 2. The most restrictive of the provisions shall prevail.
- 3. In the event of a discrepancy between a table, an illustration, or a title and the text, the text shall prevail.

#### 14. Structure

This by-law is structured as follows:

Chapter I: Chapter

Division A - Division

Section

Paragraph

- Subparagraph
  - a) Clause

#### 15. Definitions

Unless the context otherwise dictates, words and phrases have the meaning assigned to them in the *By-Law Regarding Permits and Certificates*. If a word or expression is not defined, it is understood to have its common dictionary meaning.

## **DIVISION D - ZONING MAP AND SPECIFICATIONS GRIDS**

## 16. Division of the territory into zones

For the purposes of this by-law, the territory of the municipality is divided into zones as shown on the zoning map, which is appended as Schedule A to this by-law.

Zone boundaries, as identified on the zoning map, are generally considered to fall along the centre lines of streets, watercourses, lot lines, or extensions thereof.

#### 17. Identification of zones

The zones shown on the zoning map are identified by a letter or letters, followed by a dash and a number identifying the zone number (e.g. RV-1). The letters indicate the main purpose of the zone (in French):

AF: Agro-Forestry (agro-forestière)

C: Commercial (commerciale)

CONS: Conservation

H: Residential (habitation)

I: Industrial (industrielle)

MIX: Mixed (mixte)

REC: Recreational (récréative)

RF: Residential and Forestry (résidentielle et foresterie)

RV: Residential and Resort (résidentielle et villégiature)

#### 18. Specifications grids

For regulatory purposes, a specifications grid is provided for each zone identified on the zoning map.

The specifications grids are appended as Schedule B to this by-law.

# DIVISION E – PROVISIONS REGARDING CONTRIBUTIONS FOR PARKS, PLAYGROUNDS, AND NATURAL AREAS

#### 19. Requirement to contribute

In cases where the contribution applies under this section, the owner must (one choice among the following in the opinion of the Municipal Council):

- Agree to transfer to the Municipality, free of charge, a parcel of land representing 10% of the total area of the site, if the parcel is located in a place which the Council deems suitable for the establishment or expansion of a park or playground or the maintenance of a natural area;
- 2. Pay the Municipality 10% of the value of the site in question; or
- 3. Agree to transfer a parcel of land in accordance with subparagraph 1 and pay a fee in accordance with subparagraph 2, which combined represent 10% of the land's value.

For the purposes of this division, "site" means the base of the building for which the permit or certificate has been requested.

#### 20. Situations requiring contributions

Contributions are required for the following:

- Building permits for the construction of new main buildings on immovables that were registered as separate lots, but did not require subdivision permits because the lots resulted from the cadastral renewal, unless:
  - a) The building permit is for the rebuilding of a main building that has been destroyed, been rendered unsafe, or lost more than one-half (50%) of its value as a result of a fire or other cause; or
  - b) The building permit is for a main building to accommodate a social housing project as part of a program under the *Act respecting the Société d'habitation du Québec* (CQLR c. S-8).
- 2. Building permits for the addition of two or more dwelling units within main buildings.
- 3. Certificates of authorization for the change of use of existing buildings from a use in the Commercial, Industrial, Public, or Agricultural groups to a use in the Residential group with at least two dwelling units, unless:
  - a) The change of use is to accommodate a social housing project as part of a program under the *Act respecting the Société d'habitation du Québec* (CQLR c. S-8).
- 4. Building permits or certificates of authorization for the addition of main buildings intended to accommodate a use in the Residential group permitted under the *By-law Regarding Zoning*, on lots that already have main buildings or where main buildings have been authorized by a previous building permit, unless:
  - a) The additional main building is to accommodate a social housing project as part of a program under the Act respecting the Société d'habitation du Québec (CQLR c. S-8).

5. Sites that are subject to a prior agreement for land that is not part of the site, pursuant to this division.

#### 21. Agreements for land that is not part of a site

Notwithstanding the contribution requirement, the Municipality may enter into an agreement with the owner on the commitment to surrender land that is not part of the site, but is located within the municipal territory.

The percentage of the ceded land (or the ceded land and the payment, if applicable) must not be less than the percentage indicated in this division.

This agreement takes precedence over any calculation rule.

#### 22. Calculation of value

The value of the site is calculated as of the date the Municipality receives the application for the building permit or certificate of authorization that is subject to the contribution and deemed compliant by the designated official.

The value must be determined by a certified appraiser mandated by the Municipality, at the owner's expense, in accordance with the best practices regarding expropriation on the date indicated in the first paragraph.

#### 23. Rule for calculating the transfer or payment

The calculation of the land transfer or cash payment shall take into account, to the owner's benefit, any previous transfers or payments made in respect of all or part of the site, as well as any commitments to transfer land under section 16 of the *By-Law Regarding Subdivision* (transfer for public access to a lake or watercourse).

#### 24. Conditions for the land to be transferred

The land to be transferred must be free of mortgages, liens, charges, and real rights.

The land to be transferred must not be registered on the list of contaminated land established by the Municipality under the *Environment Quality Act* (CQLR c. Q-2).

### 25. Costs to be paid by the ceding owner

The costs of the land registration and notarial act are to be borne by the ceding owner.

# CHAPTER II: PROVISIONS FOR MAIN USES

#### **DIVISION A - CLASSIFICATION OF MAIN USES**

#### 26. Interpretive rules for the classification of main uses

The following interpretive rules shall apply to the classification of main uses:

- 1. Main uses are classified into use groups, categories, and codes in this division.
  - Unless otherwise specified, the letters indicating the use groups, categories, and codes correspond to the French names of those use groups, categories, and codes.
- 2. A use category or code describes a set of similar uses, the descriptions of which are provided for reference purposes.
- 3. The list of uses for a given category or code is not exhaustive.
- 4. Unless it specifically appears in more than one use category or code, a use may only belong to or be assimilated to a single category or code. The assignment of a use to a category or code automatically excludes it from any other use code, category, or group.
- 5. If a use is not specifically defined or included in a use category or code in this division, or listed as a permitted or prohibited use in Division B of this chapter, the designated official shall search for the use category and code that is most similar to that use. To do so, they shall consider the nature of the activities, their intensity, and their impact on neighbouring areas.

## 27. Residential (H) use group

The Residential (H) use group is divided into the following categories.

Table 1: Use categories in the Residential (H) group

Category	Description	
H1	Single-family residence: dwelling with one (1) dwelling unit	
	Two-family residence: dwelling with two (2) dwelling units	
H2	Each unit must have a separate entrance accessible from the outside or from a communal entrance within the building.	
	Three-family residence: dwelling with three (3) dwelling units	
H3	Each unit must have a separate entrance accessible from the outside or from a communal entrance within the building.	
	Multi-family residence: dwelling with four (4) or more dwelling units  The maximum number of dwelling units permitted per building can be	
	found in the specifications grid.  Each unit must have a separate entrance accessible from the outside or from a communal entrance within the building.	
H4	A multi-family residence may have common areas for residents to use, such as lounges, recreation areas, or eating areas.	
	Accommodations that consist of several dwelling units or rooms, but are not included in Category P1 – Institutional and Administrative, are considered part of this use category. Seniors' residences, for example, are included in this category.	

# 28. Commercial (C) use group

The Commercial (C) use group is divided into the following categories and codes.

Table 2: Use categories in the Commercial (C) group

Group	Category	
	C1	Retail
	C2	Personal Services
	C3	Professional and Other Services
	C4	Arterial Trade and Services
	C5	Restaurant and Food Services
Commercial (C)	C6	Accommodation
Commercial (C)	C7	Indoor Recreation Businesses
	C8	Outdoor Recreation Businesses
	C9	Service Stations
	C10	Vehicle Trade and Services
	C11	Heavy and Para-Industrial Trade and Services
	C12	Specialty Trade and Services

1. Commercial retail establishments are considered part of Category C1 – Retail. They typically operate inside their main buildings.

Table 3: Use codes in Category C1 - Retail

Code	Description
C1-01	Convenience Stores
C1-02	Food Stores
C1-03	Specialty Food Stores (gourmet or specialty grocery stores, natural food stores, bakeries, butcher shops, candy stores, cheese shops, produce stores, pastry shops, fish shops)
C1-04	Food Preparation Stores (including retail)
C1-05	Beer, Wine, and Liquor Stores
C1-06	Public Markets (indoor or outdoor, selling food and artisanal products)
C1-07	Pharmacy-Type Stores
C1-08	Specialty Stores (florists; bookstores; gift, record, jewelry, toy, craft, fabric and sewing, and antique stores; stores selling beauty products, stationery, home decor, luggage, photography, framing, artwork, costumes, musical instruments, eyewear, and orthopedic equipment)
C1-09	Clothing, Shoe, and Fashion Accessory Stores
C1-10	Recreational and Sporting Goods Stores
C1-11	Pet Food Stores and Pet Shops (no pet sitting or boarding)
C1-12	Department and Variety Stores
C1-13	Furniture and Household Appliance Stores

Code	Description
C1-14	Office Supply Stores
C1-15	Electronics and Computer Stores (including stores selling communication equipment)
C1-16	Automotive Parts and Accessories Stores (no repair, maintenance, or installation services)
C1-17	Hardware Stores (without lumberyards or outdoor garden centres)

2. Establishments that offer personal and health-related services are considered part of Category C2 – Personal Services. They typically operate inside their main buildings.

Table 4: Use codes in Category C2 - Personal Services

Code	Description
C2-01	Hairdressing and Aesthetic Services
C2-02	Massage Therapy and Body Care Services
C2-03	Specialized Personal Services (dry cleaners, laundromats, tailors, shoemakers)
C2-04	Offices of Healthcare Professionals and Health Resources (doctors, dentists, physiotherapists, opticians, chiropractors, psychologists, podiatrists, social workers)
C2-05	Daycare Centres and Childcare Services (not covered by the Educational Childcare Act, CQLR c. S-4.1.1)

3. Professional, business, community, training, and private education centres, as well as other service establishments, are considered part of Category C3 – Professional and Other Services. They typically operate inside their main buildings.

Table 5: Use codes in Category C3 - Professional and Other Services

Code	Description
C3-01	Banking and Financial Services
C3-02	Professional and Business Services (real estate, legal, administration, insurance, business management, financial management, travel, advertising, photography, graphic design, architecture, urban planning, surveying, engineering, environmental, accounting, advertising, information technology and computers, media, translation)
C3-03	Medical Clinics (grouping of offices of healthcare professionals, health resources, and related services)
C3-04	Home Repair and Maintenance Services (sharpening of household items; locksmithing; repair of computers, electronics, small appliances, or bicycles; household maintenance)
C3-05	Construction, Landscaping, Snow Removal, and Building Maintenance Services (not selling materials or requiring the parking or storage of heavy vehicles or similar equipment)
C3-06	Training Centres and Private Schools Related to Sports, Leisure, and Culture (music, dance, crafts, sports and recreation, and driving schools)

Code	Description
C3-07	Private Vocational Schools and Training Centres (for learning trades such as hairdressing, aesthetics, secretarial work, computer work, or construction)
C3-08	Offices of Support and Aid Organizations and Associations
C3-09	Art and Artisanal Studios and Workshops
C3-10	Audiovisual Recording and Production Studios
C3-11	Printing and Photocopy Centres
C3-12	Veterinary Clinics for Small Pets
C3-13	Grooming Services for Small Pets
C3-14	Delivery, Courier, and Logistics Services (no warehouses)
C3-15	Upholstery and Furniture Repair Services
C3-16	Funeral Services and Columbariums (no crematoriums)

4. Establishments that sell goods and services, whose activities have a certain impact on the neighbourhood, which require outdoor display areas, but which are smaller than businesses in Category C11 – Heavy and Para-Industrial Trade and Services, are considered part of Category C4 – Arterial Trade and Services. They typically operate inside and outside their main buildings equally.

Table 6: Use codes in Category C4 - Arterial Trade and Services

Code	Description
C4-01	Renovation and Hardware Stores (with outdoor lumberyards or garden centres)
C4-02	Renovation and Construction Supply Stores (selling electrical, plumbing, heating, air conditioning, and ventilation supplies; doors and windows; carpets and flooring; fireplaces and combustion appliances; and kitchen and bathroom cabinets, including related services)
C4-03	Tool and Small Machinery Sales and Rental Stores
C4-04	Nurseries and Garden Centres
C4-05	Swimming Pool, Spa, and Garden Furniture Stores (including related services)
C4-06	Businesses Selling Shelters, Fences, Sheds, and Other Outdoor Structures (including related services)
C4-07	Businesses Selling Fuel, Pressurized Gas, or Propane (may or may not sell fireplaces and combustion appliances; including related services)
C4-08	Business-to-Business Vendors
C4-09	Wholesalers (with storage and distribution)
C4-10	Monument and Gravestone Sellers
C4-11	Flea Markets (indoor or outdoor, primarily selling secondhand goods)
C4-12	Businesses Selling Hazardous and Pest Control Products (including related services)

Code	Description
C4-13	Construction, Landscaping, Snow Removal, and Building Maintenance Services (selling materials or requiring the parking or storage of heavy vehicles or similar equipment)
C4-14	Warehouses (indoor storage services)
C4-15	Offices of Public Transit, School Bus, Taxi, and Ambulance Services
C4-16	Delivery, Courier, and Logistics Services (with warehouses)
C4-17	Event Services and Equipment Rental (tents, portable toilets, furniture)
C4-18	Specialized Laboratories and Research Centres (no production)

5. Restaurants and establishments that offer food preparation services are considered part of Category C5 – Restaurant and Food Services. They typically operate inside their main buildings.

Table 7: Use codes in Category C5 – Restaurant and Food Services

Code	Description
C5-01	Full-Service Restaurants (establishments whose main activity is serving meals and beverages for on-site consumption, such as restaurants, cafés, bistros, and breweries)
C5-02	Limited-Service Restaurants (establishments whose main activity is providing counter service of prepared food and beverages for fast consumption; includes establishments with drive-thrus)
C5-03	Seasonal Snack Bars
C5-04	Meal or Food Preparation (catering) Services (with on-site consumption)
C5-05	Dairy Bars

6. Tourist accommodation establishments and rooming or boarding houses are considered part of Category C6 – Accommodation. Except for certain types of accommodation and their associated activities, they typically operate inside their main buildings. These uses concern both the operation of the use itself and the fact of publicly advertising such a use for rent.

Table 8: Use codes in Category C6 – Accommodation

Code	Description
C6-01	Hotel Establishments (establishments with rooms and suites in one main building, such as hotels, motels, and inns)
C6-02	Experiential Accommodations (in cabins, shelters, domes, or similar structures)
C6-03	Resorts
C6-04	Campgrounds
C6-05	Bed and Breakfasts
C6-06	Tourism residences
C6-07	Boarding Houses

7. Establishments related to entertainment and recreation that takes place primarily indoors (but which may offer complementary activities outdoors) are considered part of Category C7 – Indoor Recreation Businesses.

Table 9: Use codes in Category C7 – Indoor Recreation Businesses

Code	Description
C7-01	Cultural and Entertainment Establishments (theatres, auditoriums, cinemas, exhibition halls, art galleries, museums)
C7-02	Spas and Health Centres (indoor and outdoor)
C7-03	Indoor Recreation Businesses (bowling alleys; billiard rooms; dance halls; arcades; sports and entertainment centres for tennis, surfing, curling, rock climbing, trampolining, and martial arts)
C7-04	Indoor Pools, Water Parks, and Splash Pads
C7-05	Gyms and Fitness Centres
C7-06	Community Centres (various organizations and associations)
C7-07	Meeting Rooms and Banquet Halls

8. Establishments related to entertainment and recreation that takes place primarily outdoors (aside from customer reception) are considered part of Category C8 – Outdoor Recreation Businesses. Their activities generally require large spaces.

Table 10: Use codes in Category C8 – Outdoor Recreation Businesses

Code	Description
C8-01	Centres for Trail-Based Activities (hiking, biking, cross-country skiing, skating, snowshoeing, mountain biking)
C8-02	Golf Courses and Driving Ranges
C8-03	Mini-Golf Courses
C8-04	Skill-Based Recreation Businesses (archery, high ropes, rock climbing)
C8-05	Winter Sports Businesses
C8-06	Dog Sledding Businesses

9. Gas stations and establishments that provide services for drivers and their passengers are considered part of Category C9 – Service Stations. Except for refuelling, they typically operate inside their main buildings.

Table 11: Use codes in Category C9 – Service Stations

Code	Description
C9-01	Service Stations
C9-02	Car Washes
C9-03	Service Stations Providing Minor Vehicle Repairs (repair or replacement of tires, lubricant, oil, filters, batteries, and similar)

Code	Description
C9-04	Service Stations with One or More Businesses or Services (convenience stores, restaurants, car washes)

10. Establishments whose primary activity is the repair, sale, or rental of vehicles are considered part of Category C10 – Vehicle Trade and Services. Except for vehicle parking and storage, they typically operate inside their main buildings.

Table 12: Use codes in Category C10 – Vehicle Trade and Services

Code	Description
C10-01	Garages (providing mechanic services, dent removal, or detailing for all types of vehicles; including repair and maintenance)
C10-02	Motor Vehicle Dealerships (may provide maintenance services)
C10-03	Light Motor Vehicle Dealerships (selling motorcycles, snowmobiles, and all-terrain vehicles; may provide maintenance services)
C10-04	Recreational Vehicle Dealerships (selling motorized recreational vehicles and watercraft; may provide maintenance services)
C10-05	Commercial and Heavy Vehicle Dealerships (may provide maintenance services)
C10-06	Vehicle Parts and Accessories Dealerships (may provide installation services)
C10-07	Vehicle and Trailer Rental Businesses
C10-08	Offices and Parking Lots of Public Transit, School Bus, Taxi, and Ambulance Services

11. Establishments that offer goods and services that create nuisances or require large outdoor display areas are considered part of Category C11 – Heavy and Para-Industrial Trade and Services. They typically operate inside and outside their main buildings equally.

Table 13: Use codes in Category C11 – Heavy and Para-Industrial Trade and Services

Code	Description
C11-01	Businesses Selling Mobile Homes, Prefabricated Houses, and Trailers
C11-02	Lumberyards Selling Building Materials (no renovation centre or hardware store)
C11-03	Businesses Selling Bulk Products and Materials (such as paving stones, gravel, and soil; not attached to a renovation centre, hardware store, nursery, or garden centre)
C11-04	Businesses Selling Farming Products and Materials
C11-05	Heavy Vehicle Parking Lots
C11-06	Freight-Related Businesses

12. Establishments that offer goods and services that create or may create nuisances and constraints on cohabitation are considered part of Category C12 – Specialty Trade and Services.

Table 14: Use codes in Category C12 - Specialty Trade and Services

Code	Description
C12-01	Bars and Clubs
C12-02	Cannabis and Cannabis Product Stores
C12-03	Pawnbrokers
C12-04	Erotic Businesses (including businesses that employ eroticism; all uses)
C12-05	Vehicle Impound Lots
C12-06	Junkyards and Scrap Yards
C12-07	Outdoor Storage Businesses
C12-08	Skill-Based Recreation Businesses (war games)
C12-09	Water and Theme Parks
C12-10	Motorized Vehicle Tracks (racetracks, go-karting tracks)
C12-11	Zoos and Zoological Gardens
C12-12	Drive-Ins
C12-13	Residual Materials Management Services (related to domestic, commercial, or industrial residual materials; including but not limited to processing, disposal, transshipment, and recycling; not covered by the uses in Category P4)

## 29. Industrial (I) use group

The Industrial (I) use group is divided into the following categories and codes.

Table 15: Use categories in the Industrial (I) group

Group	Catego	ory
	<b>I</b> 1	Light Industry
Industrial (I)	12	Agroforestry Industry
	13	Extractive Activity

1. Establishments that manufacture, transform, assemble, or package products and that do not have an environmental impact are considered part of Category I1 – Light Industry. These establishments have minimal impact on neighbouring lots due to the nature of their activities, the space (storage, parking, etc.) needed on the site, and the trucking activities (loading and unloading) performed on the site. Their main operations typically take place inside their main buildings.

Table 16: Use codes in Category I1 - Light Industry

Code	Description	
I1-01	Microbreweries and Microdistilleries	
I1-02	Specialized Laboratories and Research Centres (with production)	

Code	Description
I1-03	Carpentry, Machining, Welding, and Electrical Workshops
I1-04	Establishments Associated with the Brewing and Distilling Industry
I1-05	Establishments Associated with the Door, Window, Roofing, Cabinetry, Furniture, and Other Related Products Industries
I1-06	Establishments Associated with the Clothing and Textile Industries
I1-07	Establishments Associated with the Electronics and Computer Products Industries
I1-08	Establishments Associated with the Metal and Metal Products Industries
I1-09	Establishments Associated with the Mineral and Non-Metallic Product Industries
I1-10	Establishments Associated with the Sign and Display Industries
I1-11	Establishments Associated with the Sporting Goods, Game, and Recreation Industries
I1-12	Establishments Associated with the Printing, Publishing, and Related Industries
I1-13	Establishments Associated with the Jewelry and Goldsmithing Industries
I1-14	Establishments Associated with the Transportation Equipment and Machinery Industries
I1-15	Establishments Associated with the Food Processing and Preparation Industries

2. Establishments that are related to agricultural and forestry activities are considered part of Category I2 – Agroforestry. Except for logging, they typically operate inside their main buildings.

Table 17: Use codes in Category I2 - Agroforestry

Code	Description	
12-01	Processing of Agricultural Products (including their storage, distribution, and sale)	
12-02	Production of Agricultural Supplies (including their storage, distribution, and sale)	
12-03	Establishments Associated with the Logging Industry	
12-04	Establishments Associated with the Wood Processing and Sawmill Industries	
12-05	Establishments Associated with Cannabis Production, Cultivation, and Processing	

3. Establishments that perform extractive activities are considered part of Category I3 – Extractive Activity. These establishments have a moderate impact on neighbouring lots due to the nature of their activities, the space (storage, parking, etc.) needed on the site, and the trucking activities (loading and unloading) performed on the site. They typically operate outside their main buildings.

Table 18: Use codes in Category I3 – Extractive Activity

Code	Description
13-01	Establishments Associated with the Extraction of Granular Materials (including the primary transformation of materials on site, and including but not limited to quarries and sandpits)

#### 30. Public (P) use group

The Public (P) use group is divided into the following categories and codes.

Table 19: Use categories in the Public (P) group

Group	Category	
	P1	Institutions and Administrative Services
Dublic (D)	P2	Municipal Services
Public (P)	P3	Worship Services
	P4	Public Utilities

1. Public service establishments that are associated with health, education, and public administration institutions are considered part of Category P1 – Institutions and Administrative Services. These activities are offered by public bodies, unless otherwise indicated in the following table. These establishments typically operate inside and outside their main buildings equally.

Table 20: Use codes in Category P1 - Institutions and Administrative Services

Code	Description
P1-01	Local Community Service Centres (CLSC), Residential and Long-Term Care Centres (CHSLD), Rehabilitation Centres, and Visitor and Reception Centres
P1-02	Intermediate and Family-Type Resources (as defined in the <i>Act</i> respecting health services and social services, CQLR c. S-4.2)
P1-03	Care Centres and Accommodation (with services offered by a public organization or a private institution, such as respite homes, seniors' homes, and palliative care homes)
P1-04	Early Childhood Centres and Daycare Centres (as defined by the Educational Childcare Act, CQLR c. S-4.1.1)
P1-05	Educational Institutions (kindergarten, elementary, secondary)
P1-06	Educational Institutions (specialized training centres)
P1-07	Governmental and Para-Governmental Administration and Services

2. Establishments and facilities related to municipal services and administration are considered part of Category P2 – Municipal Services. They typically operate inside and outside their main buildings.

Table 21: Use codes in Category P2 - Municipal Services

Code	Description
P2-01	Municipal Administration and Services (town hall)

Code	Description
P2-02	Cultural or Community Centres and Libraries
P2-03	Municipal Garages (Public Works and Infrastructures Department)
P2-04	Municipal Sports and Recreation Services and Facilities (arenas, pools, sports fields and courts)
P2-05	Fire and Public Safety Services
P2-06	Public Parking

3. Cemeteries and places of worship are considered part of Category P3 – Worship Services. Except for cemeteries, they typically operate inside their main buildings.

Table 22: Use codes in Category P3 - Worship Services

Code	Description
P3-01	Places of Worship
P3-02	Service and Support Centres Offering Worship-Related Activities
P3-03	Cemeteries

4. Utility establishments that serve the needs of the general public and are managed by a public body or a supplier of utility services (such as electricity and gas) are considered part of Category P4 – Public Utilities. They typically operate outside their main buildings.

Table 23: Use codes in Category P4 - Public Utilities

Code	Description
P4-01	Material Storage
P4-02	Distribution and Maintenance Centres for Public Services
P4-03	Snow Disposal Sites
P4-04	Ecocentres and Recycling Centres for Organic and Residual Materials
P4-05	Sewage Treatment or Purification Plants, Sewage Aerated Lagoons, and Water Filtration Plants
P4-06	Municipal Wells
P4-07	Telecommunication Towers and Antennae

## 31. Agricultural (A) use group

The Agricultural (A) use group is divided into the following categories and codes.

Table 24: Use categories in the Agricultural (A) group

Group	Categ	ory
Agricultural (A)	A1	Cultivation and Maple Sugaring
Agricultural (A)	A2	Animal Husbandry

1. Establishments that practice activities related to crops and maple sugaring are considered part of Category A1 – Cultivation and Maple Sugaring. They typically operate either inside or outside their main buildings.

Table 25: Use codes in Category A1 - Cultivation and Maple Sugaring

Code	Description
A1-01	Soil Cultivation Businesses
A1-02	Greenhouse Cultivation Businesses
A1-03	Maple Sugaring Businesses

2. Establishments that practice activities related to the raising and keeping of animals are considered part of Category A2 – Animal Husbandry. They typically operate either inside or outside their main buildings.

Table 26: Use codes in Category A2 - Animal Husbandry

Code	Description
A2-01	Establishments Practicing Farm Animal Husbandry
A2-02	Stables and Equestrian Centres (includes care and boarding as well as lessons and horseback riding)
A2-03	Pet Sitting and Boarding Establishments
A2-04	Animal Activities (dressage, horse jumping, canine sports)
A2-05	Kennels

#### **DIVISION B - MAIN USES**

#### 32. Permitted and prohibited main uses

Subject to the uses that are permitted and prohibited throughout the territory in this division, main uses are permitted by zone as indicated in the specifications grids.

The authorization of uses in the grids are interpreted as follows:

- 1. The specification grid for a zone lists only the use categories permitted in that zone (for example: "C1 Retail"). All other use categories not identified on the grid are prohibited in that zone.
- 2. Specific uses within a permitted use category may be specifically permitted. In this case, the use code(s) of the category in question are listed in the "specifically permitted uses" section, prefaced by a (1). For example "(1) C1-03" means that only use C1-03, in Category C1, is permitted in the zone. If necessary, the name of the use may be indicated (for example: "butcher").
- 3. Specific uses within a permitted use category may be prohibited. In this case, the use code(s) of the category in question are listed in the "specifically prohibited uses" section, prefaced by a (2). For example "(2) C2-01" means that all uses in Category C2 are permitted in the zone, with the exception of use C2-01, which is prohibited. If necessary, the name of the use may be indicated (for example "hair salon").
- 4. A dot (•) is placed on the line corresponding to the use category to identify the standards in the specifications grid for that or those use(s).

### 33. Generally permitted uses

Notwithstanding any provisions to the contrary in the town planning by-laws, the following uses are permitted throughout the entire municipality:

- Parks, playgrounds, and green spaces, including their equipment and service buildings, managed by the Municipality or an organization designated for this purpose by the Municipality;
- 2. Bicycle paths and lanes, including rest stops and service buildings, managed by the Municipality or an organization designated by the Municipality;
- 3. Trails for the practice of non-motorized sports and recreation, such as hiking, biking, snowshoeing, or cross-country skiing, including rest stops and service buildings, managed by the Municipality or an organization designated by the Municipality;
- 4. Community gardens managed by the Municipality or an organization designated for this purpose by the Municipality;
- 5. Conservation and environmental management activities;
- 6. Energy transmission infrastructure;
- 7. Infrastructure, equipment, and other structures related to electricity, telephone, gas, and other public utility networks;
- 8. Equipment and structures related to public transit services;
- 9. Equipment and structures related to the federal postal service.

## 34. Generally prohibited uses

Notwithstanding any provisions to the contrary in the town planning by-laws, the following uses are prohibited throughout the entire municipality:

1. Heavy industries, such as a use not covered by classes I2 "Light industry", I3 "Agroforestry industry" and I3 "Extractive activity".

#### 35. Main use quotas

A specifications grid for a zone may indicate the maximum number (quota) of main uses with the same use code in a section entitled "main use quotas."

In this section, the relevant use codes are indicated, followed by the maximum number of permitted uses in that zone (for example, "C1-01: 1 use").

#### 36. Number of main uses permitted on a lot or in a main building

Only one (1) main use is permitted on a lot or in a main building, except for:

- 1. Mixed uses that are permitted in the specifications grid;
- 2. Multiple uses that are permitted in the specifications grid;
- 3. Generally permitted uses under this division, which may also take place in addition to those permitted in the specifications grid;
- 4. Uses in categories P2 Municipal Services and P4 Public Utilities that are permitted in the specifications grid;
- 5. Uses in the Residential group and those in Category A1 Cultivation and Maple Sugaring or Code A2-01 Establishments Practicing Farm Animal Husbandry that are permitted in the specifications grid, provided that each main use takes place in a separate building;
- 6. Uses that take place in the context of an integrated project, the conditions of which are indicated in Chapter XIV of this by-law. However, only one (1) main use is permitted

per main building unless the provisions of the other subparagraphs of this paragraph apply;

7. Uses permitted under a specific authorization given in this by-law.

Unless otherwise stated, the standards applicable to lots or buildings where more than one main use is permitted shall be the most restrictive standards of those applicable to the main uses.

#### 37. Mixed uses

Where permitted in the specifications grid, mixed uses must meet the following conditions:

- 1. Only two (2) main uses are permitted in a single building.
- 2. One use must be in the Residential group and the other must be in the Commercial group.
- 3. If multiple and mixed uses are both permitted, more than one commercial establishment is permitted.
- 4. For uses in the Commercial group:
  - a) The uses must be permitted in the zone's specifications grid.
  - b) The uses must take place on the ground floor. Notwithstanding the foregoing, the uses may occupy the basement for storage or similar purposes, but not for the purpose of receiving customers.
- 5. For uses in the Residential group:
  - a) The uses must be permitted in the specifications grid of the relevant zone, regardless of category.
  - b) No more than four (4) dwelling units are permitted in a building, regardless of category, unless otherwise indicated in the specifications grid.
  - c) The uses must take place upstairs.
  - d) The entrances to the dwelling units must be separate from the entrances to the Commercial group uses.
  - e) The dwelling units must not be accessible internally from the Commercial group uses.
- 6. The number of parking spaces required is the sum of the spaces required for all uses on the lot. For residences, two (2) spaces are required for the first dwelling unit and (1) space per dwelling is required for each additional dwelling unit.
- 7. Parking areas must indicate which parking spaces are reserved for the dwelling units, unless each use has a separate parking area on the lot.
- 8. The standards for the Commercial group use apply to the building and lot.

## 38. Multiple uses

Where permitted in the specifications grid, multiple uses must meet the following conditions:

- 1. Two (2) or more main uses are permitted in a single building or on a single lot.
- 2. The uses must be part of the Commercial or Industrial groups or Category P1 Institutions and Administrative Services in the Public group.
- 3. The uses must be permitted in the zone's specifications grid.
- 4. The number of parking spaces required is the sum of the spaces required for all uses.
- 5. The building and lot standards are the most restrictive standards applicable to either use.

# 39. Main building requirement

Main uses are permitted if main buildings are erected on the same lot.

The requirement of the first paragraph does not apply to the following uses:

- 1. Code I2-03 Logging
- 2. Category P2 Municipal Services
- 3. Code P3-03 Cemeteries
- 4. Category P4 Public Utilities
- 5. Generally permitted uses

# CHAPTER III: PROVISIONS FOR ADDITIONAL USES

#### DIVISION A - ADDITIONAL USES TO MAIN USES IN THE RESIDENTIAL GROUP

#### 40. Permitted additional uses

Additional uses to main uses in the Residential group are permitted if they are expressly authorized under this division, provided they comply with the conditions set forth herein.

Other additional uses are prohibited.

#### 41. Number of permitted additional uses

Two (2) additional uses are permitted per lot.

The number of additional uses of the same category is determined in this division.

## 42. Generally permitted additional uses

The following additional uses to main uses in the Residential group are permitted throughout the entire territory:

- 1. Home childcare services as defined in the Educational Childcare Act (CQLR c. S-4.1.1);
- 2. Intermediate or family-type resources as defined in the *Act respecting health services* and social services (CQLR c. S-4.2);
- 3. ′

The following conditions apply to the uses named in the first paragraph:

- 1. One (1) additional use is permitted per lot.
- 2. Parking area rules apply to additional uses; the required spaces for additional uses must be added to the spaces required for the main use.
- 3. One (1) sign may be installed in accordance with Chapter X.

## 43. Intergenerational dwelling units

The following conditions apply to "intergenerational dwelling unit" uses that are additional to main uses in the Residential group, where permitted in the specifications grid:

- 1. An intergenerational dwelling unit must be located within a main building whose main use is as a single-family residence (Category H1).
- 2. Only one (1) intergenerational dwelling unit is permitted per single-family residence (Category H1).
- 3. An intergenerational dwelling unit is prohibited if any of the following additional uses take place:
  - a) Additional dwelling units
  - b) Guest houses
  - c) Room rentals
  - d) Tourist accommodation of the principal residence type <sup>2</sup>

 $<sup>^{\</sup>it I}$  Repealed by By-law 670-2023 entered into effect on September 13, 2023

 $<sup>^2</sup>$  Added by By-law 670-2023 entered into effect on September 13, 2023

- 4. The main building where the associated "single-family residence" (Category H1) use takes place must be detached.
- 5. An intergenerational dwelling unit may occupy up to 60 m² or 40% of the floor area of the main dwelling unit, whichever is smaller.
- 6. An intergenerational dwelling unit must be connected to the associated main dwelling unit from the inside.
- 7. An intergenerational dwelling unit may have a separate entrance to the associated main building. This entrance must be located on a different wall of the building than the main entrance (for example, on a side or rear wall if the main entrance is located on the front wall).
- 8. Other than the creation of a separate entrance, the addition of an intergenerational dwelling unit must not change the architecture or exterior appearance of the associated main building.
- 9. An intergenerational dwelling unit must be powered by the same electric meter as the associated main building.
- 10. One (1) additional parking space must be provided on the lot.
- 11. The septic system must comply with the Regulation respecting waste water disposal systems for isolated dwellings (CQLR c. Q–2, r. 22).

An intergenerational dwelling unit may be converted to an additional dwelling unit, as long as the relevant conditions are met.

#### 44. Additional dwelling units

The following conditions apply to "additional dwelling unit" uses that are additional to main uses in the Residential group, where permitted in the specifications grid:

- 1. An additional dwelling unit must be located within a main building whose main use is as a single-family residence (Category H1).
- 2. Only one (1) additional dwelling unit is permitted per single-family residence (Category H1).
- 3. An additional dwelling unit is prohibited if any of the following additional uses take place:
  - a) Intergenerational dwelling units
  - b) Guest houses
  - c) Room rentals
  - d) Tourist accommodation of the principal residence type <sup>1</sup>
- 4. The main building where the associated "single-family residence" (Category H1) use takes place must be detached.
- 5. An additional dwelling unit may occupy up to 60 m² or 40% of the floor area of the main dwelling unit, whichever is smaller.
- An additional dwelling unit must have a separate entrance to the associated main building. This entrance must be located on a different wall of the building than the main entrance (for example, on a side or rear wall if the main entrance is located on the front wall).
- 7. Other than the creation of a separate entrance, the addition of an additional dwelling unit must not change the architecture or exterior appearance of the associated main building.

-

 $<sup>^{\</sup>it l}$  Added by By-law 670-2023 entered into effect on September 13, 2023

- 8. An additional dwelling unit must be powered by the same electric meter as the associated main building.
- 9. An additional dwelling unit must have a separate civic number.
- 10. One (1) additional parking space must be provided on the lot.
- 11. The septic system must comply with the *Regulation respecting waste water disposal* systems for isolated dwellings (CQLR c. Q–2, r. 22).

An additional dwelling unit may be converted to an intergenerational dwelling unit, as long as the relevant conditions are met.

#### 45. Guest houses

The following conditions apply to "guest house" uses that are additional to main uses in the Residential group, where permitted in the specifications grid:

- 1. A guest house must be built on a lot that is at least 8,000 m<sup>2</sup> in size and occupied by a single-family residence (Category H1).
- 2. One (1) guest house is permitted per lot.
- 3. A guest house is prohibited if any of the following additional uses take place:
  - a) Intergenerational dwelling units
  - b) Additional dwelling units
  - c) Room rentals
  - d) Tourist accommodation of the principal residence type <sup>1</sup>
- 4. The main building where the associated "single-family residence" (Category H1) use takes place must be detached.
- 5. Only one bedroom, one bathroom, and an enclosed storage area may be created inside a guest house. A kitchen may not be created, and kitchen appliances may not be installed.
- 6. This additional use must take place within a "guest house" accessory building that meets the standards listed in Division B of Chapter VI.
- 7. One (1) additional parking space must be provided on the lot.
- 8. A guest house must be served by a septic system that complies with the *Regulation respecting waste water disposal systems for isolated dwellings* (CQLR c. Q.2, r. 22) and, where applicable, be supplied by a water withdrawal system (called a "water withdrawal facility" in the regulation) that complies with the *Water Withdrawal and Protection Regulation* (CQLR c. Q-2, r. 35.2).

#### 46. Room rentals

The following conditions apply to "room rental" uses that are additional to main uses in the Residential group, where permitted in the specifications grid:

- 1. Room rentals must take place within a main building whose main use is as a single-family residence (Category H1).
- 2. No more than 3 rooms may be rented.
- 3. The minimum duration of a room rental is more than 31 days.
- 4. Room rental is prohibited if any of the following uses take place:

34

 $<sup>^{\</sup>it l}$  Added by By-law 670-2023 entered into effect on September 13, 2023

- a) Intergenerational dwelling units
- b) Additional dwelling units
- c) Guest houses
- d) Tourist accommodation of the principal residence type <sup>1</sup>
- 5. The main building where the associated "single-family residence" (Category H1) use takes place must be detached.
- Rooms for rent may occupy up to 60 m² or 40% of the floor area of the main dwelling unit, whichever is smaller.
- 7. A room for rent must be designed for its primary function. As such, it is prohibited to install all or part of a bathroom or kitchen (including a sink or cooking appliance) in the room. Only a closet-type storage space is permitted.
- 8. A separate entrance from the main building may be provided, but it must lead to a common area within the building and not directly into a room for rent. This entrance must be located on a different wall of the building than the main entrance (for example, on a side or rear wall if the main entrance is located on the front wall).
- 9. Other than the creation of a separate entrance, the addition of rooms for rent must not change the architecture or exterior appearance of the associated main building.
- 10. All rooms must be supplied by the same electric meter.
- 11. All rooms must have the same civic number as the main building.
- 12. One (1) additional parking space per rented room must be provided on the lot.
- 13. The septic system must comply with the *Regulation respecting waste water disposal* systems for isolated dwellings (CQLR c. Q–2, r. 22).

#### 47. Home-based personal and professional services

The following conditions apply to "home-based personal and professional service" uses that are additional to main uses in the Residential group, where permitted in the specifications grid:

- This additional use must take place inside the main dwelling unit, within a main building
  whose main use is as a single-family residence (Category H1). It may also take place
  inside an accessory building that is permitted under this by-law (such as a detached
  garage or shed) and related to the main use. Additional buildings are not permitted for
  this additional use.
- 2. Only one (1) additional use is permitted per single-family residence (Category H1).
- 3. The main building where the associated "single-family residence" (Category H1) use takes place must be detached.
- 4. This use must be made by the occupant of the main building.
- 5. This use may have one (1) employee in addition to the occupant of the main building.
- 6. If this use takes place inside the main building, it may occupy up to 40 m² or 30% of the building's floor area, whichever is smaller.
- 7. If this use takes place inside an accessory building, it may occupy 100% of the building's floor area, without exceeding a floor area of 40 m² (the maximum floor area of the accessory building is that permitted for the building type, such as a detached garage or shed).

35

 $<sup>^{\</sup>it l}$  Added by By-law 670-2023 entered into effect on September 13, 2023

- 8. If this use involves seeing clients or if an employee works there, one (1) additional parking space must be provided on the lot.
- Commercial vehicles, heavy vehicles, or similar may not be parked in the parking area, except for those associated with professional activities permitted under Division D of Chapter IX.
- 10. The outdoor storage of goods, tools, equipment, vehicles, and materials is prohibited.
- 11. The sale of products related to the additional use (e.g. beauty products for an aesthetic service) is permitted as an accessory. No promotional activities or product displays may be visible from the outside.
- 12. One (1) sign may be installed in accordance with Chapter X.

The following activities are considered to be "home-based personal and professional services":

- 1. Personal services, including hairdressing, aesthetics, massage therapy and body care, and tailoring services;
- Professional or business services, including real estate, legal, administration, business management, investment, insurance, financial management, travel, advertising, photography, graphic design, architecture, urban planning, surveying, engineering, environmental, accounting, information technology and computer, media, and translation services;
- 3. Health-related services, including physiotherapy, occupational therapy, chiropractic, and psychological services;
- 4. Service offices related to construction, landscaping, snow removal, and building maintenance, including contracting, plumbing, electrical work, welding, formwork, and well-digging;
- 5. Private sports, recreation, and culture classes for up to six (6) students at a time, including music, arts and crafts, light sports and recreation (dance, yoga, etc.), cooking, homework help, and personal wellness classes.
- 6. A pet grooming service (excluding daycare, boarding and other veterinary care).

#### 48. Home-based artistic and artisanal activities

The following conditions apply to "home-based artistic and artisanal activity" uses that are additional to main uses in the Residential group, where permitted in the specifications grid:

- This use may take place inside the main dwelling unit, within a main building whose main use is as a single-family residence (Category H1). It may also take place inside an accessory building that is permitted under this by-law (such as a detached garage or shed) and related to the main use. Additional buildings are not permitted for this additional use.
- 2. Only one (1) additional use is permitted per single-family residence (Category H1).
- 3. The main building where the associated "single-family residence" (Category H1) use takes place must be detached.
- 4. This use must not generate noise, odour, dust, or other nuisances that are noticeable outside the building.
- 5. If this use takes place inside the main building, it may occupy up to 40 m² or 30% of the building's floor area, whichever is smaller.
- 6. If this use takes place inside an accessory building, it may occupy 100% of the building's floor area, without exceeding a floor area of 40 m² (the maximum floor area of the accessory building is that permitted for the building type, such as a detached garage or shed).

- 7. This use must be made by the occupant of the main building.
- 8. This use may have one (1) employee in addition to the occupant of the main building.
- 9. If this use involves seeing clients or if an employee works there, one (1) additional parking space must be provided on the lot.
- Commercial vehicles, heavy vehicles, or similar may not be parked in the parking area, except for those associated with professional activities permitted under Division D of Chapter IX.
- 11. The outdoor storage of goods, tools, equipment, vehicles, and materials is prohibited.
- 12. The sale of products related to the use (e.g. products made on site) is permitted as an accessory to the additional use. No promotional activities or product displays may be visible from the outside.
- 13. One (1) sign may be installed in accordance with Chapter X.

The following are considered to be "home-based artistic and artisanal activity" uses, or activities whose objective is the manufacture, transformation, assembly, or creation of finished and semi-finished products in an artisanal manner, that is, with a minimum of machinery and without complex organization:

- 1. Woodworking and carpentry workshops;
- 2. Workshops related to construction, landscaping, snow removal, and building maintenance, including contracting, plumbing, electrical work, welding, formwork, and well-digging;
- 3. Workshops of artisans practicing a craft, i.e. creating original works (unique or with replicas) that serve a utilitarian, decorative, or expressive purpose and result from the practice of a craft related to the transformation of wood, leather, textiles, metals, silicates, or any other materials;
- 4. Workshops for repairing electronics, computer parts, and small appliances;
- 5. Workshops and studios for audiovisual creation, recording, and production;
- 6. Repair shops for sports equipment, such as bicycles or skates;
- 7. Professional kitchens.

## 49. Hobby farms

The following conditions apply to "hobby farm" uses that are additional to main uses in the Residential group, where permitted in the specifications grid:

- 1. A hobby farm must be built on a lot that is at least 10,000 m² in size and occupied by a single-family residence (Category H1).
- 2. The maximum number of animals is determined by the size of the lot, as indicated in the table to this section. For example, for a 25,000 m² lot, the operator can have up to 15 small animals, 4 medium animals, and 2 large animals for a total of 21 animals.
- 3. One (1) building may be erected for the keeping of animals.
- 4. The standards for "hobby farm" accessory buildings are listed in Division B of Chapter VI.
- 5. Outside, the animals must be kept in enclosures surrounded by fences that are no more than 2 metres tall. Any fence made of wire mesh, PVC, or chain link must include line posts, tension bands or bars, and top rails to secure the insides of the fence panels.
- 6. The buildings, animal waste facilities, and pens where animals are kept must be located at least:
  - a) 25 metres from a residence on an adjoining lot

- b) 10 metres from a residence on the same lot
- c) 15 metres from a lot line
- d) 25 metres from the boundary of a littoral zone and of a wetland adjacent to a lake or watercourse
- 7. In addition to the number of animals indicated in the table to this section, an operator may have up to 5 beehives on a lot, provided that lot has a surface area of 40,000 m² or more. Hives must be placed in accordance with clauses 6(a), 6(b), and 6(c). At least 20 m² of landscaping (flower gardens, flower beds, vegetable gardens) must be present on the property; otherwise, the operator must demonstrate that there is sufficient landscaping for beekeeping.
- 14. Despite its authorization in a zone in the specifications grid, a hobby farm may not be created within the protection zone of a water withdrawal system identified in Schedule C to this by-law.
- 15. The owner or occupant of a hobby farm is required to manage and dispose of animal waste in accordance with applicable provincial regulations.
- 16. The owner or occupant of a hobby farm is responsible for obtaining the required approvals under the relevant laws and regulations.

**Table 27: Maximum animals** 

Lot size	Maximum animals			
Lot size	Small	Medium	Large	
10,000 m² to 20,000 m²	10	2	1	
20,001 m² to 30,000 m²	15	4	2	
30,001 m² to 40,000 m²	20	6	4	
40,001 m² or more	25	8	6	

For the purposes of this section, small, medium, and large animals are defined as follows:

- 1. Small animals: chickens, hens, quails, turkeys, guinea fowl, peacocks, doves, hares, rabbits, small rodents, ducks, and geese;
- 2. Medium animals: sheep, goats, ostriches, emus, and rheas;
- 3. Large animals: deer, roe deer, cows, calves, oxen, horses, donkeys, llamas, alpacas; Any animals not listed in the previous paragraph are prohibited.

## 49.1 Tourist accommodation of the principal residence type <sup>1</sup>

Where permitted in the specifications grid, the additional use of « tourist accommodation of the principal residence type » to a principal use of the Dwelling group shall be exercised under the following conditions:

- 1. The lodging use shall be carried on in a main building whose principal use is single-family dwelling (H1), within the principal unit;
- 2. The main building where the single-family dwelling (H1) use is exercised must be located in a detached mode;
- 3. The rental may be for the entire building or only one or more rooms. In both cases, the rental must be offered to one person or to a single group of persons linked at the same time by means of a single reservation;

38

 $<sup>^{\</sup>it l}$  Added by By-law 670-2023 entered into effect on September 13, 2023

- 4. The maximum rental period id 31 days;
- 5. The maximum number of rental days is 180 days per year (calculated from the date of issuance of the certificate of approval);
- 6. Tourist accommodation of the principal residence type is prohibited if any of the following additional uses are carried out:
  - a) One intergenerational dwelling unit;
  - b) An additional dwelling unit;
  - c) A guest house;
  - d) Room rentals.
  - 7. Rooms shall be furnished for their primary purpose. As such, no bathroom or kitchen, or any part thereof, may be located in the room (including a sink and any cooking appliance). Only a closet-type storage space is authorized;
  - 8. Tourist accommodation of the principal residence type shall not have the effect of modifying the architecture and exterior appearance of the principal building;
  - 9. One (1) additional parking space must be provided on the lot;
  - 10. The septic installation must comply with the *Regulation respecting wastewater disposal systems for isolated dwellings* (RLRQ, c. Q-2, r.22).

## DIVISION B – ADDITIONAL USES TO MAIN USES IN THE COMMERCIAL, INDUSTRIAL, OR PUBLIC GROUPS

## 50. Permitted additional uses

Additional uses to main uses in the Commercial, Industrial, or Public groups are permitted. Unless specifically prohibited in the main use classification (Division A of Chapter II), additional uses may include but are not limited to:

- 1. ATMs, mail-related services (e.g. postal counters, drop-off points), and service drop-off points (e.g. cleaners, propane tank replacements) in establishments;
- 2. Food preparation services, florists, shoemakers, etc. in grocery stores;
- 3. Artisanal workshops in retail businesses;
- 4. Pet food sales in veterinary clinics;
- 5. Food services in tourist accommodations (hotels, campgrounds);
- 6. Rental services for sports and recreational equipment in accommodations;
- 7. Health centres and spas in tourist accommodations;
- 8. Dairy bars in convenience stores;
- 9. Reception rooms in restaurants;
- 10. Retail spaces in industrial buildings;
- 11. Maintenance and repair workshops for equipment and vehicles necessary for a company's operations.

Notwithstanding the first paragraph, additional uses in the Residential group are prohibited, except the following:

- 1. Code C6-05 Bed and Breakfasts
- 2. Code C6-06 Tourism Residences
- 3. Code C6-07 Boarding Houses

- 4. Code P3-01 Places of Worship
- 5. Uses that require permanent supervision by an employee on the site (e.g. campgrounds)

Notwithstanding the first paragraph, only one additional use in the Residential group is permitted for the following uses:

- 1. Code C6-05 Bed and Breakfasts
- 2. Code C6-06 Tourism Residences
- 3. Code C6-07 Boarding Houses

#### 51. Conditions

The following conditions apply to additional uses to main uses in the Commercial, Industrial, or Public groups:

- 1. The number of additional uses per main use is not limited.
- 2. Each additional use must not occupy more than 30% of the floor area occupied by the main use. If the area of an additional use exceeds 30%, that use is then considered to be a main use. In order to be permitted, multiple uses must be permitted in the corresponding zone's specifications grid.
- 3. Depending on the context, the additional uses must be carried out inside the main building. For example, it is accepted that a drop-off point for the replacement of propane cylinders can operate outside the main building, a sports equipment rental service in an accessory building or construction or outdoor recreational activity.
- 4. Additional uses must not give rise to outdoor storage, except in the case of an activity that requires special equipment, for example, the rental of kayaks.
- 5. The additional uses must not require outdoor storage, except for activities that require specific equipment, such as kayak rentals.
- 6. Each additional use must follow the same hours of operation as the main use.
- 7. Where a use in the Residential group is permitted as an additional use, only one (1) dwelling unit may be created. This dwelling unit must be in the same building where the main use takes place.
- 8. Parking area rules apply to additional uses; the required spaces for additional uses must be added to the spaces required for the main use.
- 9. One (1) sign may be installed in accordance with Chapter X.

## DIVISION C - ADDITIONAL USES TO MAIN USES IN THE AGRICULTURAL GROUP

## 52. Permitted additional uses

Additional uses to main uses in the Agricultural group are permitted if they are expressly authorized under this division, provided they comply with the conditions set forth herein. Other additional uses are prohibited.

## 53. Agricultural product sales

"Agricultural product sales" are permitted as an additional use to uses in Category A1 – Cultivation and Maple Sugaring or Code A2-01 – Establishments Practicing Farm Animal Husbandry under the following conditions:

1. This additional use must take place on the same property as the main use.

- 2. This additional use must be made by a producer within the meaning of the *Farm Producers Act* (CQLR c. P-28).
- 3. The agricultural products that can be sold must come from the farm of the producer or, as an accessory, from the farms of other producers.
- 4. This use may take place in a main or accessory building or in a permanent or temporary stand-type structure.
- 5. The conditions for necessary buildings and structures are listed in chapters VI and VII. A stand erected for the sale of agricultural products is considered to be an "agricultural building or structure" rather than a "stand for the sale of produce and horticultural products" within the meaning of this by-law.
- 6. Parking area rules apply to additional uses; the required spaces for additional uses must be added to the spaces required for the main use.
- 7. One (1) sign may be installed in accordance with Chapter X.

## 54. Storage, packaging, or processing of agricultural products

"Storage, packaging, or processing of agricultural products" is permitted as an additional use to uses in Category A1 – Cultivation and Maple Sugaring or Code A2-01 – Establishments Practicing Farm Animal Husbandry under the following conditions:

- 1. This additional use must take place on the same property as the main use.
- 2. This additional use must be made by a producer within the meaning of the *Farm Producers Act* (CQLR c. P-28). This condition does not apply to the production of maple syrup and maple products for a maple sugaring operation.
- 3. The agricultural products that can be processed, packaged, or stored must come from the farm of the producer or, as an accessory, from the farms of other producers.
- 4. This additional use must take place within an agricultural accessory building designed for this purpose, the provisions for which are indicated in Division C of Chapter VI.
- 5. Parking area rules apply to additional uses; the required spaces for additional uses must be added to the spaces required for the main use.
- 6. One (1) sign may be installed in accordance with Chapter X.

## 55. Country-style dining (table champêtre)

"Country-style dining (*table champêtre*)" is permitted as an additional use to uses in Category A1 – Cultivation and Maple Sugaring or Code A2-01 – Establishments Practicing Farm Animal Husbandry under the following conditions:

- 1. This additional use must take place on the same property as the main use.
- 2. This additional use must be made by a producer within the meaning of the *Farm Producers Act* (CQLR c. P-28). This condition does not apply to "sugar shack" type meal services for maple sugaring operations.
- 3. This additional use may take place inside a residential building located on the property where the main use takes place.
- 4. This additional use may take place within an agricultural accessory building designed for this purpose, the provisions for which are indicated in Division C of Chapter VI.
- 5. Meals must consist primarily of products from the farm where this additional use takes place.
- 6. Dining areas must have no more than 20 seats.
- 7. Parking area rules apply to additional uses; the required spaces for additional uses must be added to the spaces required for the main use.

- 8. One (1) sign may be installed in accordance with Chapter X.
- 9. If this additional use takes place in a building whose main use is residential, the "home-based personal and professional service" and "home-based artistic and artisanal activity" uses in Division A of this chapter are prohibited.

#### 56. Farm tours

"Farm tours" are permitted as an additional use to uses in Category A1 – Cultivation and Maple Sugaring or Code A2-01 – Establishments Practicing Farm Animal Husbandry under the following conditions:

- 1. This additional use must take place on the same property as the main use.
- 2. This additional use must be made by a producer within the meaning of the *Farm Producers Act* (CQLR c. P-28).
- 3. One (1) accessory building, no more than 50 m² in size, is permitted for visitor reception and interpretation activities. This building must comply with Division C of Chapter VI.
- 4. Parking area rules apply to additional uses; the required spaces for additional uses must be added to the spaces required for the main use.
- 5. One (1) sign may be installed in accordance with Chapter X.

## 57. Farm stays

"Farm stays" are permitted as an additional use to uses in Category A1 – Cultivation and Maple Sugaring or Code A2-01 – Establishments Practicing Farm Animal Husbandry under the following conditions:

- 1. This additional use must take place on the same property as the main use.
- 2. This additional use must be made by a producer within the meaning of the *Farm Producers Act* (CQLR c. P-28).
- 3. This additional use must take place inside a residential building located on the property where the main use takes place.
- 4. This additional use is considered to be a "bed and breakfast" tourist accommodation establishment and the producer must obtain the necessary permits under the *Tourist Accommodation Act* (SQ 2021, c. 30).
- 5. The producer must demonstrate that the accommodation offered is related to the activities taking place on the farm.
- 6. Parking area rules apply to additional uses; the required spaces for additional uses must be added to the spaces required for the main use.
- 7. One (1) sign may be installed in accordance with Chapter X.
- 8. If this additional use takes place in a building whose main use is residential, the "home-based personal and professional service" and "home-based artistic and artisanal activity" uses in Division A of this chapter are prohibited.

## 58. Rest areas inside a maple sugaring operation

"Rest areas inside a maple sugaring operation" are permitted as an additional use to uses in Code A1-03 – Maple Sugaring Businesses under the following conditions:

- A rest area must be intended for the operator to sleep on site during the sugar season.
   A bed and a bathroom may be installed for this purpose.
- 2. A rest area must be located in one of the agricultural buildings where the main use takes place.

- 3. A rest area must be no more than 40 m² in size and smaller than the production area in the production building.
- 4. The rest area may only be used by the operator between the months of January and May of the same year. The area cannot be inhabited outside this period or offered for rent.

For the purposes of this section, a "rest area" corresponds to an area with sleeping facilities and an operator corresponds to the person who exercises the use of maple syrup production on the land in question.

# CHAPTER IV: PROVISIONS FOR ACCESSORY AND TEMPORARY USES

## **DIVISION A - ACCESSORY USES**

#### 59. Permitted accessory uses

Unless otherwise specified in this by-law, all accessory uses to main uses are permitted.

Special conditions apply to certain accessory uses in this division or in chapters VI and VII where a use requires an accessory building or structure.

## 60. Outdoor storage for uses in the Residential group

"Outdoor storage" is prohibited as an accessory use to main uses in the Residential group.

Notwithstanding the first paragraph, the outdoor storage of items related to uses in the Residential group (such as the storage of garden furniture in the winter) is permitted.

## 61. Outdoor storage for uses in the Commercial, Industrial, Public, and Agricultural groups

"Outdoor storage" is permitted as an accessory use to main uses in the Commercial, Industrial, Public, and Agricultural groups under the following conditions, unless specifically prohibited in the specifications grid for a given zone:

- A main building must be present on the lot. This condition does not apply to use categories P2 – Municipal Services, P4 – Public Utilities, or A1 – Cultivation and Maple Sugaring.
- 2. Outdoor storage must be inherent to the main use on the same property.
- 3. The storage area may not exceed 500 m² or 10% of the lot, whichever is smaller.
- 4. The storage surface must be covered with a material that prevents dust from blowing and mud from forming.
- 5. Storage is permitted in side and rear yards.
- 6. The storage area may not exceed 2.5 metres in height. This height limit does not apply to storage areas for finished or semi-finished goods, vehicles, or machinery that are greater than 2.5 metres in height; however, these items must be placed directly on the ground and may not be stacked on top of each other in such a way as to increase their height.
- 7. Except for uses in the Agricultural group, a storage area must be surrounded by a fence as follows:
  - a) The fence must be equal to the height of the storage area, but no more than 2.5 metres tall. In all cases, the fence must be at least 2 metres tall.
  - b) The fence must be made of weather-resistant wood, corrosion-resistant metal, PVC, aluminum, or chain link.
  - c) If a fence is more than 10% chain link (with or without slats) or other open-work material, vegetation consisting primarily of conifers must be planted around the outside of the fence.
  - d) Any fence made of wire mesh, PVC, or chain link must include line posts, tension bands or bars, and top rails to secure the insides of the fence panels.
- 8. Notwithstanding subparagraph 7, a dense hedge may be used in place of a fence to hide a storage area. This hedge must be composed of conifers planted within 1 metre of each other (as measured at the trunks). Trunks must be at least 2 metres tall at the

time of planting. Dead or dying conifers must be replaced within 30 days. If they cannot be replaced due to winter weather, they must be replaced by June 30 of the following year.

## 62. Outdoor storage of firewood

"Outdoor storage of firewood" is permitted as an accessory use to all use groups under the following conditions:

- 1. No more than 10 cords of wood per lot may be stored outside for uses in the Residential group and no more than 20 cords of wood per lot may be stored outside for uses in the Commercial, Industrial, Public, and Agricultural groups.
- 2. Outdoor storage of firewood is permitted in side and rear yards.
- Firewood must be corded and stacked to a maximum height of 2 metres. The wood must not obstruct any opening, exit, or parking area in such a way as to prevent access to the building or lot.
- 4. Firewood may be stored in a wood shelter designed for that purpose in accordance with Chapter VII of this by-law.
- 5. Firewood must be used for the purpose of the lot on which it is stored. The sale of firewood is prohibited.

This section does not apply to establishments that produce firewood.

## 63. Outdoor displays for uses in the Commercial group

"Outdoor displays" are permitted as an accessory use to uses in the Commercial group under the following conditions:

- 1. The use must be in a Mixed (MIX), Commercial (C), or Industrial (I) zone.
- 2. A main building must be present on the lot.
- 3. An outdoor display must be related to the products associated with the main use on the same property.
- 4. An outdoor display must be no more than 10 m<sup>2</sup> in size. For merchandise such as vehicles, trailers, watercraft, swimming pools, sheds, plants, landscaping materials, or similar, a display may occupy no more than 25% of the surface area of the lot.
- 5. An outdoor display is permitted in any yard.
- 6. An outdoor display must be located at least 1 metre away from lot lines. Merchandise such as vehicles, trailers, watercraft, swimming pools, sheds, plants, landscaping materials, or similar must be displayed at least 5 metres from lot lines.
- 7. An outdoor display may not encroach on public property.
- 8. An outdoor display must not encroach into a parking area unless that parking area contains more parking spaces than required under this by-law. The display may then encroach into the excess portion of the parking area.
- 9. Merchandise must be placed on a surface that is intended for display purposes (such as a table, shelf, or display unit) and no more than 10 m² in size. Merchandise such as vehicles, trailers, watercraft, swimming pools, sheds, plants, landscaping materials, or similar may be placed directly on the ground.
- 10. Merchandise and displays must be stored inside at the end of the business day. This requirement does not apply to merchandise such as vehicles, trailers, watercraft, swimming pools, sheds, plants, landscaping materials, and similar.

#### **DIVISION B - TEMPORARY USES**

#### 64. Permitted temporary uses

The permitted temporary uses are set out in this division. All other temporary uses are prohibited.

## 65. Produce and horticultural product sales

"Produce and horticultural product sales" are permitted as a temporary use under the following conditions:

- 1. This use is permitted in the Mixed (MIX) and Commercial (C) zones.
- 2. This use must take place on a lot where a main use in the Commercial group also takes place.
- 3. This use must take place on the same lot as a main building.
- 4. This use may be carried out by the operator of the commercial establishment located on the same property or by another person, with the operator's permission.
- 5. This use may take place multiple times per year, but for no more than 45 total days in the same year.
- 6. This use must not interfere with vehicular traffic or pedestrian access to a building.
- 7. Temporary stands may be set up for the sale of produce or horticultural products. The stands may remain in place for the duration of the temporary use.
- 8. Standards for stands are indicated in Chapter VIII.
- 9. One (1) sign may be installed in accordance with Chapter X.

#### 66. Food truck temporary uses

"Food trucks" are permitted as a temporary use under the following conditions:

- 1. This use is authorized in the mixed (MIX) and commercial (C) zones, as well as in any zone where a generally authorized use takes place.
- 2. This use must take place on a property where a main use in the Commercial group, Category P2 Municipal Services, or a generally authorized use takes place.
- 3. This use must take place on the same lot as a main building.
- 4. This use may be carried out by the operator of the commercial establishment located on the same property or by another person, with the operator's permission.
- 5. This use may take place multiple times per year, but for no more than 45 total days in the same year.
- 6. This use must not interfere with vehicular traffic or pedestrian access to a building.
- 7. A food truck must be parked in a parking area. In doing so, it cannot bring the number of available parking spaces below the threshold required for the associated business under this by-law.
- 8. A food truck may remain in place for the duration of the temporary use.
- 9. Tables, chairs, or other furniture allowing for on-site consumption are prohibited.
- 10. Other than the lettering on a truck, no signs are permitted.

## 67. Yard sales (garage sales)

"Yard sales" (garage sales) are permitted as a temporary use under the following conditions:

1. This use must take place on the same lot as a use in the Residential group.

- 2. This use is permitted for a maximum of 4 days on the National Patriots' Day and Labour Day weekends.
- 3. The items offered for sale, including their displays, must be at least 1 metre away from property lines.
- 4. One (1) sign may be installed in accordance with Chapter X.

## 68. Social, cultural, and sporting events

"Social, cultural, and sporting events" are permitted as a temporary use under the following conditions:

- 1. The event must be organized by the Municipality or a non-profit organization, association, or group.
- 2. This use is permitted for a maximum of 14 days.
- 3. One (1) sign may be installed in accordance with Chapter X.

## 69. Temporary sales associated with social, cultural, and sporting events

"Temporary sales associated with social, cultural, and sporting events" are permitted as a temporary use under the following conditions:

- 1. The event must be organized by the Municipality or a non-profit organization, association, or group.
- 2. This use is permitted for a maximum of 14 days.
- 3. Temporary stands or structures are permitted for the sale. However, they must be installed within the set-backs indicated in the specifications grid.
- 4. This use must not interfere with vehicular traffic or pedestrian access to a building.
- 5. One (1) sign may be installed in accordance with Chapter X.

## 70. Temporary outdoor storage of construction materials and machinery

The temporary outdoor storage of construction materials and machinery required to carry out work is permitted during the work authorized by the town planning by-laws.

# CHAPTER V: PROVISIONS FOR MAIN BUILDINGS

## **DIVISION A - ATTACHMENT AND SIZE**

## 71. Number of main buildings

Only one (1) main building is permitted per lot, except:

- 1. On lots where Category P2 Municipal Services and Category P4 Public Utility uses take place and are permitted in the zone;
- 2. On lots where Residential group uses and uses in Code A2-01 Establishments Practicing Farm Animal Husbandry take place and are permitted in the zone;
- 3. In integrated projects, the conditions for which are set out in Chapter XIV of this by-law;
- 4. Where specific authorization is given in this by-law.

## 72. Attachment and size standards indicated in specifications grids

Specifications grids indicate the following attachment, siting, and size standards for main buildings:

- 1. Attachment: detached (I, for isolé), semi-detached (J, for jumelé), or row (R);
- 2. Minimum set-backs: front, side (minimum and total), and rear;
- 3. Land-to-building ratio (applies to all main buildings, if more than one main building is permitted or built);
- 4. Minimum footprint;
- 5. Minimum and maximum heights, in storeys and metres;
- 6. Minimum width and depth.

Where no standard is indicated in a grid, it means that no standards apply, unless otherwise stated in a specific provision of this by-law.

## 73. Application of siting standards

Every part of a main building, whether underground, on the ground, or overhanging, must comply with the siting standards (set-backs, distance, etc.).

Except for integrated projects whose standards are listed in Chapter XIV, when two or more main buildings are permitted and located on the same lot, the minimum distance between the buildings must be equal to the side set-back indicated in the specifications grid.

## 74. Front set-backs along routes 329 and 364

If a building is on a lot adjacent to a section of route 329 or 364 where the speed limit is greater than 50 km/h, the following conditions are added:

- 1. The minimum front set-back is 10 metres for a main building whose use is in the Residential group.
- 2. The minimum front set-back is 15 metres for a main building whose use is in the Commercial, Industrial, Public, or Agricultural groups.

If the minimum front set-back indicated in the specifications grid is greater than that indicated in this section, the set-back in the specifications grid shall prevail.

## 75. Sight triangles

Notwithstanding any provision to the contrary, no part of a building, whether overhanging or on the ground, may encroach upon a 7-metre sight triangle.

## 76. Buildings with garden levels

The following provisions apply to buildings with garden levels:

- 1. Despite the maximum height prescribed in the specifications chart, the maximum height in meters authorized corresponds to the maximum height prescribed in the specifications chart by adding 2 meters.
- 2. Garden levels may not be on a front wall.

## 77. Height of semi-detached or row buildings

The total height of two or more semi-detached or row buildings may not differ from each other by more than 2 metres (the difference being calculated at the highest point of the building, such as the ridge of the roof, excluding overhangs not included in the height calculation).

## 78. Land use density

The land use density, in terms of dwellings per hectare, is indicated in the specifications grid. This is a maximum gross density. To calculate the net density, a factor of 1.25 must be applied (meaning that a gross density of 3 equates to a net density of 3.75).

Unless otherwise specified, the required density per zone is a maximum of 3 dwelling units per hectare ("max. 3") outside the urban boundary and a minimum of 4 dwelling units per hectare ("min. 4") within the urban boundary. If a zone is partially located within the urban boundary, only the section inside the urban boundary is subject to the minimum density of 4 dwelling units per hectare.

The minimum density of 4 dwelling units per hectare within the urban boundary only applies to lots that are fully or partially served by water and sewer services.

Even if a permitted density is greater than the number of dwellings permitted in the specifications grid, this does not mean that additional dwelling units are permitted. If the number of dwelling units permitted in the specifications grid is greater than the permitted density, the density shall prevail.

## 79. Easements

A main building must be built outside the boundaries of an easement unless a written statement is provided by the person(s) affected by that easement, giving permission to build within it.

## **DIVISION B - ARCHITECTURE AND CLADDING**

## 80. Projections

A projection from a building, such as a window, chimney, roof overhang, or architectural element like a cornice must be no more than 1.21 metres in depth, but may encroach into a set-back.

Exterior cladding may project up to 0.15 metres; this projection may encroach into a set-back.

## 81. Front elevation of a main building <sup>1</sup>

In the case of a building located less than 25 meters from the front lot line, the front façade must:

- 1. Be oriented towards the street and face the street. The building can be positioned with an angle varying from plus or minus 45 degrees with respect to the street;
- 2. Be the subject of a particular architectural treatment and include at least one entrance door, openings and modulations.

## 82. Number of exterior cladding materials

No more than 3 exterior cladding materials are permitted on a single building. Materials used for roofs, foundations, fascia, soffits, chimneys, and openings, as well as their framing, are not included in the total.

## 83. Prohibited exterior cladding materials

The following exterior cladding materials are not permitted on building walls and roofs:

- Sheets and panels made of steel and galvanized aluminum that has not been prepainted by the manufacturer;
- 2. Sheet metal that has not been enamelled by the manufacturer, except for roofing and metal flashing on roofs;
- 3. Wood that has not been painted, whitewashed, or treated to prevent blackening, except for cedar and hemlock shakes and shingles;
- 4. Exposed particleboard, chipboard, or plywood;
- 5. Vinyl;
- Pulverized aggregate;
- 7. Insulation, rigid or otherwise (including sprayed urethane or other);
- 8. Cardboard and felt paper, tarred or not;
- 9. Paper that partially or fully imitates stone, brick, or any other natural material;
- 10. Paper with a tar, mineral, or similar coating;
- 11. Asbestos or fibreglass panels, flat and corrugated;
- 12. Polyethylene and polyurethane;
- 13. Polythene;
- 14. Uncovered or non-architectural concrete blocks.

Notwithstanding the first paragraph, the materials referred to in subparagraphs 1 and 2 are permitted for buildings in the Agricultural use group.

## 84. Foundation appearance

Building foundations must be covered with an exterior cladding material permitted in this by-law; otherwise, the concrete must be smoothed to a uniform finish.

## 85. Roofs of main buildings

A main building roof may be flat or pitched.

#### 86. Attached garages and carports

 $<sup>^{</sup>m 1}$  Modified by By-law 670-2023 entered into effect on September 13, 2023

A garage or carport that is attached to a main building is considered an integral part of that main building. An attached garage or carport is permitted under the following conditions:

- 1. One (1) attached garage and one (1) attached carport are permitted per main building.
- 2. The attached garage and carport must share a party wall with the building for a minimum continuous length of 3 meters.
- 3. The area of the garage and attached carport shall not be counted towards the minimum footprint requirement for a principal building in the residential group. <sup>1</sup>
- 4. The maximum height of an attached garage and carport must not exceed the height of the building to which it is attached.
- 5. For an attached carport, each of the 3 sides not attached to the building must be at least 60% open. A storage space, no more than 5 m² in size, may be built into a carport as long as it does not interfere with vehicle parking.
- 6. A garage door may be no more than 3 metres tall.

## 87. Other buildings or structures attached to a main building

Where permitted in this by-law, any building or structure attached to a main building, other than a garage or carport mentioned in this article, is considered an integral part of that main building if a person is able to move between the main building and the attached building or structure through the interior (e.g. through the basement or an enclosed walkway).

## 88. Building shape

A building must be of a common shape for its use. A building that resembles a plant, animal, human, object, or similar is not permitted.

A dome- or arch-shaped building or structure is permitted for uses under Code C6-02 – Experiential Accommodations, as well as uses in the Public and Agricultural groups. Notwithstanding the exterior cladding materials that are prohibited in this division, plastic, heavy-duty canvas, and PVC fabric are permitted for such buildings and structures as long as they are manufactured and weather resistant.

## 89. Use of shipping containers

Shipping containers may be used for structural building purposes under the following conditions:

- 1. The building must comply with Québec's Construction Code.
- 2. The shipping containers must be covered with exterior cladding materials (walls and roof) that are permitted under this by-law.
- 3. The shipping containers must have a report signed by an engineer demonstrating that they are strong enough to support the structure.

## 90. Use of other structures

The use in whole or in part of wagons, vehicles, aircrafts, trailers or any other similar structure is prohibited.

#### 91. Murals

A mural may be painted directly on a permitted exterior cladding material on one wall of a building in the Mixed (MIX) and Commercial (C) zones.

51

 $<sup>^{\</sup>it I}$  Modified by By-law 670-2023 entered into effect on September 13, 2023

#### 92. Mobile homes

A "single-family residence" use may take place within a mobile home building only if it is located within a mobile home park permitted under this by-law, and in accordance with the conditions set out in Chapter XIV.

#### **DIVISION C - RELOCATION AND DEMOLITION**

## 93. Relocation

A building may be relocated, provided that its new location complies with this by-law.

If a foundation is required by the *By-law Regarding Construction*, it must be built prior to the building being moved.

## 94. Demolition

Demolition is prohibited, unless it is permitted under the By-Law Regarding Demolition.

During demolition, all parts of the building must be removed, including the foundation. The space must be developed in accordance with Chapter XI of this by-law within 30 days of removal or demolition. If demolition occurs between November 1 of one year and April 30 of the following year, development must be completed by June 30.

# CHAPTER VI: PROVISIONS FOR ACCESSORY BUILDINGS

## **DIVISION A - GENERAL PROVISIONS**

#### 95. General provisions

This chapter identifies permitted accessory buildings, prescribes applicable standards, and determines specific conditions for the erection or use of an accessory building.

The authorization of an accessory building implies the authorization of its associated accessory use.

## 96. Standards applicable to all accessory buildings

The following standards apply to all accessory buildings:

- 1. An accessory building must be built outside the boundaries of an easement unless a written statement is provided by the person(s) affected by that easement, giving permission to build within it.
- 2. Division B of Chapter V applies.
- 3. Division C of Chapter V applies.
- 4. Every part of an accessory building, whether underground, on the ground, or overhanging, must comply with the relevant siting standards (set-backs, distance, etc.).
- 5. Notwithstanding any provision to the contrary, no part of an accessory building, whether overhanging or on the ground, may encroach upon a 7-metre sight triangle.
- 6. In the event of a conflict between the specific provisions of Chapter XII relating to water and wetlands and those of this chapter, the more restrictive provisions shall apply.

## 97. Architectural standards for accessory buildings

An accessory building must be built with exterior cladding materials that harmonize with the main building on the same lot.

#### DIVISION B - ACCESSORY BUILDINGS TO RESIDENTIAL USES

## 98. Permitted accessory buildings

The following accessory buildings to uses in the Residential group are permitted:

- Detached garages
- 2. Sheds
- 3. Pool houses
- Home greenhouses
- 5. Accessory buildings for additional uses permitted under Division A of Chapter III

## 99. Presence of a main building

If an accessory building is to be built on a lot, a main building must be located on the same lot.

Notwithstanding the first paragraph, the designated official may issue building permits for main and accessory buildings at the same time. If a main building is not erected within the timeframe specified in the building permit, the accessory building, if it was built first, must be removed or demolished. The space must be developed in accordance with Chapter XI of this by-law within 30 days of removal or demolition. If removal or demolition occurs

between November 1 of one year and April 30 of the following year, development must be completed by June 30.

## 100. Maximum size of accessory buildings

Notwithstanding the sizes indicated for each accessory building in this division, the maximum size of all accessory building on a lot is determined by the area of the lot:

- 1. No more than 20% of the lot area for lots with an area of less than 1,500 m<sup>2</sup>
- 2. No more than 10% of the lot area for lots with an area of 1,500 m<sup>2</sup> or more

## 101. Standards by type of accessory building

The following table identifies the accessory buildings authorized for use in the Residential group as well as the applicable standards. Where applicable, the table refers to an article, section or chapter of these regulations or to the specification grids.

An accessory building for an additional use is permitted only if such an additional use is permitted and takes place on the property. Additional distances may apply under Division A of Chapter III.

Unless otherwise specified in these rules:

- 1. The building is authorized in the corresponding yard (front, side or rear) when the word "yes" is indicated;
- 2. The building is prohibited in the corresponding yard (front, side or rear) when the word "no" is indicated;
- 3. Any building not listed in the table of this article is prohibited.

Table 28: Standards by type of accessory building

Buildings and standards		Yard			
Би	Buildings and standards		Front	Side	Back
Detached garage		Yes	Yes	Yes	
			Front margin <sup>(1)</sup>	2 m	2 m
	a)	Minimum distance from a lot line	(1) In the front yard, the minimum distance from the front line corresponds to the front setback prescribed for the main building in the specifications grid. In addition, the garage must be located outside the space located between the front facade of the main building and the front line of the lot and between the imaginary extension of the side facades of the main building.		
	b)	Minimum distance from a street line	Front set-back indicated for the main building in the specifications grid		
			3 m	3 m	3 m
	c)	Minimum distance from a main building	If the accessory building is connected the main building by its roof, awning, or portico the setbacks prescribed for the main building in the specifications charapply.		
	d)	Minimum distance from an accessory building	3 m	3 m	3 m

	., ,.		Yard			
Bu	ııldır	ngs and standards	Front	Side	Back	
	e)	Maximum number per lot	1			
	f)	Maximum size	75 m², but no	bigger than the	main building	
	g)	Maximum height	8 m, but no	taller than the m	ain building	
	h)	Number of storeys		1		
	i)	Garage door height		3 m		
2.	She	ed	Yes	Yes	Yes	
			2 m	2 m		
	a)	Minimum distance from a lot line	(1) In the front yard, the minimum distance from the front line corresponds to twice the front setback prescribed for the main building in the specifications grid. It addition, the shed must be located outside the space located between the front facade of the main building and the front line of the lot and between the imaginary extension of the side facades of the main building. For semi-detached or row main buildings, the distance from a line leading to side yards may be reduced to 1.5 m on the side of the lot line where the main building is adjoining.			
	b)	Minimum distance from a street line		ack prescribed f specifications g		
			3 m	3 m	3 m	
	c)	Minimum distance from a main building	accessory bui	may be reduced lding is connecte by its roof, awni	ed to the	
	d)	Minimum distance from an accessory building	3 m	3 m	3 m	
	e)	Maximum number per lot		2		
	f)	Maximum size	25 m², but no	bigger than the	main building	
	g)	Maximum height	7 m, but no	taller than the m	ain building	
	h)	Number of storeys		1		
3.	Pod	ol house	No	Yes	Yes	
			N/A	2 m	2 m	
	a)	Minimum distance from a lot line	Front set-back indicated for the main building in the specifications grid			
	b)	Minimum distance from a street line		ck indicated for specifications g		
	c)	Minimum distance from a main building	3 m	3 m	3 m	

				Yard	
Bu	ııldır	ngs and standards	Front	Side	Back
			accessory bui	may be reduced ding is connecte by its roof, awnii	ed to the
	d)	Minimum distance from an accessory building	3 m	3 m	3 m
	e)	Maximum number per lot		1	
	f)	Maximum size	50 m², but no	bigger than the	main building
	g)	Maximum height	7 m, but no	taller than the m	ain building
	h)	Number of storeys		1	
4.	Hor	me greenhouse	Yes	Yes	Yes
			Two times the front setback (1)	2 m	2 m
	a)	Minimum distance from a lot line	(1) In the front yard, the minimum distance from the front line corresponds to twice the front setback prescribed for the main building in the specifications grid. It addition, the greenhouse must be located outside the space located between the front facade of the main building and the front line of the lot and between the imaginar extension of the side facades of the main building.  For semi-detached or row main buildings, the distance from a line leading to side yards may be reduced to 1.5 m on the side of the lot line where the main building is adjoining.		
	b)	Minimum distance from a street line		ck indicated for specifications g	
			3 m	3 m	3 m
	c)	Minimum distance from a main building	accessory bui	may be reduced lding is connecte by its roof, awni	ed to the
	d)	Minimum distance from an accessory building	3 m	3 m	3 m
	e)	Maximum number per lot		1	
	f)	Maximum size	25 m², but no	bigger than the	main building
	g)	Maximum height	7 m, but no	taller than the m	ain building
	h)	Number of storeys	1		
5.	Gu	est house (additional use)	No	Yes	Yes
	a)	Minimum distance from a lot line	N/A	2 m	2 m
	b)	Minimum distance from a street line		ck indicated for specifications g	
	c)	Minimum distance from a main building	3 m	3 m	3 m

Duildia	are and standards	Yard		
Bullali	ngs and standards	Front	Side	Back
		accessory buil	may be reduced lding is connecte by its roof, awnii	ed to the
d)	Minimum distance from an accessory building	3 m	3 m	3 m
e)	Maximum number per lot		1	
f)	Maximum size	50 m², but no	bigger than the	main building
g)	Maximum height	7 m, but no	taller than the m	ain building
h)	Number of storeys		1	
i)	Special conditions	A gallery or stoop (with or without eaves) may be built on 2 of the main walls of the accessory building to a maximum depth of 2 m.		
6. Ho	oby farm building (additional use)	No	Yes	Yes
a)	Minimum distance from a lot line	N/A	2 m	2 m
b)	Minimum distance from a street line		ck indicated fo specifications g	
c)	Minimum distance from a main building	3 m	3 m	3 m
d)	Minimum distance from an accessory building	3 m	3 m	3 m
e)	Maximum number per lot		1	
f)	Maximum size	150 m², but no bigger than the main building		
g)	Maximum height	7 m, but no	taller than the m	ain building
h)	Number of storeys		1	

## DIVISION C – ACCESSORY BUILDINGS TO COMMERCIAL, INDUSTRIAL, PUBLIC, AND AGRICULTURAL USES

## 102. Permitted accessory buildings

Accessory buildings required for main uses in the Commercial, Industrial, Public, or Agricultural groups are permitted under the conditions set out in this division. These buildings may include but are not limited to:

- 1. Reception and service buildings for guests;
- 2. Storage buildings for merchandise, machinery, or vehicles;
- 3. Storage buildings for garbage and recycling bins;
- 4. Buildings used for site security;
- 5. Buildings used for additional uses that are permitted to take place in accessory buildings.

## 103. Presence of a main building

If an accessory building is to be built on a lot, a main building must be located on the same lot.

Notwithstanding the first paragraph, the designated official may issue building permits for main and accessory buildings at the same time. If a main building is not erected within the timeframe specified in the building permit, the accessory building, if it was built first, must be removed or demolished. The space must be developed in accordance with Chapter XI of this by-law within 30 days of removal or demolition. If the removal or demolition occurs between November 1 of one year and April 30 of the following year, development must be completed by June 30.

Notwithstanding the first paragraph, an accessory building may be built on a lot despite a lack of main building on the lot if this by-law permits a main use for the lot that does not require a main building.

## 104. Applicable standards

The following standards apply to buildings that are accessory to main uses in the Commercial, Industrial, Public, or Agricultural groups:

- 1. The number of accessory buildings is not limited.
- 2. The footprint of an accessory building is not limited.
- 3. The total footprint of accessory buildings must not exceed:
  - a) 20% of the lot area for lots with an area of less than 1,500 m<sup>2</sup>
  - b) 10% of the lot area for lots with an area of 1,500 m<sup>2</sup> or more
- 4. The maximum height of an accessory building is 8 metres. Notwithstanding the above, the height may be increased to 12 metres if the use requires additional height, for example, to store tall machinery or large industrial parts.
- 5. The maximum number of storeys is 1. A mezzanine-style half-floor may be built inside.
- 6. An accessory building may not be built in a front yard.
- 7. An accessory building may be built in a side or back yard.
- 8. The set-backs indicated in the specifications grid apply.
- 9. An accessory building must be at least 3 metres away from a main building.
- 10. Accessory buildings must be at least 3 metres apart from each other.

# CHAPTER VII: PROVISIONS FOR ACCESSORY STRUCTURES

## **DIVISION A - GENERAL PROVISIONS**

## 105. General provisions

This chapter identifies permitted accessory structures, prescribes applicable standards, and determines specific conditions for the erection or use of an accessory structure.

The authorization of an accessory structure implies the authorization of the associated accessory use.

## 106. Presence of a main building

If an accessory structure is to be built on a lot, a main building must be located on the same lot, unless the structure is:

- 1. A fence required for a use in the Agriculture group
- 2. A retaining wall
- 3. An underground pipe or an overhead power line
- 4. On a lot where this by-law permits a main use without a main building to take place

## 107. Applicable standards

The following standards apply to all accessory structures:

- 1. An accessory structure must be built outside the boundaries of an easement unless a written statement is provided by the person(s) affected by that easement, giving permission to build within it.
- 2. Sections B and C <sup>1</sup> of Chapter V applies.
- 3. Train and subway cars, vehicles, airplanes, trailers, and similar structures are prohibited may not be used in a structure, either in whole or in part.
- 4. Every part of an accessory structure, whether underground, on the ground, or overhanging, must comply with the relevant siting standards (setbacks, distance, etc.).
- 5. Notwithstanding any provisions to the contrary, an accessory structure within a 7-metre sight triangle may not exceed 1 metre in height.
- 6. In the event of a conflict between the specific provisions of Chapter XII relating to water and wetlands and those of this chapter, the more restrictive provisions shall apply.

## 108. Accessory structures on main building roofs

An accessory structure identified in this section may be erected on the flat roof of a main building (in addition to any accessory structures required by the *Construction Code*) under the following conditions:

- 1. A main building whose use is part of categories H1, H2, and H3 (single, two-, and three-family dwellings) may have the following structures: a patio and the associated furniture, or a screen or similar roofless structure.
- 2. A main building whose use is part of categories H4 (Multi-Family Residences), C5 (Restaurant and Food Services), C6 (Accommodation), C7 (Indoor Recreation

\_

 $<sup>^{\</sup>it I}$  Modified by By-law 670-2023 entered into effect on September 13, 2023

Businesses), or C8 (Outdoor Recreation Business) may have the following structures: a patio and the associated furniture, a screen or similar roofless structure, or a spa.

- 3. The structure may not exceed 3 metres in height.
- 4. If the structure is 1 metre tall or less, it is not considered in the calculation of the main building's height in metres.
- 5. If the structure is more than 1 metre tall and is more than 50% openwork (for example, spacing between the slats of a screen), it is not considered in the calculation of the main building's height in metres.
- 6. If the structure is more than 1 metre tall and is set back from the front wall by at least twice its height, it is not considered in the calculation of the main building's height in metres.

#### DIVISION B - ACCESSORY STRUCTURES TO RESIDENTIAL USES

## 109. Permitted accessory structures and applicable standards

The following table identifies the accessory structures that are authorized for use in the Residential group as well as the applicable standards. Where applicable, the table refers to an article, section or chapter of the present by-law.

Unless otherwise specified in the following table or in this by-law, the following general conditions apply:

- 1. An accessory structure is permitted in the associated yard (front, side, or back) if the word "Yes" appears beside it.
- 2. An accessory structure is prohibited in the associated yard (front, side, or back) if the word "No" appears beside it.
- 3. An accessory structure may be located separately from or adjacent to a building or other structure.
- 4. An accessory structure may be located at the lot line (zero set-back from the lot line).
- 5. The number of structures is not limited.
- 6. There is no limit to the size of the structure.
- 7. There is no height limit, though an accessory structure may not be taller than the main building.
- 8. Where a minimum set-back from a side lot line is required, this distance may be reduced to 0.6 metres if an accessory structure is attached to a semi-detached or row main building. This condition applies only to the shared-wall side of the main building.
- 9. Any construction not listed in the table of this article is prohibited.

Table 29: Accessory structures and applicable standards

Structures and standards		Yard		
Sti	ructures and standards	Front	Side	Back
1.	Gallery, balcony, or stoop (with or without eaves)	Yes	Yes	Yes
	a) Minimum distance from a lot line	3 m	1.5 m	2 m
2.	Portico, awning, or canopy	Yes	Yes	Yes
	a) Minimum distance from a lot line	3 m	1.5 m	2 m

0.1			Yard		
Str	ructures and standards	Front	Side	Back	
3.	Stairway, ramp, or accessibility structure	Yes	Yes	Yes	
		3 m <sup>(1)</sup>	1.5 m	1.5 m	
	a) Minimum distance from a lot line	(1) This distance m the front yard is le			
4.	Sidewalk, pavement, pathway, step, or stairway constructed on the property	Yes	Yes	Yes	
5.	Patio	No	Yes	Yes	
	a) Minimum distance from a lot line	n.a.	1.5 m	1.5 m	
	b) Maximum height from ground		0.6 m		
6.	Veranda	Yes	Yes	Yes	
	a) Minimum distance from a lot line	Main building set-backs apply (see specifications grids)	2 m	2 m	
	b) Minimum distance from a street	Front set-back indicated for the main building in the specifications grid			
	c) Maximum number permitted	One (1) per lot			
	d) Maximum height		5 m		
7.	Detached carport	Yes	Yes	Yes	
		Main building set-backs apply (see specifications grids) (1)	2 m	2 m	
	a) Minimum distance from a lot line	(1) In the front yard, the minimum distance from the front line corresponds to the front setback prescribed for the main building in the specifications grid. In addition, the carport must be located outside the space located between the front facade of the main building and the front line of the lot and between the imaginary extension of the side facades of the main building.			
	b) Minimum distance from a street	Front set-back inc			
	c) Maximum number permitted	On	e (1) per lot		
	d) Maximum size		75 m²		
	e) Maximum height	8 m, without ex	ceeding main	building	
	f) Minimum distance from a main building		3 m		
	g) Minimum distance from an accessory building		Detached garage 0 m Other accessory building 2 m		
	h) Special conditions	The walls must be each side. A stora 5 m² in size, may	e at least 60% age space, no i	open on more than	

04	4.			Yard	
Str	ucti	ires and standards	Front	Side	Back
			long as it does no parking.	t interfere with	vehicle
8.	Gar	den pavilion	No	Yes	Yes
	a)	Minimum distance from a lot line	n.a.	2 m	2 m
	b)	Minimum distance from a street	Front set-back incomplete building in the spe		
	c)	Maximum number permitted	On	e (1) per lot	
	d)	Maximum height		5 m	
	e)	Maximum size		30 m²	
	f)	Minimum distance from a main building		3 m	
	g)	Minimum distance from an accessory building		2 m	
9.	Wo	od shed	No	Yes	Yes
	a)	Minimum distance from a lot line	n.a.	1.5 m	1.5 m
	b)	Maximum number permitted	On	e (1) per lot	
	c)	Maximum height		2.5 m	
	d)	Maximum size	15 m²		
10.	Fen	ce (including entrance gate)	Yes	Yes	Yes
	a)	Minimum distance from a street	1 m	_	_
	b)	Minimum distance from a fire hydrant	1 m	_	_
	c)	Maximum height	1.2 m	2 m	2 m
	d)	Permitted projection	Posts and post ca height limit by 0.3 top rail.		
	e)	Permitted materials	Weather-resistant resistant metal, P stonework, glass		
	f)	Fence components	Any fence made of include line posts and top rails to see fence panels.	, tension bands	s or bars,
	«\	Special conditions	The by-law requir some situations. For swimming poor		-
	g)	Special conditions	Swimming Pool Safety Regulation (CQLR c. S-3.1.02, r. 1) applies.  The use of barbed wire is prohibited.		
11	Low	/ wall	Yes	Yes	Yes
	a)	Minimum distance from a street	1 m	_	_
	b)	Minimum distance from a fire hydrant	1 m	_	_
	c)	Maximum height	1 m	1 m	1 m
	d)	Permitted materials	Weather-resistant		

	Yard			
tures and standards	Front	Side	Back	
Special conditions	A low wall may be installed on successive levels if the ground conditions so require. In this case, each low wall must be installed at least 1 m apart.			
etaining wall	Yes	Yes	Yes	
Maximum height	Without an engineer's plan: 1.4 m With an engineer's plan attesting to the need to increase the height to ensure soil stability: 3 m			
Permitted materials	Masonry and stone. Concrete is authorized if an engineer certifies the need to use this material to ensure the stability of the floors.			
Special conditions	Plants (e.g. climbing plants) must be planted above or inside the wall so that at least 50% of its surface is concealed by them.			
Special conditions for lots where main buildings are planned	Where a retaining wall is required in the front yard of a lot where a main building is planned, it must be at least 7.5 m away from the front lot line.			
pol	No	Yes	Yes	
Minimum distance from a lot line (calculated from the pool wall)	n.a.	1.5 m	1.5 m	
Minimum distance from a street				
Minimum distance from a main building		2 m		
Minimum distance from an overhead power line		2 m		
Special conditions				
pa including its shelter <sup>1</sup>	No	Yes	Yes	
Minimum distance from a lot line	n.a.	1.5 m	1.5 m	
Minimum distance from a street (spa) <sup>2</sup>	The front setback prescribed for the main building in the specifications grid. <sup>3</sup>			
Minimum distance from a main building		1 m		
Minimum distance from an overhead power line		2 m		
Minimum distance from a street line (shelter) <sup>4</sup>		-		
	Maximum height  Permitted materials  Special conditions  Special conditions for lots where main buildings are planned  Minimum distance from a lot line (calculated from the pool wall)  Minimum distance from a street  Minimum distance from an overhead power line  Special conditions  a including its shelter 1  Minimum distance from a lot line  Minimum distance from a lot line  Minimum distance from a lot line  Minimum distance from a street (spa) 2  Minimum distance from a main building  Minimum distance from a main building  Minimum distance from a main building  Minimum distance from a street line  Minimum distance from a street line	Special conditions  Special conditions  A low wall may be levels if the groun in this case, each installed at least 1 yes  Maximum height  Permitted materials  Special conditions  Special conditions  Special conditions  Special conditions  Special conditions for lots where main buildings are planned  Minimum distance from a lot line (calculated from the pool wall)  Minimum distance from a street  Minimum distance from a noverhead power line  Minimum distance from a lot line  Special conditions  The Residential S  Regulation (CQLF applies.  Minimum distance from a lot line  No  Minimum distance from a lot line  Special conditions  The Residential S  Regulation (CQLF applies.  Minimum distance from a lot line  No  Minimum distance from a street (spa) 2  Minimum distance from a street (spa) 2  Minimum distance from a noverhead power line  The front setback building in the special conditions  The front setback building in the special conditions	Special conditions  Maximum height  Permitted materials  Special conditions  Special conditions for lots where main buildings are planned  Minimum distance from a lot line (calculated from the pool wall)  Minimum distance from a street  Minimum distance from a noverhead power line  Minimum distance from a lot line  Minimum distance from a lot line  Special conditions  The Residential Swimming Pool  Regulation (CQLR c. S-3.1.02, r applies.  The front setback prescribed for building in the specifications gric  Minimum distance from a street (spa) 2  Minimum distance from a main building  Minimum distance from a street (spa) 2  Minimum distance from a noverhead power line  Minimum distance from a main building  Minimum distance from a main building  Minimum distance from a street (spa) 2  Minimum distance from a noverhead power line  The front setback prescribed for building in the specifications gric  Minimum distance from a main building  Minimum distance from a street (spa) 2  Minimum distance from a street line  The front setback prescribed for building in the specifications gric  Minimum distance from a main building  Minimum distance from a main building  The front setback prescribed for building in the specifications gric  Minimum distance from a main building  The front setback prescribed for building in the specifications gric  Minimum distance from a street line  The front setback prescribed for	

 $^{\it I}$  Modified by By-law 670-2023 entered into effect on September 13, 2023

 $<sup>^2</sup>$  Modified by By-law 763-2024 entered into effect on February 14, 2025

 $<sup>^{3}</sup>$  Modified by By-law 670-2023 entered into effect on February 14, 2025

<sup>&</sup>lt;sup>4</sup> Added by By-law 763-2024 entered into effect on February 14, 2025

 $<sup>^{5}</sup>$  Added by By-law 670-2023 entered into effect on September 13, 2023  $\,$ 

	,	Yard			
Str	uctures and standards	Front	Side	Back	
	f) Special provisions <sup>1</sup>	A shelter may cover the spa provided that a minimum distance of 2 meters from the side lines or the rear line is respected. The area of the spa cover may not exceed 15 square meters.			
15.	Sauna	No	Yes	Yes	
	a) Minimum distance from a lot line	n.a	1.5 m	1.5 m	
	b) Minimum distance from a street	Half of the front se main building in th			
	c) Maximum height		4 m		
	d) Maximum size		10 m²		
	e) Minimum distance from a main building		1 m		
16.	Outdoor fireplace or fire pit	No	Yes	Yes	
	a) Minimum distance from a lot line	n.a.	5 m	5 m	
	b) Minimum distance from a main building	n.a.	5 m	5 m	
17.	Stand for watersport equipment (such as kayaks)	No	Yes	Yes	
	a) Minimum distance from a lot line	_	1.5 m	1.5 m	
	b) Maximum size	Width: 6 m Depth: 2 m Height: 4 m			
18.	Playground, sports equipment	No	Yes	Yes	
	a) Minimum distance from a lot line	n.a.	1.5 m	1.5 m	
19.	Garden furniture	Yes	Yes	Yes	
20.	Decorative element	Yes	Yes	Yes	
21.	Clothesline	No	Yes	Yes	
22.	Outdoor cooking structure and equipment:	No	Yes	Yes	
23.	Container vegetable gardens	Yes	Yes	Yes	
	a) Minimum distance from a lot line	2 m	0,5 m	0,5 m	
	b) Maximum height	1,2 m	2 m	2 m	
24.	Playset, playhouse, swing set	Yes	Yes	Yes	
	a) Minimum distance from a lot line	2 m	0.5 m	0.5 m	
25.	Miscellaneous storage box or shelter	No	Yes	Yes	
	a) Minimum distance from a lot line	n.a.	1.5 m	1.5 m	
	b) Maximum size		2 m²		
26.	Pet shelter (doghouse)	No	Yes	Yes	
	a) Minimum distance from a lot line	n.a	1.5 m	1.5 m	
	b) Maximum height		3 m		

\_

 $<sup>^{\</sup>it l}$   $\it Added$  by By-law 670-2023 entered into effect on September 13, 2023

01		Yard			
Stru	ictures and standards	Front	Side	Back	
(	c) Maximum size		5 m²		
(	d) Number permitted	2 per lot			
27. (	Chicken coop and run	No	Yes	Yes	
á	a) Minimum distance from a lot line	n.a	2 m	2 m	
ŀ	b) Minimum distance from a street	Front set-back income building in the spe			
(	c) Maximum number of hens allowed	Lots less than 1,5 Lots 1,500 m² or o			
(	d) Maximum size	Chicken coop: 5 r Run: 5 m²	n²		
•	e) Maximum number permitted	On	e (1) per lot		
f	f) Maximum height	Chicken coop: 2 m Run: 1.2 m			
Ç	g) Minimum distance from a main building	1 m			
ŀ	h) Minimum distance from an accessory building		1 m		
i	i) Minimum distance from a groundwater withdrawal system	30 m (may be reduced to 15 m with a professional recommendation stating that groundwater will not be affected)			
j	j) Special condition	<ul> <li>Hens must be kept in their coop or run at all times.</li> <li>Coops must have an attached run.</li> <li>Galvanized metal fencing is permitted.</li> <li>Roosters are prohibited.</li> <li>Breeding is prohibited.</li> <li>Selling eggs is prohibited.</li> </ul>			
28. I	Heat pump, air conditioner, and generator	No	Yes	Yes	
á	a) Minimum distance from a lot line	n.a.	2 m	2 m	
ŀ	b) Location	Window air condit all walls.	ioners are peri	nitted on	
(	c) Plant screen	If the equipment <sup>1</sup> is located in the side yard, a yard adjacent to a street or a yard adjacent to a lake, a green screen of a height to conceal the equipment from the street or lake must be installed.			
29.	Tank and cylinder	No	Yes	Yes	
á	a) Minimum distance from a lot line	n.a.	2 m	2 m	
ł	b) Plant screen	If the tank or cylin yard, a yard adjac adjacent to a lake height to conceal the street or lake	ent to a street , a green scree the tank or cyli	or a yard en of a nder from	

 $^{\it l}$   $\it Modified$  by By-law 763-2024 entered into effect on February 14, 2025

04	-t	Yard			
Stru	ctures and standards	Front Side Back			
c	c) Special conditions	Tanks and cylinde use must be remo			
30. 5	Solar panel	No	Yes	Yes	
а	a) Minimum distance from a lot line	n.a	2 m	2 m	
b	p) Special conditions	Can be installed or roof of a building.	n the ground o	or on the	
31. (	Garbage and recycling bins and bin shelters	Yes	Yes	Yes	
а	a) Minimum distance from a lot line	1.5 m	1.5 m	1.5 m	
b	o) Maximum size		4 m²		
C	c) Maximum height		2 m		
32. 5	Satellite dish with a diameter of 1 m or less	Yes	Yes	Yes	
а	a) Minimum distance from a lot line	n.a	1.5 m	1.5 m	
b	o) Maximum number for uses in the Residential group	One	e (1) per unit	ı	
C	c) Type of installation	On the ground or building	on a main or	accessory	
c	d) Special conditions	<ul> <li>A satellite dish must not be installed on projections or accessory structures (galleries, balconies, porticoes, etc.).</li> <li>A satellite dish must not block or be installed in front of openings.</li> <li>A satellite dish installed on the ground must be placed in the back yard.</li> </ul>			
	Outdoor lighting installed on the ground or on a post	Yes	Yes	Yes	
а	a) Minimum distance from a lot line	1.5 m	1.5 m	1.5 m	
b	o) Special conditions	The light must be no more than a 75 Translucent shade can be shown that compliant.	5° angle from t es are prohibite	he ground. ed unless it	
34. 0	Outdoor lighting on a building or structure	Yes	Yes	Yes	
a	a) Special conditions	The light must be directed downward or at no more than a 75° angle from the ground. Translucent shades are prohibited unless it can be shown that the light direction is compliant.			
35. L	Underground pipe, overhead power line	Yes	Yes	Yes	
36. E	Bike rack	Yes	Yes	Yes	
37. E	Electric vehicle charger	Yes	Yes	Yes	
38. F	Parking area and curb cut	See	Chapter IX		
39. 5	Sign	See	e Chapter X		
40. E	Dock	Yes	Yes	Yes	

Structures and standards	Yard			
Structures and standards	Front	Side	Back	
a) Maximum number per lot	1			
b) Maximum size	20 m² (the area of the footbridge is added to that of the dock)			
c) Maximum length	10 m, but not more than 1/10 of the width of the bed of the watercourse			
d) Minimum distance from lot lines	3 m (considering the imaginary extension of the lines)			
e) Special conditions	A dock must be physically attached to the shoreline. The part attached to the shoreline must be a footbridge no more than 1.2 m in width. It must be at least 2.4 m long to clear the structure from the shoreline.  A permanent vertical structure more than 1 m tall is not permitted on a dock.  A dock must not prevent water from flowing			
	freely.		_	
41. Septic system	Yes, in accordance with c. Q-2, r. 22			
42. Water withdrawal system	Yes, in accordance with c. Q-2, r. 35.2			
43. Geothermal system	Yes, in accordance with c. Q-2, r. 35.2			

## DIVISION C – ACCESSORY STRUCTURES TO COMMERCIAL, INDUSTRIAL, PUBLIC, OR AGRICULTURAL USES

## 110. Additional accessory structures permitted for uses in the Commercial, Industrial, Public, or Agricultural groups

The following table identifies the accessory structures that are authorized for use in the the Commercial, Industrial, Public, or Agricultural groups, as well as the applicable standards. Where applicable, the table refers to an article, section or chapter of the present by-law.

Unless otherwise specified in the following table or in this by-law, the following general conditions apply:

- 1. An accessory structure is permitted in the associated yard (front, side, or back) if the word "Yes" appears beside it.
- 2. An accessory structure is prohibited in the associated yard (front, side, or back) if the word "No" appears beside it.
- 3. An accessory structure may be located separately from or adjacent to a building or other structure.
- 4. An accessory structure may be located at the lot line (zero set-back from the lot line).
- 5. The number of structures is not limited.

- 6. There is no limit to the size of the structure.
- 7. There is no height limit, though an accessory structure may not be taller than the main building.
- 8. Where a minimum set-back from a side lot line is required, this distance may be reduced to 0.6 metres if an accessory structure is attached to a semi-detached or row main building. This condition applies only to the shared-wall side of the main building.
- 9. Any construction not listed in the table of this article is prohibited.

Table 30: Permitted accessory structures and applicable standards

Structure			Yard		
		Front	Side	Back	
1.	Commercial patio	Yes	Yes	Yes	
	a) Special conditions	S	See section 111		
2.	Shelter or stand for equipment rental, customer service, or similar activities	No	Yes	Yes	
	a) Minimum distance from a lot line	n.a.	5 m	5 m	
	b) Minimum distance from a street	Front set-back indicated for the main building in the specifications grid			
3.	Shelter, enclosure, or dumpster for recyclable and residual materials	No	Yes	Yes	
	a) Minimum distance from a lot line	n.a	2 m	2 m	
	b) Minimum distance from a street	Front set-back indicated for the main building in the specifications grid			
4.	Cart or equipment shelter	No	Yes	Yes	
	a) Minimum distance from a lot line	n.a	5 m	5 m	
	b) Minimum distance from a street		Front set-back indicated for the main building in the specifications grid		
	c) Maximum size		10 m²		
	d) Special conditions	A shelter is permitted in the front yard for businesses that require a cart shelter (e.g. grocery and hardware stores).			
5.	Enclosed or semi-enclosed space used for electrical or similar installations	No	Yes	Yes	
	a) Minimum distance from a lot line	n.a	5 m	5 m	
6.	Donation box (clothing)	No	Yes	Yes	
	a) Minimum distance from a lot line	n.a	2 m	5 m	
	b) Minimum distance from a street	Front set-back indicated for the main building in the specifications grid			
	c) Zones where donation boxes are allowed	Mixed (MIX)			
	d) Number permitted		2 per lot		
	e) Special conditions	A donation box is permitted on land that is used for commercial or public purposes.			
		The box must be installed with the permission of the landowner and			

Structure		Yard			
		Front	Side	Back	
			associated with an organization or business operating within the RCM.		
7.	Gas tank, cylinder, fuel pump island, shelter for related services	No	Yes	Yes	
	a) Minimum distance from a lot line	_	5 m	5 m	
	a) Gas station canopy	A canopy may be installed over gas pumps. The minimum distance from a lot line applies.			
	b) Plant screen	If the tank or cylinder is in the side yard or a yard adjacent to a street, a plant screen tall enough to conceal it must be planted.			
	c) Special conditions	Tanks and cylinders that are no longer in use must be removed or stored inside a building.  These structures are permitted in the front yards of gas stations.			
8.	Structure required for an agricultural use or its additional use	Yes	Yes	Yes	
	a) Minimum distance from a lot line	7 m	5 m	5 m	
9.	Satellite dish with a diameter of more than 1 m	No	No	Yes	
	a) Minimum distance from a lot line	Main building set-backs apply (see specification grids)			
	b) Maximum number per lot		1		
	c) Type of installation	Ground only			
10.	Fence (including entrance gate)	Yes	Yes	Yes	
	a) General note	Division B applies in addition to the conditions below.			
	b) Maximum height for a public, agricultural, or sports field/court use (e.g. tennis court)	1.2 m	4 m	4 m	
	c) Permitted materials		Chain link		
	d) Fence components	Any fence made of chain link must include line posts, tension bands or bars, and top rails to secure the insides of the fence panels.			

## 111. Commercial patios

A commercial patio may be installed under the following conditions:

- 1. A patio is permitted for a main use in categories C1, C5, C7, C8, C9 (if a restaurant is present), P1 and P2, as well as use codes C6-01 to C6-04.
- 2. Notwithstanding paragraph 1, a patio is prohibited for a non-conforming main use or inside a Residential and Forestry (RF) or Residential and Resort (RV) zone.
- 3. A patio may be installed in a parking area, as long as it does not encroach upon the driveway or the minimum required parking spaces under this by-law.
- 4. A patio must be at ground level or at the level of the main building's ground floor.

- 5. A patio must be at least 1.5 metres away from lot lines.
- 6. A patio must not be more than 50% of the size of the floor area occupied by the main use in the building to which it is attached.
- 7. A patio may be covered by a portico, awning, or canopy.
- 8. A patio may be surrounded by a retractable screen, mosquito net, or similar.
- 9. Patio lighting must be pointed downward.
- 10. Except for grassy portions, the floor of a patio must be made of a non-slip material.
- 11. The outside of the patio must be surrounded by shrubs, flowers, or potted plants.

# CHAPTER VIII: PROVISIONS FOR TEMPORARY BUILDINGS AND STRUCTURES

## **DIVISION A - GENERAL PROVISIONS**

## 112. General provisions

This chapter identifies permitted temporary buildings and structures, prescribes applicable standards, and determines specific conditions for the erection or use of a temporary building or structure.

The authorization of a temporary building or structure implies the authorization of the associated temporary use.

## 113. Presence of a main building

The construction of a temporary building or structure on a lot does not require the presence of a main building on the same lot unless that building or structure is:

- 1. A temporary winter shelter for road vehicles
- 2. A temporary door shelter

## 114. Applicable standards

The following standards apply to all temporary buildings and structures:

- 1. A temporary building or structure must be built outside the boundaries of an easement unless a written statement is provided by the person(s) affected by that easement, giving permission to build within it.
- 2. Every part of a temporary building or structure, whether underground, on the ground, or overhanging, must comply with the relevant siting standards (set-backs, distance, etc.).
- 3. Notwithstanding any provisions to the contrary, an accessory structure within a 7-metre sight triangle may not exceed 1 metre in height.
- 4. In the event of a conflict between the specific provisions of Chapter XII relating to water and wetlands and those of this chapter, the more restrictive provisions shall apply.

## DIVISION B - TEMPORARY BUILDINGS AND STRUCTURES FOR ALL USE GROUPS

## 115. Permitted temporary buildings and structures

The following table identifies the temporary buildings and structures that are authorized for any use as well as the applicable standards that apply to those buildings and structures. Where applicable, the table refers to chapters, divisions, and sections of this by-law.

Unless otherwise specified in the following table or in this by-law, the following general conditions apply:

- 1. A building or structure is permitted in the associated yard (front, side, or back) if the word "Yes" appears beside it.
- 2. A building or structure is prohibited in the associated yard (front, side, or back) if the word "No" appears beside it.
- 3. An accessory building or structure may be located separately from or attached to a building or other structure.
- 4. An accessory structure may be located at the lot line (zero set-back from the lot line).
- 5. The number of buildings and structures is not limited.

- 6. The footprint size is not limited.
- 7. The height is not restricted, but cannot exceed the maximum height allowed for a main building in the applicable zone's specifications grid.
- 8. Any building or construction not listed in the table of this article is prohibited.

Table 31: Permitted temporary buildings and structures and applicable standards

			Yard			
Bu	ıldır	ng/structure	Front	Side	Back	
1.	Ter	nporary winter shelter for road vehicles	Yes	Yes	Yes	
	a)	Minimum distance from a lot line	1 m	1 m	1 m	
	b)	Minimum distance from a curb, ditch, or sidewalk	2 m	ı	ı	
	c)	Maximum size		30 m²		
	d)	Maximum number per lot	One (1) per un	it or one (1) pe	er building	
	e)	Permitted duration	Between Octob May 15 of the f		ear and	
	f)	Location	Inside the park	ing area		
	g)	Permitted materials	A shelter must plastic and mo or wood frame.	unted on a me		
	h)	Special conditions	Outside of the permitted dates, a shelf and its structure must be removed and stored.  A shelter must be designed by a			
			manufacturer.		,	
2.	Ter	mporary door shelter	Yes	Yes	Yes	
	a)	Minimum distance from a lot line	1 m	1 m	1 m	
	b)	Minimum distance from a curb, ditch, or sidewalk	2 m	_	_	
	c)	Maximum size		6 m²		
	d)	Permitted duration	Between Octob May 15 of the f		ear and	
	e)	Special conditions	Outside of the and its structur stored.  A shelter must	e must be rem	noved and	
			manufacturer.	be designed t	уа	
3.	Sno	ow fence	Yes	Yes	Yes	
	a)	Minimum distance from a street	1 m	_	_	
	b)	Permitted duration	Between October 15 of one year and May 15 of the following year		ear and	
	c)	Special conditions	Outside of the permitted dates, a snow fence must be removed and stored.			
4.		nce and barricade used to block access to horized construction sites	Yes	Yes	Yes	
	a)	Minimum distance from a street	1 m	_	_	

<b>D</b>	11.11		Yard	
Bu	ilding/structure	Front	Side	Back
5.	Temporary shelter or structure required for a social, sporting, or cultural activity	Yes	Yes	Yes
	a) Minimum distance from a lot line	2 m	2 m	2 m
	b) Permitted duration	Duration of the structure may I more than 4 da begins. It must than 4 days aft	be installed on mays before the be removed r	-site no activity no later
6.	Temporary building or structure on a construction site, including a dumpster and sales office	Yes	Yes	Yes
	a) Minimum distance from a lot line	2 m	2 m	2 m
	b) Permitted duration	Duration of the exceeding the permit or certific completion.	period authori	zed in the
	c) Location	Must be locate the work is bei		erty where
7.	Temporary building or structure built following a fire or during work on another building related to the main use	Yes	Yes	Yes
	a) Minimum distance from a lot line	Main building set-backs apply (see specifications grids)	2 m	2 m
	b) Permitted duration	48 months or u	intil the neces	sary work is
	c) Location	Must be locate the disaster or where the work	curred or on t	he property
8.	Container to dispose of goods during a move, transfer commercial goods, or similar	Yes	Yes	Yes
	a) Minimum distance from a lot line	2 m	2 m	2 m
	b) Permitted duration		14 days	
	c) Location	Within the park involved in the or similar activi	move, transfe	
9.	Temporary stand for the sale of produce or horticultural products (where this temporary use is permitted under Chapter IV)	Yes	Yes	Yes
	a) Minimum distance from a lot line	3 m	3 m	3 m
	b) Maximum size		40 m²	
10.	Temporary stand for the sale of agricultural products (where this additional use is permitted under Chapter III)	Yes	Yes	Yes
	a) Minimum distance from a lot line	3 m	3 m	3 m
	b) Maximum size		40 m²	

# CHAPTER IX: PROVISIONS FOR PARKING AREAS

### **DIVISION A - PARKING AREA REQUIREMENTS**

#### 116. General requirement

A parking area must be developed on all lots where a use takes place and where required by this by-law.

#### 117. Occupying parking areas for purposes other than parking

A parking area may be occupied for purposes other than parking if expressly permitted under this by-law. This occupancy must not reduce the mandatory minimum number of parking spaces, unless otherwise indicated in this by-law.

## 118. Mandatory minimum number of parking spaces

The mandatory minimum number of parking spaces is indicated in the table to this section, following the classification of main uses established in Division A of Chapter II.

The minimum number of parking spaces is an ongoing requirement; the spaces must be available on the lot for as long as a use is taking place. The requirement to provide a certain number of spaces also applies to an extension of an existing use and to a change of use.

If an additional use takes place and Chapter III of this by-law states that the parking provisions apply, additional parking spaces must be provided in the parking area (in addition to the spaces required for the main use). The number of spaces is to be determined by treating the additional use as a main use in the table to this section.

Parking spaces, in order to be recognized as such and to meet the minimum requirements, must be accessible at all times and must not require vehicles to move to allow others to enter or exit them. This requirement does not apply to residential uses in categories H1, H2, and H3, in which spaces may be located behind each other.

For the purpose of calculating the mandatory minimum number of spaces, more than one-half (0.5) of a space must be considered as a full additional space to provide.

Table 32: Minimum number of parking spaces

Category	Description	Minimum number of parking spaces				
Residential	Residential group					
H1	Single-family residence	2 spaces per unit				
H2	Two-family residence	2 spaces per unit				
H3	Three-family residence	2 spaces per unit				
H4	Multi-family residence	2 spaces per unit				
Commercia	l group					
C1	Retail	1 space per 30 m² of floor area				
C2	Personal Services	1 space per 30 m² of floor area				
C3	Professional and Other Services	1 space per 30 m² of floor area				
C4	Arterial Trade and	C4-01: 1 space per 30 m² of floor area				
<u> </u>	Services	Other: 1 space per 75 m² of floor area				
C5	Restaurant and Food Services	1 space per 10 m² of floor area				

Category	Description	Minimum number of parking spaces	
C6	Accommodation	1 space per accommodation unit or campsite	
C7	Indoor Recreation Businesses	1 space per 30 m² of floor area	
C8	Outdoor Recreation Businesses	Minimum of 15 spaces	
C9	Service Stations	Minimum of 3 spaces, plus the spaces required for the uses in categories C1 and C5, as applicable	
C10	Vehicle Trade and Services	1 space per 75 m² of floor area	
C11	Heavy and Para-Industrial Trade and Services	1 space per 75 m² of floor area	
	Specialty Trade and	C12-01: 1 space per 10 m² of floor area	
C12	Services	C12-02 to C12-04: 1 space per 30 m² of floor area	
		Other: 1 space per 75 m² of floor area	
Industrial g	roup		
l1	Light Industry	1 space per 125 m² of floor area	
12	Agroforestry Industry	1 space per 125 m² of floor area	
13	Extractive Activity	Minimum of 10 spaces	
Public grou	ıp		
P1	Institutions and Administrative Services	P1-03: 1 space per 2 rooms, plus 1 space per 2 employees P1-05 to P1-06: 1 space per class, plus 1 space per 2 employees Other: 1 space per 30 m² of floor area	
P2	Municipal Services	P2-01, P2-02, P2-05: 1 space per 30 m² of floor area P2-04: 1 space per 30 m² of floor area Other: none	
P3	Worship Services	1 space per 30 m² of floor area	
P4	Public Utilities	None	
Agricultura	l group		
A1	Cultivation and Maple Sugaring	Minimum of 3 spaces	
A2	Animal Husbandry	Minimum of 3 spaces	
L	l	ı	

## 119. Minimum number of parking spaces for persons with reduced mobility

Of the parking spaces to be provided by uses in the Commercial, Industrial, Public, and Agricultural groups, at least one (1) must be created for persons with reduced mobility.

If a parking area has more than 30 spaces, one (1) additional space for persons with reduced mobility must be provided for every 30 spaces or portion thereof.

The parking spaces for persons with reduced mobility must be located near the building's main entrance or an entrance that is accessible to persons with reduced mobility.

## 120. Exemption from providing the minimum number of parking spaces

If an applicant for a permit or certificate relating to a Commercial, Industrial, Public, or Agricultural use applies for an exemption, the Municipal Council may exempt them from providing one or more parking spaces.

The application must be accompanied by a document justifying the request and a fee must be paid for each exempted space. This fee is set in the *By-Law Regarding Taxes*, *Tariffs*, *Service and Compensation Costs*.

The Municipal Council must pass a resolution to decide whether to grant the exemption.

If granted, the exemption must not reduce the number of parking spaces to be provided for persons with reduced mobility.

The fees required under this section shall be deposited in a parking fund and be used only for the purchase or development of parking infrastructure.

#### DIVISION B - LOCATION AND DEVELOPMENT OF PARKING AREAS

## 121. Location of parking areas

A parking area must be located on the lot where the use it serves is located, unless otherwise permitted in this division.

## 122. Location of parking areas for uses in the Residential group

The following siting standards apply to parking areas for uses in the Residential group:

- 1. A parking area must connect directly to a street that is adjacent to the lot on which it is located.
- 2. A driveway may connect an adjacent lot under the following conditions:
  - a) The adjacent lot must be zoned as H1 Single-Family Residence.
  - b) The 2 lots must be adjacent to each other at the side line.
  - c) The 2 lots must be adjacent to the same street.
  - d) The driveway may serve no more than 2 lots.
  - e) The driveway and curb cut may be located entirely on either lot (with a portion of the driveway serving the other lot) or it may be located on the shared lot line, in which case the minimum set-back does not apply in that location.
  - f) Parking spaces must be provided on both the respective lots.
  - g) The owners of each immovable must give their permission and an easement must be registered.
- 3. A driveway is permitted in the front yard of any lot, or in the side yard of a corner lot or corner through lot.
- 4. Parking spaces are permitted in all yards.
- 5. A parking area must be located outside the 7-metre sight triangle.
- 6. A parking area may only occupy a certain percentage of a front yard, namely:
  - a) Detached buildings: 30%
  - b) Semi-detached buildings: 50%
  - c) Row buildings: 60%
- 7. Other than the part of a main building to which a garage or car shelter is attached, a parking area for a single-family dwelling (H1) is not permitted directly in front of the main building (that is, in the space between the main building's front wall and the front lot

line, between the imaginary lines extending forward from the main building's side walls). This prohibition does not apply to a lot with a U-shaped driveway.

- 8. Except for its driveway, a parking area must be at least 2 metres away from a front lot line.
- 9. A parking area must be at least 1 metre away from side and back lot lines.
- 10. A parking area for a multi-family residence (H4) may not be created in a front yard. In addition, the parking area must be at least 1.5 metres away from the walls of the main building.

## 123. Location of parking areas for uses in the Commercial, Industrial, Public, and Agricultural groups

The following siting standards apply to parking areas for uses in the Commercial, Industrial, Public, and Agricultural groups:

- A parking area must connect directly to a street that is adjacent to the lot on which it is located.
- 2. A parking area may be shared with an adjacent lot under the following conditions:
  - a) The adjacent lot's use is in the Commercial, Industrial, Public, or Agricultural groups.
  - b) The parking area and driveway entrance must be created on both lots. The minimum set-back does not apply to the parts of the lots where the parking area has been built.
  - c) The owners of each immovable must give their permission and an easement must be registered.
- 3. A parking area may be located on another lot up to 150 metres away. If so, the owners of each immovable must give their permission and an easement must be registered.
- 4. Parking spaces are permitted in all vards.
- 5. A driveway is permitted in the front yard of any lot, or in the side yard of a corner lot or corner through lot.
- 6. A parking area must be located outside the 7-metre sight triangle.
- 7. Except for its driveway, a parking area must be at least 2 metres away from a front lot line.
- 8. A parking area must be at least 1 metre away from side and back lot lines. This distance is increased to 2 metres if the lot is adjacent to a lot whose use is in the Residential group.

#### 124. Minimum dimensions of parking areas (spaces and driveways)

The minimum dimensions of parking areas (spaces and driveways) are set out in the following table.

Table 33: Minimum parking area dimensions

Chase angle	Chang width	Space langth	Driveway length		
Space angle	Space width	Space length	One-way	Two-way	
0°	2.5 m	6 m	3 m	6 m	
30°	2.5 m	5.5 m	3.3 m	6 m	
45°	2.5 m	5.5 m	4 m	6 m	
60°	2.5 m	5.5 m	5.5 m	6 m	

Space angle	Space angle Space width		Driveway length		
Space aligie	Space width	Space length	One-way	Two-way	
90°	2.5 m	5.5 m	6 m	6 m	

A parking space for persons with reduced mobility must be at least 3.5 metres wide.

The following standards apply to driveways that do not have parking spaces on either side:

- 1. A one-way driveway (in or out) must be between 3.5 metres and 5 metres wide.
- 2. A two-way driveway (in and out) must be between 5 metres and 8.5 metres wide. The maximum width may be increased to 10 metres for a use in the Commercial group that requires deliveries by heavy vehicles or any use in the Industrial, Public, or Agricultural groups.

## 125. Development of parking areas

Parking areas must be developed as follows:

- A parking area must be surfaced with a site-appropriate material that prevents dust from being stirred up (gravel, asphalt, paving stones, concrete, hollow-core slab, gravel and turf, etc.).
- 2. If a parking area for a use in the Commercial, Industrial, or Public groups is adjacent to a lot whose use is in the Residential group, the parking area must be separated from the residential lot by an opaque fence, a low wall, or a hedge that is at least 1.5 metres tall. This requirement only applies if the parking area is within 5 metres of the lot line of a residential lot.
- 3. A parking area for one or more buildings occupied by one or more commercial sales establishments must incorporate a row of trees (tree screen) between parking blocks containing 30 parking spaces or more.
- 4. If a parking area has 15 spaces or more, it must be bordered by one or more swales or retention ponds to manage runoff.
- 5. Parking must be provided within 12 months of the time a building is occupied or work is completed.
- 6. The angle of connection of a driveway shall be between 70 and 110 degrees to the street for a minimum distance of 3 meters. <sup>1</sup>
- 7. The slope of a driveway shall not exceed 5% for a distance of 3 meters calculated from the street line. <sup>2</sup>
- 8. The maximum slope of a driveway shall be 15%. <sup>3</sup>
- A driveway that is great than 100 meters in length shall be provided with a round, an « L » or « T » and shall be laid out in such a manner as to provide for the passage of safety vehicles. <sup>4</sup>
- 10. The parking area shall be adequately drained to prevent water accumulation.  $^{5}$

 $<sup>^{\</sup>it l}$  Added by By-law 670-2023 entered into effect on September 13, 2023

 $<sup>^2</sup>$  Added by By-law 670-2023 entered into effect on September 13, 2023

<sup>&</sup>lt;sup>3</sup> Added by By-law 670-2023 entered into effect on September 13, 2023

<sup>&</sup>lt;sup>4</sup> Added by By-law 670-2023 entered into effect on September 13, 2023

<sup>&</sup>lt;sup>5</sup> Added by By-law 670-2023 entered into effect on September 13, 2023

11. Runoff from the driveway and parking area shall not be directed directly onto the roadway and the roadway shall be designed to allow for lateral flow of water or gradual and slow infiltration of water onto the land. <sup>1</sup>

#### **DIVISION C - CURB CUTS**

#### 126. Location of curb cuts

The locations of curb cuts must meet the siting standards for parking areas as indicated in Division B of this chapter.

If a curb cut leads to a section of route 329 or 364 where the speed limit is greater than 50 km/h, the following conditions are added, for driveways constructed after February 27<sup>th</sup>, 2023:

- 1. Curb cuts must be at least 100 metres apart.
- 2. Each curb cut must be at least 50 metres away from an intersection.

#### 127. Number of curb cuts and minimum distance between curb cuts

One (1) curb cut is permitted per lot, except in the following cases:

- 1. For lots that are 30 metres in width or greater, 2 curb cuts are permitted. Curb cuts on a lot must be at least 6 metres apart for Residential uses and at least 10 metres apart for all other uses.
- 2. On a corner lot, through lot, or corner through lot, 2 curb cuts are permitted: one (1) curb cut per street if the lot line along the second street is more than 30 metres wide.
- 3. If a lot has a single-family residence use (H1), it may have a U-shaped (semicircle) parking area with 2 curb cuts that are at least 6 metres apart. The driveway joining the entrances must be one-way and no more than 4 metres wide.

#### 128. Width of curb cuts

A curb cut must be the same width as the driveway and no wider, as indicated in Division B of this chapter.

## **DIVISION D – VEHICLE PARKING AND STORAGE**

#### 129. Parking on lots whose uses are in the Residential group

The following conditions apply to the parking of vehicles on lots whose uses are in the Residential group:

- 1. All vehicles must park in a parking area that complies with this by-law.
- 2. All vehicles parked on a lot must be associated with the lot's use.
- 3. The parking of one (1) recreational vehicle per lot is authorized, either one (1) "wheeled" vehicle or one (1) "off-road" vehicle;
- 4. If a vehicle is used for business purposes by the occupants of the main building, it may be parked on the lot. This vehicle must have a capacity of no more than 3,000 kg. It must be parked at least 5 metres from front lot lines.

#### 130. Vehicle storage on lots whose uses are in the Residential group

79

 $<sup>^{\</sup>it l}$  Added by By-law 670-2023 entered into effect on September 13, 2023

The following conditions apply to the storage of vehicles on lots whose uses are in the Residential group:

- 1. The storage of one (1) recreational vehicle per lot is authorized, either one (1) "wheeled" vehicle or one (1) "off-road" vehicle;
- 2. Vehicle storage is permitted in a side and rear yard.
- 3. Vehicle storage is permitted in a front yard if it is more than 20 metres deep.
- 4. The storage of all other vehicles is prohibited.

## 131. Parking on lots whose uses are in the Commercial, Industrial, Public, or Agricultural groups

The following conditions apply to the parking of vehicles on lots whose uses are in the Commercial, Industrial, Public, or Agricultural groups:

- 1. All vehicles must park in a parking area that complies with this by-law.
- 2. No vehicle may park on a lot that lacks a main building unless this by-law permits the main use on that lot to take place without a main building.
- 3. All vehicles parked on a lot must be associated with the lot's use.
- 4. A heavy vehicle cannot be parked in a front yard, unless the front yard is more than 20 metres deep and the use is not in a Residential and Forestry (RF) or Residential and Resort (RV) zone. If a heavy vehicle may be parked in a front yard, the first 5 metres of the lot (calculated perpendicularly from the street line) must be landscaped to camouflage the parking. This landscaping must be composed of shrubs that are at least 1 metre tall at the time of planting and spaced no more than 1 metre apart, as measured at the trunks. Dead or dying shrubs must be replaced within 30 days. If they cannot be replaced due to winter weather, they must be replaced by June 30 of the following year.

## 132. Vehicle storage on lots whose uses are in the Commercial, Industrial, Public, or Agricultural groups

The following conditions apply to the storage of vehicles on lots whose uses are in the Commercial, Industrial, Public, or Agricultural groups:

- 1. The storage of heavy vehicles is permitted in side and rear yards. However, vehicle storage is prohibited if a use is in a Residential and Forestry (RF) or Residential and Resort (RV) zone.
- 2. A vehicle storage area must be enclosed by a fence installed as follows:
  - a) The fence must be between 2 and 2.5 metres tall.
  - b) The fence must be made of made of weather-resistant wood, corrosion-resistant metal, PVC, aluminum, or chain link.
  - c) If a fence is more than 10% chain link (with or without slats) or other open-work material, vegetation consisting primarily of conifers must be planted around the outside of the fence.
  - d) If a fence is made of wire mesh, PVC, or chain link, it must include line posts, tension bands or bars, and top rails to secure the insides of the fence panels.
- 3. Notwithstanding subparagraph 2, a dense hedge may be used in place of a fence to hide a storage area. This hedge must be composed of conifers planted within 1 metre of each other (as measured at the trunks). Trunks must be at least 2 metres tall at the time of planting. Dead or dying conifers must be replaced within 30 days. If they cannot be replaced due to winter weather, they must be replaced by June 30 of the following year.

#### **DIVISION E - LOADING AND UNLOADING AREAS**

## 133. Location of loading and unloading areas

The following standards apply to loading and unloading areas:

- 1. A loading and unloading area may be created in a side or back yard, with the exception of a driveway, which may be created in any yard.
- 2. A loading and unloading area must be at least 5 metres away from lot lines. This distance is increased to 10 metres if the lot is adjacent to a lot whose use is in the Residential group.
- 3. All vehicle movements must be performed off-street.
- 4. A loading and unloading area must not occupy the parking spaces required under this by-law.

## 134. Location of curb cuts leading to loading and unloading areas

A curb cut leading to a loading and unloading area must be at least 30 metres away from an intersection. If a lot is less than 30 metres wide, its entrance must be located as far away as possible (and at least 15 metres away) from an intersection.

A loading and unloading area may share a curb cut with a parking area on the same lot.

#### 135. Location of loading and unloading dock doors

A loading and unloading dock door must be located on the side or rear wall of a building.

A loading and unloading dock door must be installed so that vehicles using that door to load or unload do not encroach upon the lot's front yard.

#### 136. Surfacing

All loading and unloading areas, as well as parking areas for transport vehicles (including driveways) must be paved, gravelled, concreted, or otherwise surfaced in a way that prevents dust and mud from forming.

# CHAPTER X: PROVISIONS RELATING TO SIGNS

#### **DIVISION A - GENERAL PROVISIONS**

#### 137. Scope

This division applies to the construction, installation, maintenance, and alteration of signs.

Unless otherwise specified, the term "sign" includes the structural element (case, frame, panel, post, base, structure, etc.) used to install or maintain a sign.

## 138. Location in yards and distance from lot lines

Unless otherwise specified, a sign must be located on the property or building where the advertised product, service, or activity is offered, sold, or takes place. This requirement does not apply to a community sign that is permitted under this by-law. In addition:

- 1. A sign may be displayed in any yard.
- 2. Unless otherwise specified, a sign must be installed at least 1 metre from the lot line of the lot on which it is located (calculated from the portion on the ground or in the air that is closest to the lot line).
- 3. A sign must be installed at least 1.5 metres from a sidewalk (or from a street line if there is no sidewalk).
- 4. If a sign is affixed to a building, its maximum permitted projection may encroach into the set-backs for the main building.

#### 139. Prohibited sign locations

A sign may not be displayed in the following locations:

- 1. On a roof, balcony, gallery, stairway, chimney, or door, or in a location that blocks, conceals, or masks the same or any part thereof;
- On a window (including a display window) or in a location that blocks, conceals, or obscures the same (does not apply to window signs permitted under this by-law);
- 3. On an accessory building, unless this by-law permits an additional use in that building;
- 4. On an accessory structure;
- 5. On a temporary building or structure, unless this by-law permits a temporary use in that building or structure;
- 6. On a tree, hedge, shrub, or landscaping element;
- 7. On a utility pole, fire hydrant, lamppost, or any public structure erected on private property, unless the sign is listed in subparagraphs 1 to 3 of section 146;
- 8. On a fence;
- 9. In a location that masks or conceals all or part of a traffic light, road sign, or other sign under the *Highway Safety Code* (CQLR c. C-24.2);
- 10. Within a 7-metre sight triangle;
- 11. Within 1 metre of a power line;
- 12. Within 2 metres of a fire hydrant.

## 140. Prohibited signs

The following signs are prohibited:

- 1. Billboards (i.e. signs that are not installed on the property or building where the product, service, or activity is offered, sold, or takes place);
- 2. Signs painted on buildings or structures;
- 3. Animated signs;
- 4. Partially or fully digital signs, except those specifically permitted under this chapter;
- 5. Signs projected onto the ground, onto a building, or into the air using audiovisual, electronic, or luminous means;
- 6. Signs representing an object or product;
- 7. Rotating and mobile signs;
- 8. Airborne and inflatable signs;
- 9. Garland- and pennant-type signs (other than garlands for special occasions);
- 10. Signs placed on vehicles or similar rolling equipment, or part thereof. This prohibition does not apply to the commercial identification of vehicles, provided that the identification is clearly not expressly intended to serve as a sign or billboard;
- 11. Signs designed to resemble or imitate an indication, a signal, a warning, or a shape related to public safety and fire services or to road traffic, other than those installed for these purposes under the *Highway Safety Code* (CQLR c. C-24.2) or another law or regulation;
- 12. Illuminated signs that dazzle road users, including those with intermittent, flashing, or strobe lights;
- 13. All other signs that are not specifically permitted in this by-law.

#### 141. Lighting

Unless otherwise prohibited by this by-law with the words "non-illuminated," a sign may be illuminated by reflection, meaning that an external light source turned toward the sign may be used for illumination. Any other form of lighting is prohibited.

### 142. Permitted sign materials

A sign may be made of:

- 1. Pre-painted or stained wood and imitation wood;
- 2. Stone, brick, marble, granite, and similar materials;
- 3. Wrought iron or fabricated metal that has been pre-painted or painted by the owner (except for bronze and brass, which may be left unpainted);
- 4. Rigid synthetic materials (high-density urethane, polymer, acrylic, etc.);
- 5. Self-adhesive plastic materials, provided the sign is protected from the elements (e.g. by a window).

The following materials are also permitted for temporary signs:

- 1. Fabric and canvas;
- 2. Corrugated plastic sheets;
- 3. Paper or cardboard, provided the sign is protected from the elements (e.g. by a window, a display, or a clear plastic cover).

## 143. Calculation of the size and height of signs

The size of a sign is calculated:

- 1. From a visible side of the sign, determined by a line joining the edges of the sign so as to form a regular geometric shape. The size of a sign may be measured in sections if those sections are irregularly shaped.
- 2. For self-adhesive window signs with holes or gaps between the contents, size is calculated from the outer edges, without taking into account the holes or gaps.

The height of a sign is calculated from its lowest point to its highest point.

## 144. Maximum projection or depth of signs

Unless otherwise specified in this by-law, a sign may be no more than 0.3 metres deep and project by no more than 0.3 metres.

#### 145. Sandwich board signs

The following conditions apply to sandwich board signs that are permitted under this chapter:

- 1. One (1) sandwich board sign is permitted for every commercial establishment that has direct access to public property.
- A sandwich board sign must be placed on the same property as the establishment for which it is advertising, in front of the premises occupied by that establishment, and near that establishment's entrance.
- 3. A sandwich board sign must be displayed at least 0.5 metres away from the edge of a street or sidewalk.
- 4. A sandwich board sign, including its frame, must be no more than 0.6 m<sup>2</sup> in size.
- 5. A sandwich board sign must be no more than 1 metre tall.
- 6. A sandwich board sign may only be displayed during the establishment's business hours.
- 7. A sandwich board sign must rest on the ground or on a permanent structure such as a patio or gallery, including during the winter.
- 8. A sandwich board sign must not prevent the unrestricted movement of persons, goods, or vehicles, or be placed in a pedestrian passageway, emergency exit, driveway, parking space, or doorway.
- 9. Lighting, logos, materials covering the sign's message, and ornamentation are not permitted.
- 10. The name of the establishment must be permanently written along the top of the sign frame.

#### DIVISION B - SIGNS NOT REQUIRING A CERTIFICATE OF AUTHORIZATION

## 146. Permanent signs

The following permanent signs are permitted and do not require a certificate of authorization under the *By-Law Regarding Permits and Certificates*. Their size is not included in the maximum allowable sign size per establishment under Division C of this chapter.

- 1. Signs issued by a public authority or required by a law or regulation, including those related to the *Highway Safety Code* (CQLR c. C-24.2);
- 2. Public or government service signs (telephone, post office, fire hydrant, and similar);
- 3. Civic number signs for immovables and establishments;
- 4. Community signs under 10 m<sup>2</sup> in size (may be digital);
- 5. Flags of civic organizations or government bodies (up to 3 flags per lot);
- 6. Historical inscriptions or commemorative plaques on the properties or buildings to which they relate;
- 7. Non-illuminated identification signs (containing only the name and contact information of the service and professional) for businesses or professional services, under the following conditions:
  - a) Maximum size: 0.5 m<sup>2</sup>
  - b) Number per establishment: 1
  - c) Type: flat against the building or in the window
- 8. Signs identifying a product or service offered by an establishment, under the following conditions:
  - a) Maximum size: 0.5 m<sup>2</sup>
  - b) Number per establishment: 1
  - c) Type: flat against the building or in the window
- 9. Signs displaying an establishment's hours of operation or the date, temperature, or similar information, under the following conditions:
  - a) Maximum size: 0.25 m<sup>2</sup>
  - b) Number per establishment: 1
  - c) Type: flat against the building or in the window
- 10. Signs displaying the menu of a restaurant or licensed beverage establishment, under the following conditions:
  - a) Maximum size: 0.5 m<sup>2</sup>
  - b) Number per establishment: 1
  - c) Type: flat against the building or in the window
- 11. Signs required for a drive-thru service (of a restaurant or financial institution, for example), under the following conditions:
  - a) Maximum size: 4 m<sup>2</sup>
  - b) Number per establishment: 1
  - c) Type: flat against the building, in the window, or on a post or base
  - d) These signs may be digital

- 12. Directional signs to guide vehicles, cyclists, and pedestrians or to enhance the safety or convenience of customers on a property, under the following conditions:
  - a) Maximum size: 0.5 m² per sign
  - b) Number per establishment: 1 per curb cut, plus 2 signs on the property or building
  - c) Type: flat against the building, in the window, or on a post or base
- 13. Real estate signs on land that is part of the real estate project under the following conditions:
  - a) Maximum size: 1 m² per sign
  - b) Number per real estate project: 1
  - c) Type: on a post or base
  - d) Total height: 1.5 m
- 14. Non-illuminated identification signs for additional uses that are permitted throughout the municipality, when such signs are permitted under Chapter III, under the following conditions:
  - a) Maximum size: 0.5 m² per sign
  - b) Number per establishment: 1
  - c) Type: flat against the building or in the window
- 15. Non-illuminated identification signs for additional uses to main uses in the Residential group, when such signs are permitted under Chapter III, under the following conditions:
  - a) Maximum size: 0.5 m² per sign
  - b) Number per establishment: 1
  - c) Type: flat against the building or in the window
- 16. Non-illuminated identification signs for additional uses to main uses in the Commercial, Industrial, Public, or Agricultural groups, when such signs are permitted under Chapter III, under the following conditions:
  - a) Maximum size: 1 m² per sign
  - b) Number per establishment: 1
  - c) Type: flat against the building, in the window, or on a post or base

## 147. Temporary signs

The following temporary signs are permitted and do not require a certificate of authorization under the *By-Law Regarding Permits and Certificates*. Their size is not included in the maximum allowable sign size per establishment under Division C of this chapter.

- Signs issued by a public authority or required by a law or regulation, including those related to the *Highway Safety Code* (CQLR c. C-24.2);
- 2. Public or government service signs (telephone, post office, fire hydrant, and similar);
- 3. Civic number signs for immovables and establishments. These signs are permitted while construction work is ongoing;
- 4. Signs relating to an election or public consultation held pursuant to a provincial or federal law;
- 5. Non-illuminated promotional signs for establishments advertising a sale, product, or service, under the following conditions:
  - a) Maximum size: 1 m<sup>2</sup>

- b) Maximum number: 2 per establishment, including portable sandwich board signs
- c) Maximum duration: portable sandwich board signs are permitted for up to 30 days, twice per year
- 6. Non-illuminated signs erected on lots to advertise the rental or sale of the land, immovable, or dwelling unit where they are erected, under the following conditions:
  - a) Maximum size: 3 m<sup>2</sup>
  - b) Maximum number: 1 per lot or 1 per residence or establishment. When installed on a corner or corner through lot, 2 signs are permitted on the lot
  - c) Maximum height: 2 m
  - d) Distance from a lot line: 3 m
  - e) Distance from a street line: 2 m
  - f) Maximum duration: installation at the start of the listing and removal no later than 14 days after the rental or sale
- 7. Non-illuminated signs on lots announcing construction or occupation projects on those lots, including the names of the professionals involved in the project:
  - a) Maximum size: 3 m<sup>2</sup>
  - b) Maximum number: 1 per project or per phase of the same project. When installed on a corner or corner through lot, 2 signs are permitted on the lot
  - c) Maximum height: 2 m
  - d) Distance from a lot line: 3 m
  - e) Distance from a street line: 2 m
  - f) Maximum duration: 12 months or sooner, if the work is completed before then. Signs must be removed no later than 14 days after the work is completed
- 8. Non-illuminated signs on a lot advertising a temporary outdoor sale of plants and produce on that lot:
  - a) Maximum size: 1 m<sup>2</sup>
  - b) Maximum number: 1 per lot
  - c) Distance from a lot line: 3 m
  - d) Distance from a street line: 2 m
  - e) Maximum duration: installation 7 days before the start of the sale and removal no later than 2 days after the end of the sale
- 9. Non-illuminated signs on a lot advertising a temporary yard (garage) sale on that lot:
  - a) Maximum size: 1 m<sup>2</sup>
  - b) Maximum number: 1 per lot
  - Maximum duration: installation 4 days before the start of the sale and removal no later than 2 days after the end of the sale
- 10. Non-illuminated signs on a lot advertising a social, sporting, or cultural activity (or a sale associated with that activity) on that lot:
  - a) Maximum size: 3 m²b) Maximum height: 3 m
  - c) Maximum number: 1 per lot
  - d) Distance from a lot line: 3 m

- e) Distance from a street line: 2 m
- f) Maximum duration: installation 7 days before the start of the sale and removal no later than 2 days after the end of the sale

#### DIVISION C - SIGNS REQUIRING A CERTIFICATE OF AUTHORIZATION

## 148. Scope

The following permanent signs are permitted, but require a certificate of authorization under the *By-Law Regarding Permits and Certificates*.

These signs are permitted for all main uses, except for uses in the Residential group. They must be related to the main use.

The standards apply to establishment types unless otherwise indicated (for example, they may apply to a lot or building type instead).

## 149. Standards for signs attached to buildings

One (1) attached sign (either flat, in a window, perpendicular, or on a canopy) is permitted per establishment. These signs must be installed as follows.

Table 34: Standards for signs attached to buildings

Standard	Flat	In a window	Perpendicular	On a canopy
Maximum size	0.3 m² per linear metre of occupied main wall, but no more than 4 m²	2 m², but no more than 25% of the window area	0.3 m² per linear metre of occupied main wall, but no more than 1 m²	4 m², but no more than 25% of the canopy
Maximum height	1.5 m	1.5 m	1.5 m	1.5 m
Minimum distance from the ground (as measured from the bottom of the sign)	2.4 m (does not apply if projection is less than 0.07 m)	N/A	2.4 m	N/A
Maximum projection from the wall	0.45 m	45 m N/A 1 m N/A		
Location	Within the boundaries of the main wall on which the sign is installed, below the ceiling level of the top floor			

Fuel prices may be displayed digitally at service stations.

#### 150. Standards for freestanding signs

One (1) freestanding sign (mounted on either a post or a base) is permitted per lot. These signs must be installed as follows.

Table 35: Standards for freestanding signs

Standard	Post (1 or 2 posts)	Base or similar structure	
Maximum size	3 m² or 5 m² if the sign is used to advertise more than one establishment (posts are excluded from the calculation)	3 m² or 5 m² if the sign is used to advertise more than one establishment (bases are included in the calculation)	

Standard	Post (1 or 2 posts)	Base or similar structure	
Maximum height	5 m, with a maximum of 1.5 m for the sign	1.5 m	
Maximum width	2 m	2 m	
Maximum depth	0.75 m	0.75 m	
Minimum distance from the ground (as measured from the bottom of the sign)	2.4 m	N/A	
Minimum distance from the building	3 m	3 m	
Minimum distance from the curb cut or parking area	1 m	1 m	

Fuel prices may be displayed digitally at service stations.

#### **DIVISION D - SIGN MAINTENANCE AND REMOVAL**

## 151. Sign maintenance

A sign, including its base and frame, must be maintained, repaired, and kept in good condition by its owner.

If a sign is broken or damaged, it must be repaired, replaced, or removed within 30 days.

If a sign poses a danger to public safety and the stability of the structure in which it is located, it must be repaired, replaced, or removed within 48 hours. In such a situation, the sign's owner must secure the premises until the sign has been made safe.

## 152. Removal of signs after a use ends

A sign, including its base and frame, must be removed once its associated use ends. A sign must be removed within 30 days of its associated business or establishment closing or moving from the location.

Unless otherwise specified in this by-law, a temporary sign must be removed within 7 days of the end of the activity or promotion with which it is associated.

# CHAPTER XI: PROVISIONS FOR NATURAL AREAS AND DEVELOPMENT

#### **DIVISION A - GENERAL REQUIREMENTS**

## 153. Mandatory and ongoing requirements of this chapter

Where this chapter requires the maintenance, preservation, or planting of vegetation, such requirements are mandatory and continuous even if a different situation prevailed before this by-law came into force. There are no acquired rights that allow a lot owner to keep a lower percentage of their lot in a natural state or plant fewer trees than required under this by-law.

#### **DIVISION B - NATURAL AREAS**

### 154. Requirement to keep areas in a natural state

A certain percentage of each lot, which varies depending on the lot size, must be kept in a natural state.

Table 36: Percentage of a lot to be kept in a natural state

Lot size	Percentage (%) to be kept in a natural state
Less than 1,000 m²	10%
Between 1,000 m² and 1,499 m²	15%
Between 1,500 m² and 1,999 m²	20%
Between 2,000 m² and 2,499 m²	30%
Between 2,500 m² and 2,999 m²	35%
Between 3,000 m² and 3,499 m²	40%
Between 3,500 m² and 3,999 m²	50%
Between 4,000 m² and 4,999 m²	60%
Between 5,000 m² and 6,999 m²	70%
Between 7,000 m² and 14,999 m²	80%
15,000 m² or more	90%

For a lot whose use is part of the Commercial, Industrial, or Public groups, the percentage (%) indicated in the preceding table may be reduced by 10% if the lot is 4,000 m² in size or greater and the minimum number of parking spaces to be created under Chapter IX cannot otherwise be created on the lot.

The percentage of a lot to be kept in a natural state does not include:

- 1. The area used for a soil absorption system, leaching field, or absorption field required under the *Regulation respecting waste water disposal systems for isolated dwellings* (CQLR c. Q-2, r. 22) or the *Environment Quality Act* (CQLR c. Q-2), with the addition of a maximum 2-metre buffer around it. An additional area corresponding to the length of a pipe running from the treatment system to the discharge, no more than one (1) metre wide, may also be excluded from the calculation;
- 2. The 3-metre inner protection zone for a water withdrawal or geothermal system required under the *Water Withdrawal and Protection Regulation* (CQLR c. Q-2, r. 35.2). An

additional area corresponding to the length of the required piping, no more than one (1) metre wide, may also be excluded from the calculation;

3. A driveway leading to sparking spaces.

#### 155. Planting in areas to be kept in a natural state

Trees, herbaceous plants, and shrubs may be planted in areas that are to be kept in a natural state. The chosen species must be compatible with the environment and be endemic or native species. The planting of invasive species is prohibited.

#### **DIVISION C - OPEN SPACES**

#### 156. Requirement to landscape open spaces

An open space, meaning an area that is not occupied by a building, structure, or work, or required to be kept in a natural state, must be landscaped.

### 157. Permitted landscaping

An open space may be restored to its natural state (by planting trees, herbaceous plants, or shrubs) or landscaped with grass, plants, shrubs, stones, rock gardens, flower beds, or gardens, in addition to the trees to be planted pursuant to this chapter.

Landscaping located within a 7-metre sight triangle may not exceed 1 metre in height.

## 158. Timeframe for completion of landscaping

An open space must be landscaped within 12 months of the permit or certificate being issued for the lot. If landscaping is not possible due to winter weather, it must be completed by June 30 of the following year.

#### **DIVISION D - TREE PLANTING AND PROTECTION**

#### 159. Mandatory tree planting

A minimum number of trees must be planted and maintained on the property.

As part of the permit requirements to construct a main building, extend a main building, or change its main use, the applicant must plant a certain number of trees. This number is determined by the surface area of the lot, as described in the following table. This requirement does not apply if the number of trees in the following table is already present on the lot.

Table 37: Minimum number of trees to be planted and maintained on each lot

Lot size	Minimum number	Front yard	Side yards	Back yard
Less than 1,000 m <sup>2</sup>	2	1	-	1
Between 1,000 m² and 1,499 m²	2	1	-	1
Between 1,500 m² and 1,999 m²	5	2	1	2
Between 2,000 m² and 2,499 m²	5	2	1	2
Between 2,500 m² and 2,999 m²	5	2	1	2

Lot size	Minimum number	Front yard	Side yards	Back yard
Between 3,000 m² and 3,499 m²	8	3	2	3
Between 3,500 m² and 3,999 m²	8	3	2	3
Between 4,000 m² and 4,999 m²	11	4	3	4
Between 5,000 m² and 6,999 m²	14	5	4	5
Between 7,000 m² and 14,999 m²	17	6	5	6
15,000 m² or more	20	7	6	7

Despite the minimums required under the previous table:

- 1. If a front yard is less than 10 metres wide or 4.5 metres deep, the required tree(s) may be replaced by at least 2 shrubs that are at least 1 metre tall each.
- 2. If a side yard is less than 4.5 metres deep, the required tree(s) may be replaced by at least 2 shrubs that are at least 1 metre tall each.
- 3. If a back yard is less than 4.5 metres deep, the required tree(s) may be replaced by at least 2 shrubs that are at least 1 metre tall each.
- 4. If the minimum spacing for trees, as required in this division, cannot be achieved, trees may be replaced by at least 2 shrubs that are at least 1 metre tall each.

For the purposes of this section, a tree is counted if its trunk is 5 centimetres in diameter as measured 0.6 metres from the ground. A tree must reach at least 5 metres in height at maturity. A conifer must be 1.2 metres tall at planting and reach at least 2 metres in height at maturity.

The required tree(s) must be planted within 12 months of the relevant permit or certificate being issued. If planting is not possible due to winter weather, it must be done by June 30 of the following year.

If necessary, an owner must replace a tree within 12 months. If planting is not possible due to winter weather, it must be done by June 30 of the following year.

#### 160. Protection of trees during construction

During construction or development work on a property, a tree that is at risk of damage, including its root system, must be protected by the following measures:

- 1. A protective fence, at least 1.2 metres tall, must be erected and maintained throughout the work. The fence must form a protective boundary around the tree that is at least the same size as the drip line of the tree's canopy.
- 2. Construction materials, soil, and debris must be kept outside the protective boundary.
- 3. Machinery, equipment, and workers may not move through a protective boundary, nor may construction, cutting, backfill, or similar materials be stored there.
- 4. If work cannot be done without entering a protective boundary, temporary entry is permitted as long as it will not kill or shorten the life of the protected tree. In such a case, the tree must be protected from physical damage by covering it with wooden boards installed externally, using plastic or steel bands, and placing at least 2 rubber strips between the boards and the trunk.

### 161. Location of trees to be planted

A tree must be planted at least:

- 1. 1.5 metres from a street line
- 2. 2 metres from an underground pipe
- 3. 3 metres from a fire hydrant
- 4. 5 metres from a lamppost on public property

Tree location and height must take power lines into account. The lot owner is responsible for following Hydro-Québec's recommendations on this subject.

## 162. Species restrictions

The following trees must be planted at least 15 metres from a street line, underground pipe, septic system, and main building:

- 1. Silver maple (Acer saccharinum)
- 2. Manitoba maple (Acer negundo)
- 3. Norway maple (Acer Platanoides)
- 4. Poplar (Populus spp.)
- 5. Willow (Salix spp.)

#### **DIVISION E - TREE REMOVAL**

#### 163. Permitted felling

A tree may be felled in the following cases:

- 1. The tree needs to be felled to allow for the construction of a building, structure, or work that is permitted under this by-law.
- 2. The tree needs to be felled for a use that is permitted under this by-law and does not require a building, structure, or work (such as a trail).
- 3. The tree is within a 5-metre radius of an existing main building or a 2-metre radius of an existing accessory structure or work (as calculated horizontally from the walls or foundation of the structure).
- 4. The tree is dead or in an irreversible state of decay.
- 5. The tree must be removed due to the risk of spreading disease or an invasive alien species.
- 6. The tree must be removed due to an irreversible condition caused by disease, a structural defect affecting its strength, or serious damage to property. Normal inconveniences associated with the presence of a tree, such as falling twigs, leaves, flowers, or fruit; the presence of roots on the surface of the ground; the presence of insects or animals; shade; unpleasant smells; the exudation of sap or honeydew; or the release of pollen do not constitute serious damage.
- 7. The tree must be removed for public purposes.

## 164. Felling in stands of 4 hectares or more

Within a tree stand of 4 hectares or more located on the same property, sanitation cutting is permitted if a forest-wildlife management plan (*plan d'aménagement forêt-faune*), signed by a forestry engineer or biologist, has been filed with the relevant application for a certificate of authorization. This plan must justify the cut and propose measures for reforestation and restoration to a natural state after the cut.

Sanitation cutting must not reduce the minimum percentage of natural areas required in this chapter.

## 165. Felling for logging industry uses

Where a use under Code I2-03 – Establishments Associated with the Logging Industry is permitted in a specifications grid, the *Regulation respecting the sustainable development of forests in the domain of the State* (CQLR c. A-18.1, r. 0.01) applies.

Uses under Code I2-03 – Establishments Associated with the Logging Industry are prohibited on private land.

#### **DIVISION F - OTHER PROVISIONS**

## 166. Levelling

Levelling is permitted under the following conditions:

- 1. The levelling must preserve the natural topography of the land (slope, difference in level with the street and the adjoining properties).
- 2. The levelling must not be more than 1 metre above the natural ground level.
- 3. At the property line, the levelling must not exceed 0.6 metres in height and must not require the construction of a low wall or retaining wall.
- 4. The levelling must not affect the natural flow of water on the land.
- 5. The levelling must not render the height of a building or structure non-conforming.

#### 167. Cutting and backfilling

Cutting and backfilling, including excavation, are permitted for works and the construction of structures that are permitted under this by-law.


This work must be confined to the construction site.

Backfill must be no more than 1 metre high and a cut must be no more than 1 metre deep. If the ground conditions require a cut or backfill of more than 1 metre, the work must be done in successive 1-metre steps. The land between each step must be at a 45° angle or shallower (see illustration).

Excavation must be no deeper than the depth required by the structure or work.

Backfilling with construction materials or debris, tree stumps, tires, and any other contaminating or contaminated material is prohibited.

#### Illustration 1 - Tiered backfill



## 168. Runoff management

Infrastructure for the capture and infiltration of stormwater runoff, such as a swale or dry well, may be built on a lot.

## 169. Erosion control

Where there is a risk of erosion due to land management, levelling, cutting, backfilling, or any other earthwork, or where the nature of the work requires it, erosion control measures must be undertaken to prevent the transport of soil particles of any size by runoff, currents, winds and other.

If work takes place at the edge of a shoreline, a sediment barrier or other similar temporary measure must be installed and maintained at the edge of the shoreline for the duration of the work to prevent erosion into a body of water or a wetland.

# CHAPTER XII: SPECIAL PROVISIONS FOR NATURAL CONSTRAINTS

#### **DIVISION A - SHORELINES AND LITTORAL ZONES**

#### 170. General provisions for shorelines and littoral zones

No structure or work may be undertaken on a shoreline or in a littoral zone, unless it is permitted under this division. However, the structure or work must be compatible with other protective measures recommended for floodplains (Division C of this chapter).

#### 171. Shoreline width

The shoreline of a lake or watercourse is considered to be 15 metres wide.

#### 172. Control of shoreline vegetation

All vegetation control activities, including grass mowing, brush clearing, tree cutting, mulching, the use of geotextiles to smother grass, and fertilizer application are prohibited along the shoreline, except as follows:

- 1. Vegetation control necessary to complete work that is permitted under this division;
- 2. Within a 2-metre-wide buffer strip around a structure or building built on or before May 11, 2010.

#### 173. Shoreline re-naturalization

A shoreline must be left in a natural state and be covered in tree, shrub, and herbaceous species. Grass is not considered an herbaceous species.

If the shoreline is no longer in a natural state, the first 5 metres (calculated perpendicularly from the boundary of the littoral zone) must be re-naturalized with the recommended native vegetation listed in Schedule D of this by-law. The requirement to re-naturalize does not apply:

- 1. To intermittent streams;
- 2. Within a 2-metre-wide buffer strip around a structure or building built on the shoreline on or before May 11, 2010;
- 3. To a site developed as a public beach or a beach for a commercial or recreational establishment;
- 4. To a site developed to allow the public to access a lake or watercourse;
- To a site developed for public utility purposes, if the work requires vegetation to be cleared.

#### 174. Permitted structures and works along shorelines

The following structures and works are permitted along a shoreline:

- 1. The following vegetation-related work:
  - a) The removal of a tree authorized in Division E of Chapter XI;
  - b) The pruning necessary to create an opening, no more than 5 metres in width, for the purposes of accessing a body of water. If a lot is less than 10 metres wide, as measured from the edge of the shoreline, the opening may be no more than 3 metres wide. The following conditions apply to the creation of the opening:
    - Soil sealing is prohibited.
    - The ground must be vegetated.

- The opening must be at an angle to the boundary of the littoral zone.
- A pathway, no more than 1.5 metres wide and with no cuts or backfilling, may be created. This pathway must be vegetated and winding to prevent erosion.
- A stairway, no more than 1.5 metres wide and built on piles or pilings to protect the existing vegetation, may be constructed. Only an uncovered platform or patio, built at the base of a staircase and mounted on pilings, is permitted. This platform or patio must be no more than 3 metres wide and have an area of no more than 4.5 square metres.
- If the site conditions require, a footbridge no more than 1.2 metres wide may be built on pilings to grant access to a dock.
- c) Plants may be pruned over no more than 10% of the waterfront portion of the lot to create visual openings. However, these openings must be no more than 5 metres wide.
- d) The seeding and planting of native plant species (including herbaceous plants, shrubs, and trees) for the purposes of establishing or re-establishing a permanent, sustainable ground cover, as well as the work necessary for these purposes.

## 2. The following works:

- a) The installation of a fence for an existing pool or to enclose an area where required under this by-law;
- b) The installation or creation of an outlet for an underground or surface drainage system or pumping station (however, this work must include mitigation measures to minimize the flow of sediments into lakes and watercourses);
- c) The creation of a water crossing such as a ford, culvert, or bridge, as well as the road leading to such a crossing;
- d) The creation of a septic system that complies with the Regulation respecting waste water disposal systems for isolated dwellings (CQLR c. Q-2, r. 22) or the Environment Quality Act (CQLR c. Q-2);
- e) Mechanical or natural stabilization work such as a rip-rap, a gabion, or a retaining wall if the slope, soil type, and land condition do not allow for the vegetation cover and the natural character of the bank to be restored, favouring the technique most likely to allow natural vegetation to eventually be planted;
- f) The creation of a groundwater withdrawal system for a purpose other than municipal, commercial, industrial, public, or public access purposes in accordance with the Regulation respecting activities in wetlands, bodies of water and sensitive areas (CQLR c. Q-2, r. 0.1), the Regulation respecting the regulatory scheme applying to activities on the basis of their environmental impact (CQLR c. Q-2, r. 17.1), and the Water Withdrawal and Protection Regulation (CQLR c. Q-2, r. 35.2), if it includes mitigation measures to minimize the flow of sediments into lakes and watercourses;
- g) The reconstruction or widening of an existing street that cannot be relocated outside the shoreline, if it complies with the *By-Law Regarding Subdivision*;
- h) A forest development activity that is subject to the *Sustainable Forest Development Act* (CQLR c. A-18.1) and its implementing regulations;
- Work necessary for the completion of a structure or work that is permitted in a littoral zone, provided that work includes mitigation measures to minimize the flow of sediments into lakes and watercourses.
- 3. A structure or work intended for municipal, commercial, industrial, public, or public access purposes, including its maintenance, repair, and demolition, if it is required to obtain an authorization under the *Environment Quality Act* (CQLR c. Q-2) or, where

applicable, is exempt from or eligible for a declaration of compliance under the Regulation respecting the regulatory scheme applying to activities on the basis of their environmental impact (CQLR c. Q-2, r. 17.1).

#### 175. Permitted structures and works in a littoral zone

The following structures and works are permitted in a littoral zone:

- 1. A dock on piles, pilings, or wheels, or consisting of floating platforms, in accordance with Division B of Chapter VII;
- 2. The creation of a water crossing such as a ford, culvert, or bridge;
- 3. The installation of a surface water withdrawal system in accordance with the Regulation respecting activities in wetlands, bodies of water and sensitive areas (CQLR c. Q-2, r. 0.1) and the Regulation respecting the regulatory scheme applying to activities on the basis of their environmental impact (CQLR c. Q-2, r. 17.1) other than a system consisting of headraces or diversion canals for non-agricultural purposes;
- 4. The encroachment into a littoral zone necessary for the completion of work that is permitted in that littoral zone, provided the work includes mitigation measures to minimize the flow of sediments into lakes and watercourses;
- 5. Cleaning and maintenance work in a watercourse, without cutting, carried out by a municipal authority in accordance with the powers and duties vested in it by law;
- 6. A structure or work intended for municipal, commercial, industrial, public, or public access purposes, including its maintenance, repair, and demolition, if it is required to obtain an authorization under the *Environment Quality Act* (CQLR c. Q-2), the *Act respecting the conservation and development of wildlife* (CQLR c. C-61.1), the *Watercourses Act* (CQLR c. R-13), or any other law or, where applicable, is exempt from or eligible for a declaration of compliance under the *Regulation respecting the regulatory scheme applying to activities on the basis of their environmental impact* (CQLR c. Q-2, r. 17.1).

A permitted structure or work must not surpass the extended lot lines (along the shoreline) of the lot on which it occurs.

#### **DIVISION B - PROVISIONS FOR WETLANDS**

## 176. Wetlands adjacent to lakes and watercourses

Where a wetland is adjacent to a lake or watercourse, the shoreline and littoral provisions apply (Division A of this chapter). The shoreline and littoral zone are measured from the boundary of the wetland.

Only the following structures and works are permitted in the littoral zone of a wetland, and only if their construction is not inconsistent with other recommended protection measures relating to floodplains (Division C of this chapter):

- 1. A bridge, footbridge, lookout, or private access point built on piles or pilings, provided that it is no more than 1.2 metres wide and built without backfill;
- 2. The encroachment into a littoral zone necessary for the completion of work that is permitted in that littoral zone under Division A of this chapter, provided the work includes mitigation measures to minimize the flow of sediments into wetlands;
- 3. A structure or work intended for municipal, commercial, industrial, public, or public access purposes, including its maintenance, repair, and demolition, if it is required to obtain an authorization under the *Environment Quality Act* (CQLR c. Q-2), the *Act respecting the conservation and development of wildlife* (CQLR c. C-61.1), the *Watercourses Act* (CQLR c. R-13), or any other law or, where applicable, is exempt from or eligible for a declaration of compliance under the *Regulation respecting the*

regulatory scheme applying to activities on the basis of their environmental impact (CQLR c. Q-2, r. 17.1).

## 177. Wetlands not adjacent to lakes or watercourses

Only the following structures and works are permitted within a wetland area that is not adjacent to a lake or watercourse with a surface area of 500 square metres or more, but is within a 15-metre buffer strip (measured horizontally from the boundary of the wetland toward the interior of the property):

- 1. A private development on pilings leading to a lookout, provided that it is no more than 1.2 metres wide:
- 2. The cutting of trees required for the development of a permitted structure or work;
- 3. A structure or work intended for municipal, commercial, industrial, public, or public access purposes, including its maintenance, repair, and demolition, if it is required to obtain an authorization under the Environment Quality Act (CQLR c. Q-2), the Act respecting the conservation and development of wildlife (CQLR c. C-61.1), the Watercourses Act (CQLR c. R-13), or any other law or, where applicable, is exempt from or eligible for a declaration of compliance under the Regulation respecting the regulatory scheme applying to activities on the basis of their environmental impact (CQLR c. Q-2, r. 17.1).

Only the following structures and works are permitted within a wetland area that is not adjacent to a lake or watercourse with a surface area of less than 500 m<sup>2</sup>:

1. A structure or work that is not intended for municipal, commercial, industrial, public, or public access purposes, including its maintenance, repair, and demolition, if it is required to obtain an authorization under the *Environment Quality Act* (CQLR c. Q-2), the *Act respecting the conservation and development of wildlife* (CQLR c. C-61.1), the *Watercourses Act* (CQLR c. R-13), or any other law or, where applicable, is exempt from or eligible for a declaration of compliance under the *Regulation respecting the regulatory scheme applying to activities on the basis of their environmental impact* (CQLR c. Q-2, r. 17.1).

#### **DIVISION C - FLOODPLAINS**

#### 178. Scope

This division applies to the boundaries of the Rivière à Simon floodplain, which corresponds to the high-velocity (20-year) and low-velocity (100-year) zones identified in the table appended as Schedule E to this by-law. The chain measurements for each sector, as indicated in the table, refer to those marked in maps 3 to 8 included in Schedule F to this by-law.

These numbers indicate the elevations below which floodplain measures apply. These elevations must be confirmed by topographic surveys conducted by a land surveyor.

## 179. Measures for the high-velocity zones (0-20 years) of floodplains

All structures and works are prohibited in the high-velocity zone of a floodplain, with the exception of the structures and works that are eligible for exemptions within that zone.

Notwithstanding the first paragraph, the following work may be completed in these zones, as long as it is compatible with other applicable protection measures for shorelines and littoral zones (Division A of this chapter):

 The maintenance of a lot or the maintenance, repair, modernization, or demolition of an existing structure or work, provided that such work does not increase the portion of the lot that is exposed to potential flooding. However, when upgrading or rebuilding infrastructure related to a public roadway, up to an additional 25% of the infrastructure

- may be exposed to potential flooding for public safety reasons or to bring the infrastructure into compliance with applicable standards. In all cases, when major work is being done on a structure or work, the entire structure or work must be flood-proofed;
- 2. A structure or work that is intended for municipal, commercial, industrial, public, or public access purposes and is necessary for port activities, navigation, or shipbuilding (including wharves, breakwaters, canals, locks, and fixed navigational aids) and its equipment and accessories. Appropriate flood-proofing measures must be applied to any part of the structure or work that is located below the 100-year flood line;
- 3. The installation of an underground utility line (such as a pipeline or an electrical, telephone, water, or sewer line) with no service entrance, for a structure or work located in the high-velocity zone;
- 4. The construction of an underground water or sewer system in an area that has been developed but not serviced, in order to connect only the structures and works that already existed on the effective date of the first by-law prohibiting new construction;
- 5. The installation of a septic system for an existing structure or work. This system must comply with the *Regulation respecting waste water disposal systems for isolated dwellings* enacted under the *Environment Quality Act* (CQLR c. Q-2);
- 6. The modification or replacement of an existing water withdrawal system for an existing use, as well as the installation of a new underground surface water withdrawal system, in accordance with the *Regulation respecting activities in wetlands, bodies of water and sensitive areas* (CQLR c. Q-2, r. 0.1) and the *Regulation respecting the regulatory scheme applying to activities on the basis of their environmental impact* (CQLR c. Q-2, r. 17.1);
- 7. The creation of an open-air recreational structure or area, other than a golf course, that can be created without cutting or backfilling;
- 8. The reconstruction of a structure or work that has been destroyed by a disaster other than a flood. The reconstructed structure or work must be flood-proofed in accordance with the provisions in the *By-Law Regarding Construction* relating to structures and works in floodplains;
- The development of wildlife management infrastructure that either does not require backfilling, or is subject to authorization under the *Environment Quality Act* (CQLR c. Q-2);
- 10. Land drainage work;
- 11. A forest management activity that does not require cutting or backfilling, that is subject to the *Sustainable Forest Development Act* (CQLR c. A-18.1) and its implementing regulations, or, where applicable, that is exempt from or eligible for a declaration of compliance under the *Regulation respecting the regulatory scheme applying to activities on the basis of their environmental impact* (CQLR c. Q-2, r. 17.1);
- 12. An agricultural activity that does not require cutting or backfilling.

#### 180. Exempted structures and works

The following structures and works have received exemptions from the RCM of Les Paysd'en-Haut's land use and development plan, in accordance with the *Act respecting land use planning and development* (CQLR c. A-19.1), and are permitted in the high-velocity zone:

1. Exemption 2015-01: Trail and footbridge project in the high-velocity (20-year) zone of the Rivière à Simon floodplain on part of lot 3 957 138 of the Cadastre of Québec. The project consists of the development of a multipurpose trail, not for motorized vehicles, with a footbridge crossing the Rivière à Simon to reach the Parc linéaire du Corridor aérobique. The permitted work is:

- a) From the intersection of Chemin du Village and Route 364, a 3-metre-wide trail along 90 metres of Route 364. To do this, an estimated 65 m³ of backfill is required and the slope, which varies between 11% and 38%, will be consolidated by a stone wall with a 50-metre section located in the high-velocity (20-year) zone.
- b) This trail will lead to a 2.4-metre-wide, 50-metre-long footbridge over the Rivière à Simon.
- c) This wood and steel structure will be supported by screwed piles, concrete pilings, or a combination of both. Regardless, some of these piles or pilings will be located in the high-velocity (20-year) zone.

## 181. Measures for the low-velocity (20-100 year) zones of floodplains

The following structures and works are prohibited in the low-velocity zones of floodplains:

- 1. Any structure or work that has not been flood-proofed;
- 2. Backfilling other than that required for the flood-proofing of permitted structures and works.

#### **DIVISION D - LANDSLIDES AND TOPOGRAPHY**

#### 182. Areas at risk of landslides

The construction or extension of a main or accessory building is prohibited within 15 meters of the base of a slope or the top of a slope with a gradient of 60% or more 1 2 3 4

## 182.1 Steep slope areas <sup>5</sup>

The construction or expansion of a main or accessory building with an area greater than 25 m² is prohibited within 15 meters of the base or top of a slope with a height of 5 meters or more and a gradient of 30% or more.

The minimum distance prescribed in the first paragraph may be reduced if a report certifying the absence of risk, signed by an engineer, is submitted with the permit application. The report must indicate the required minimum distance, considering the presence of the slope and the risk, which cannot be less than 5 meters.

Notwithstanding the foregoing, the construction of an accessory building with an area smaller than 25 m² is prohibited within a slope with a height of 5 meters or more and a gradient of 30% or more.

## 183. Slope of a lot and plateau<sup>6</sup>

A building and a circulation aisle must be erected or built on a part of a lot designated as a "plateau".

The building must be located within a five (5) meter perimeter from the edge of the plateau.<sup>7</sup>

The "plateau" must meet the following minimum conditions:

 $<sup>^{\</sup>it I}$  Modified by By-law 670-2023 entered into effect on September 13, 2023

 $<sup>^2</sup>$  Modified by By-law 757-2024 entered into effect on August 23, 2024

<sup>&</sup>lt;sup>3</sup> Modified by By-law 757-2024 entered into effect on August 23, 2024

<sup>&</sup>lt;sup>4</sup> Modified by By-law 763-2024 entered into effect on February 14, 2025

 $<sup>^{5}</sup>$  Modified by By-law 763-2024 entered into effect on February 14, 2025

 $<sup>^6</sup>$  Modified by By-law 763-2024  $\,$  entered into effect on February 14, 2025

 $<sup>^7</sup>$  Modified by By-law 763-2024 entered into effect on February 14, 2025

- 1. The slope of the plateau, without modification of the natural topography whether by backfilling work or other (including blasting or any other action having the effect of modifying the topography), must be less than 30%;
- 2. The minimum area of the plateau is 800 m² for land with an area of less than 2,000 m².
- 3. The minimum area of the plateau is 1,200 m<sup>2</sup> for a lot with an area of 2,000 m<sup>2</sup>.

Notwithstanding the foregoing, if the front yard of the lot has an average slope of 30% or greater across its entire width, the driveway may be located on the portion of the property with the shallowest slope.

# CHAPTER XIII: SPECIAL PROVISIONS FOR ANTHROPOGENIC CONSTRAINTS

#### **DIVISION A - NOISE**

#### 184. Sensitive uses

For the purposes of this division, the following uses are considered "sensitive":

- 1. Uses in the Residential group;
- 2. Use C2-05 Daycare Centres and Childcare Services;
- 3. Uses in Category C6 Accommodation;
- 4. Uses in Category P1 Institutions and Administrative Services;
- 5. Outdoor recreational uses requiring a reduced noise environment.

This also includes outdoor habitable areas related to these uses, such as yards and balconies, that require reduced noise.

#### 185. Road noise zones

The road noise zones are 120-metre-wide strips on either side of the centre of Route 364, in the section where the posted speed is 80 km/h or more.

Sensitive uses are prohibited within road noise zones.

If a main building intended to hold a sensitive use is being built or a use is being changed to a sensitive use, an exemption may be granted if the applicant for the relevant permit submits an acoustic study signed by a qualified acoustics professional. This study must include:

- 1. The current and anticipated noise level in dB LAeq,24 for the next 10 years (modelling must be based on measurements taken on the lot in question), and a map with the parts of the lots that will be exposed to outdoor road noise beyond the thresholds identified in subparagraphs 2 and 3;
- 2. Mitigation measures to keep outdoor ambient noise at or below 55 dB LAeq,24, such as noise walls, berms, or vegetation;
- 3. Mitigation measures to keep indoor ambient noise at or below 40 dB LAeq,24, such as orientation of noise-sensitive buildings and rooms or the soundproofing of buildings and openings.

If the study concludes that the noise level is below the thresholds identified above, the prohibition indicated in paragraph 2 does not apply.

If a main building intended to hold a sensitive use is being rebuilt, an exemption may be granted under the following conditions. Note that if any of these conditions are not met, an acoustic study that complies with paragraph 3 must be submitted:

- A new sensitive use (such as an additional dwelling unit or a second use) may not be added.
- 2. The new building must be located on the same footprint or further away from the road noise zone.

If a building that holds or is intended to hold a sensitive use is being expanded, an exemption may be granted under the following conditions. Note that if any of these conditions are not met, an acoustic study that complies with paragraph 3 must be submitted.

- A new sensitive use (such as an additional dwelling unit or a second use) may not be added.
- 2. The expansion must not result in the sensitive use moving closer to the road noise zone.

#### **DIVISION B - OTHER LAND USE CONSTRAINTS**

#### 186. Water withdrawal systems

Within the inner, intermediate, and outer protection zones of a water withdrawal system under the *Water Withdrawal and Protection Regulation* (CQLR c. Q-2, r. 35.2), the structures and works permitted under this by-law must be erected or carried out in compliance with the provincial regulations.

Within the bacteriological and virological protection zones of water withdrawal systems nos. X2095125-1 and X2095125-2 as identified in Schedule C to this by-law, the structures and works permitted under this by-law must be built or carried out in compliance with the *Water Withdrawal and Protection Regulation* (CQLR c. Q-2, r. 35.2).

## 187. Separation distances

The following minimum separation distances apply:

- 1. An industrial use must be located at least 100 metres from a sensitive use as defined in Division A of this chapter.
- 2. An activity related to the management of residual materials covered by use code C12-13 must be located at least:
  - a) 300 metres from the littoral zone
  - b) 300 metres from a Category 1 or 2 water withdrawal system
  - c) 200 metres from a lot whose use is in the Residential group
  - d) 200 metres from a lot whose use is in Category C6 Accommodation

#### 188. Power lines of 120 kilovolts or more

All buildings, structures, and works (except for work carried out by Hydro-Québec) are prohibited within the footprint of a power line of 120 kilovolts or more.

All buildings must be located at least 40 metres from the footprint of a power line of 120 kilovolts or more.

# CHAPTER XIV: PROVISIONS SPECIFIC TO CERTAIN USES AND ZONES

#### DIVISION A - PARC LINÉAIRE DU CORRIDOR AÉROBIQUE

#### 189. General provisions

This division applies to the lot that constitutes the Parc linéaire du Corridor aérobique as shown in Schedule G or, in some cases, to uses, structures, and works on lots adjacent to that lot.

#### 190. Uses and activities within the Parc linéaire

Notwithstanding the uses authorized in the specification chart, within the Parc linéaire, only active transportation activities such as biking, hiking, cross-country skiing, and snowshoeing are permitted.

No works, buildings, or structures are permitted within the Parc linéaire except those related to public utilities. However, such utility works, buildings, or structures must receive the necessary authorizations from the RCM of Les Pays-d'en-Haut and the Ministère des Transports du Québec.

## 191. Underground pipes

An underground pipe may be run through the Parc linéaire under the following conditions:

- 1. The applicant (which may include a municipality, an intermunicipal board, a ministry, a governmental or paragovernmental agency, or any developer or private owner) must study all other technically and economically feasible alternatives to running the pipe through the park and demonstrate that the work will not disrupt the management, maintenance, or development of the park in the short, medium, and long term.
- 2. Only the push-pipe method may be used to run the underground portion of the pipe under the bike lane for a distance of 3 metres on either side of the edge of the bike lane.
- 3. The applicant must obtain an authorization from the RCM of Les Pays-d'en-Haut and the Ministère des Transports du Québec.

#### 192. Crossings at the edge of the Parc linéaire

Except for private curb cuts serving only one dwelling, no at-grade crossings are permitted within the park, with the exception of the following crossings as shown in Schedule G of this by-law:

- 1. Chemin du Lac-Écho
- 2. Chemin du Village (Route 329)
- 3. Rue Bennett
- 4. Right-of-way of the old Chemin Charbonneau

Notwithstanding the provision of the previous paragraph, an elevated crossing (bridge) or an underground crossing (tunnel) may be authorized subject to obtaining the required authorizations from the RCM of Les Pays-d'en-Haut and the Ministère des Transports du Québec.

#### 193. Lots adjacent to the Parc linéaire

The following conditions apply to lots adjacent to the Parc linéaire:

1. A wooded strip at least 5 metres deep must be created and maintained along the lot lines adjacent to the park.

- 2. No sign may be placed on the edge of any property adjacent to the park.
- 3. No outdoor storage or display is permitted in any yard adjacent to the park.

#### **DIVISION B - INTEGRATED PROJECTS**

#### 194. General provisions

This division applies to integrated projects, where such projects are permitted in the specifications grid.

An integrated project may be built on a single lot or across multiple contiguous lots. If a project is built across multiple contiguous lots, the following conditions apply:

- 1. One lot must be designated a "common" area, where shared facilities are to be developed.
- 2. The lots that are designated "private" areas must be adjacent to a lot designated a common area.
- 3. The street adjacency requirement of the *By-Law Regarding Permits and Certificates* applies to the "common area" lot.

Integrated projects that include uses from the Residential, Industrial, Public, and Agricultural groups are prohibited.

#### 195. Commercial integrated projects

The following conditions apply to commercial integrated projects:

- A commercial integrated project may include uses in categories C1 Retail, C2 – Personal Services, C3 – Personal and Professional Services, and C5 – Restaurant and Food Services.
- 2. The set-backs indicated in the specifications grid apply to the lot. Each building or group of buildings in a commercial integrated project must be at least 6 metres apart.
- 3. All buildings are counted in the calculation of the land-to-building ratio.
- 4. Each building occupied by a retail sales establishment may have a footprint of no more than 2,000 m² of floor space, except for one building, which may have a footprint of up to 4,000 m².
- 5. The minimum lot size for an integrated project is equal to the number of buildings multiplied by 2,000 m² if the buildings are partially serviced (water or sewer) or 4,000 m² if the buildings are unserviced. However, the minimum size cannot be less than that required in the specifications grid.
- 6. Parking areas, natural areas, and open areas must be communal. This requirement does not apply if the project is developed on a single lot.

#### 196. Tourist accommodation integrated projects

The following conditions apply to tourist accommodation integrated projects:

- A tourist accommodation integrated project may include uses in categories C6-01 – Hotel Establishments; C6-02 – Experiential Accommodations; C6-03 – Resorts; and C6-04 – Campgrounds.
- 2. Up to 30 accommodation units may be created in a tourist accommodation integrated project. If the project includes a hotel establishment (C6-01), 20 additional rooms or suites are permitted in the building where this use takes place.
- 3. The conditions in Division C of this chapter apply to use codes C6-02, C6-03, and C6-04.

- 4. The set-backs indicated in the specifications grid apply to the lot.
- 5. All buildings and accommodation structures are counted in the calculation of the land-to-building ratio.
- 6. A lot where this use takes place must be at least 30,000 m² in size. If a hotel establishment (C6-01) is present, the minimum size increases to 40,000 m². However, the minimum size cannot be less than that indicated in the specifications grid.
- 7. At least 20% of a project must consist of outdoor recreational space, such as trails and recreational areas.
- 8. Parking areas, natural areas, open areas, and outdoor recreational areas must be communal. This requirement does not apply if the project is developed on a single lot.

#### **DIVISION C - TOURIST ACCOMMODATION ESTABLISHMENTS**

#### 197. Experiential accommodation

Where a use under Code C6-02 – Experiential Accommodations is permitted in the specifications grids, the following conditions apply:

- 1. A lot for this use must be at least 30,000 m<sup>2</sup> in size.
- 2. The land-to-building ratio required in the specifications grid applies to all buildings and accommodation structures on the property.
- 3. No more than 30 sites may be set up to accommodate cabins, shelters, domes, or similar, with one structure per site.
- 4. The following conditions apply to cabins, shelters, domes, and other similar structures:
  - a) Maximum size of each structure: 50 m<sup>2</sup>
  - b) Maximum height of each structure: 7.5 metres and 1 storey
  - c) Minimum distance between structures: 10 metres
- 5. A wooded strip equivalent in depth to the minimum set-back indicated in the grid, but not less than 10 metres in depth, must be created and maintained along lot lines.
- 6. A service site or building must be at least 30 metres away from a street.
- 7. A service site or building must be at least 30 metres away from a property whose use is in the Residential group.
- 8. A driveway, including a driveway for all-terrain vehicles or similar, must be developed to the following standards:
  - a) It must be at least 25 metres from the boundary of a littoral zone and of a wetland that is next to a lake or watercourse. A trail leading to a lake or watercourse must not be designed for motor vehicles.
  - b) The driveable surface of a trail must be no more than 5.5 metres wide.
  - c) The clearing for a trail must be no more than 8 metres wide.
  - d) A driveway leading to a site or building must terminate with an area that is wide enough to permit emergency and public safety vehicles to turn around.

## 198. Resorts

Where a use under Code C6-03 – Resorts is permitted in the specifications grids, the following conditions apply:

1. A lot for this use must be at least 30,000 m<sup>2</sup> in size.

- 2. The land-to-building ratio required in the specifications grid applies to all buildings and accommodation structures on the property.
- 3. A wooded strip equivalent in depth to the minimum set-back indicated in the grid, but not less than 10 metres in depth, must be created and maintained along lot lines.
- 4. A building where activities are held or accommodation is provided must be at least 30 metres away from a street. This does not apply to a reception building where only administrative activities take place.
- 5. A building where activities or accommodation take place must be located at least 30 metres away from a lot whose use is in the Residential group.
- 6. A driveway, including a driveway for all-terrain vehicles or similar, must be developed to the following standards:
  - a) It must be at least 25 metres from the boundary of a littoral zone and of a wetland that is next to a lake or watercourse. A trail leading to a lake or watercourse must not be designed for motor vehicles.
  - b) The driveable surface of a trail must be no more than 5.5 metres wide.
  - c) The clearing for a trail must be no more than 8 metres wide.
  - d) A driveway leading to a building where activities are held or accommodations are provided must terminate with an area that is wide enough to permit emergency and public safety vehicles to turn around.

#### 199. Campgrounds

Where a use under Code C6-04 – Campgrounds is permitted in the specifications grids, the following conditions apply:

- 1. A lot for this use must be at least 30,000 m<sup>2</sup> in size.
- 2. The land-to-building ratio required in the specifications grid applies to all buildings and accommodation structures on the property.
- 3. No more than 30 sites may be created for recreational vehicles, trailers, or tents.
- 4. No more than 10 "ready-to-camp" structures, mostly made of canvas, may be set up. Only one structure is permitted per site, and all structures are included in the maximum number of permitted sites.
- 5. A wooded strip equivalent in depth to the minimum set-back indicated in the grid, but not less than 10 metres in depth, must be created and maintained along lot lines.
- 6. A building where activities related to the use are held must be at least 30 metres away from a street. This does not apply to a reception building where only administrative activities take place.
- 7. A service site or building must be at least 30 metres away from a property whose use is in the Residential group.
- 8. A recreational vehicle, trailer, or tent may not remain on the property year-round.
- 9. A permanent structure or foundation may not be built under or over any recreational vehicle, trailer, or tent. This does not include platforms on sites intended for tents.
- 10. A driveway, including a driveway for all-terrain vehicles or similar, must be developed to the following standards:
  - a) It must be at least 25 metres from the boundary of a littoral zone and of a wetland that is next to a lake or watercourse. A trail leading to a lake or watercourse must not be designed for motor vehicles.
  - b) The driveable surface of a trail must be no more than 5.5 metres wide.

- c) The clearing for a trail must be no more than 8 metres wide.
- d) A driveway leading to a site or building must terminate with an area that is wide enough to permit emergency and public safety vehicles to turn around.

#### 200. Tourism residences

Where a use under Code C6-06 – Tourism Residences is permitted in the specifications grids, the following conditions apply:

- The use must take place in a main building consisting of a single dwelling unit, the entirety of which is rented out, excluding, but not limited to, the rental of additional dwelling units, intergenerational dwelling units, duplexes, multi-unit dwellings and dwelling units located in a non-residential building and other similar rental units. <sup>1</sup>
- 2. The main building must be detached.

#### 201. Boarding Houses

Where a use under Code C6-07 – Boarding Houses is permitted in the specifications grids, the following conditions apply:

- 1. The use must take place in a main building.
- 2. The main building must be detached.
- 3. No more than 6 rooms must be available for rent.
- 4. The minimum duration of a room rental is more than 31 days.
- 5. A boarding house room must be designed for its primary function. As such, it is prohibited to install all or part of a bathroom or kitchen (such as a sink or cooking appliance) in the room. Only a closet-type storage space is permitted.
- 6. All rooms must be accessed from a common area inside the main building.
- 7. One (1) service must be provided to residents, such as meal service, maintenance, personal assistance, or supervision.

#### DIVISION D - ANIMAL HUSBANDRY (USE CATEGORY A2) AND DOG SLEDDING

#### 202. General provisions

The following conditions apply to all uses under this division:

- 1. Despite their authorization in a zone in the specifications grid, these uses are prohibited within the protection zones of the water withdrawal systems identified in Schedule C to this by-law.
- 2. An operator of a use must manage and dispose of animal waste in compliance with the applicable provincial regulations.
- 3. An operator must secure the necessary authorizations under the relevant legislation.
- 4. If a fence for an enclosure is made of wire mesh, PVC, or chain link, it must include line posts, tension bands or bars, and top rails to secure the insides of the fence panels.

#### 203. Establishments Practicing Farm Animal Husbandry

Where a use under Code A2-01 – Establishments Practicing Farm Animal Husbandry is permitted in the specifications grids, the following conditions apply:

1. A lot for this use must be at least 20,000 m<sup>2</sup> in size.

 $<sup>^{\</sup>it l}$  Modified by By-law 670-2023 entered into effect on September 13, 2023

- 2. The maximum number of animals is determined by the size of the lot, as indicated in the table to this section. For example, for a 25,000 m² lot, the operator can have up to 25 small animals, 6 medium animals, and 6 large animals for a total of 37 animals.
- 3. One or more buildings must be built to keep the animals.
- 4. Outside, the animals must be kept in enclosures surrounded by fences that are no more than 2 metres tall.
- 5. A building, animal waste facility, or enclosure where animals are kept must be located at least:
  - a) 50 metres from a residence on an adjoining lot
  - b) 10 metres from a residence on the same lot
  - c) 25 metres from a lot line
  - d) 25 metres from the boundary of a littoral zone and of a wetland adjacent to a lake or watercourse
- 6. Wooded strips, 10 metres in depth, must be created and maintained along lot lines.
- 7. A 2-metre-wide strip of trees may be cleared to create a horseback riding trail.
- 8. In addition to the number of animals indicated in the table to this section, an operator may keep beehives if their lot is 50,000 m² or more in size. Hives must be placed in accordance with clauses 5(a), 5(b), and 5(c). At least 20 m² of landscaping (flower gardens, flower beds, vegetable gardens) must be present on the property for every 5 hives; otherwise, the operator must demonstrate that there is sufficient landscaping for beekeeping.

**Table 38: Maximum animals** 

Lot size		Maximum animals									
LOT SIZE	Small	Medium	Large								
20,000 m² to 40,000 m²	25	6	6								
40,001 m² to 60,000 m²	35	10	10								
60,001 m² to 70,000 m²	40	20	15								
70,001 m² to 80,000 m²	45	30	20								
80,001 m² to 90,000 m²	50	40	25								
90,001 m² to 100,000 m²	55	50	30								
100,001 m² or more	65	60	35								

For the purposes of this section, small, medium, and large animals are defined as follows:

- 1. Small animals: roosters, hens, quails, turkeys, guinea fowl, peacocks, doves, hares, rabbits, small rodents, ducks, and geese;
- 2. Medium animals: sheep, goats, ostriches, emus, and rheas;
- 3. Large animals: deer, cows, calves, bulls, bison, horses, donkeys, llamas, and alpacas.

Any animals not listed in the previous paragraph are prohibited.

#### 204. Stables and equestrian centres

Where a use under Code A2-02 – Stables and Equestrian Centres is permitted in the specifications grids, the following conditions apply:

- 1. The provisions in this division that relate to farm animal husbandry also apply to a stable or equestrian centre.
- 2. A 2-metre-wide strip of trees may be cleared to create a horseback riding trail.

#### 205. Pet Sitting and Boarding Establishments

Where a use under Code A2-03 – Pet Sitting and Boarding Establishments is permitted in the specifications grids, the following conditions apply:

- 1. A lot for this use must be at least 20,000 m<sup>2</sup> in size.
- 2. Up to 20 pets, such as dogs and cats, may be kept in such an establishment.
- 3. Animals must be kept indoors between 10:00 p.m. and 7:00 a.m. the next day and each animal must have at least 1.5 m<sup>2</sup> of individual space.
- 4. Outside, the animals must be kept in enclosures surrounded by fences that are no more than 2 metres tall.
- 5. A building or enclosure where animals are kept must be located at least:
  - a) 30 metres from a residence on an adjoining lot
  - b) 10 metres from a residence on the same lot
  - c) 20 metres from a lot line
- 7. Wooded strips, 5 metres in depth, must be created and maintained along lot lines.
- 8. The breeding and sale of animals is prohibited.

#### 206. Animal Activities (dressage, horse jumping, canine sports)

Where a use under Code A2-04 – Animal Activities is permitted in the specifications grids, the following conditions apply:

- 1. A lot for this use must be at least 20,000 m² in size.
- 2. Outside, animals must be trained in enclosures surrounded by fences that are no more than 2 metres tall.
- 3. Buildings or enclosures where activities that involve animals and are related to the use take place must be located at least:
  - a) 30 metres from a residence on an adjoining lot
  - b) 10 metres from a residence on the same lot
  - c) 20 metres from a lot line
- 4. Wooded strips, 5 metres in depth, must be created and maintained along lot lines.
- 5. The sitting, boarding, breeding, and selling of animals is prohibited.

#### 207. Kennels

Where a use under Code A2-05 – Kennels is permitted in the specifications grids, the following conditions apply:

- 1. A lot for this use must be at least 30,000 m<sup>2</sup> in size.
- 2. No more than 20 dogs, including puppies, may be kept.
- 3. Dogs must be kept indoors between 10:00 p.m. and 7:00 a.m. the next day and each dog must have at least 1.5 m² of individual space.

- 4. Outside, dogs must be kept in enclosures surrounded by fences that are no more than 2 metres tall.
- 5. A building or enclosure where dogs are kept must be located at least:
  - a) 50 metres from a residence on an adjoining lot
  - b) 15 metres from a residence on the same lot
  - c) 30 metres from a lot line
- 6. Wooded strips, 10 metres in depth, must be created and maintained along lot lines.

#### 208. Dog Sledding Businesses

Where a use under Code C8-06 – Dog Sledding Businesses is permitted in the specifications grids, the following conditions apply:

- 1. A lot for this use must be at least 30,000 m<sup>2</sup> in size.
- 2. No more than 20 sled dogs may be kept.
- 3. Dogs must be kept indoors between 10:00 p.m. and 7:00 a.m. the next day and each dog must have at least 1.5 m² of individual space.
- 4. Outside, dogs must be kept in enclosures surrounded by fences that are no more than 2 metres tall.
- 5. A building or enclosure where dogs are kept must be located at least:
  - a) 50 metres from a residence on an adjoining lot
  - b) 15 metres from a residence on the same lot
  - c) 30 metres from a lot line
- 6. Wooded strips, 10 metres in depth, must be created and maintained along lot lines.
- 7. The breeding and sale of animals is prohibited.

#### DIVISION E - OTHER PROVISIONS RELATING TO USES OR ZONES

#### 209. Commercial sales uses

Where permitted in the specifications grids, the maximum footprint of a building occupied by one or more commercial sales establishments is  $4,000 \text{ m}^2$ .

### 210. Distance of certain uses of the Commerce and Industry group from a wetland or body of water

A construction, structure or outdoor storage space or a use referred to in this article that uses or stores materials must be located at a minimum distance of 30 meters from the limit of the littoral zone (shoreline) or the edge of a wetland. This provision applies if the materials cause a risk of contamination for the environment, such as oils, greases, gasoline, parasitic products, chemicals, heavy metals, hydrocarbons, fertilizers, pesticides, solvents.

A parking or storage space for heavy vehicles, tool vehicles or for machinery related to a use referred to in this article must be located at a minimum distance of 30 meters from the limit of the littoral zone (shoreline) or the edge of a wetland.

In addition to the erosion control measures already required by this by-law, runoff control measures must be put in place.

The uses referred to in this article are as follows:

- 1. A use of class C4 "Arterial trade and services".
- 2. A use of class C9 "Service station".
- 3. A use of class C10 "Vehicle trade and services".
- 4. Use in class C11 "Heavy and para-industrial trade and services".
- 5. Codes of practice C12-05, C12-06, C12-07, C12-10 and C12-13 belonging to class C12 "Speciality trande and services".
- 6. A use of the Industry group.

#### 211. Recreational vehicles and tents

The temporary or permanent occupation of land by a recreational vehicle, tent, or similar is prohibited, except on a lot where use under Code C6-04 – Campgrounds takes place.

#### 212. Telecommunication towers and antennae

Where a use under Code P4-07 – Telecommunication Towers and Antennae is permitted in the specifications grids, the following conditions apply:

- 7. A lot where this use takes place must be at least 4,000 m<sup>2</sup> in size.
- 8. A tower or antenna must be no more than 30 metres tall.
- 9. A tower or antenna must be at least 30 metres away from a lot line.
- 10. A tower or antenna must be at least 50 metres away from a main building.
- 11. A 2.5-metre-tall fence must surround the base of a tower or antenna.
- 12. A tower or antenna must be a uniform light grey ("aluminum" or "matte galvanized steel" colour) along its entire height and on each of its sides.

#### 213. Mobile home parks

A single-family residence use may take place inside a mobile home building under the following conditions, provided that building is part of a park that is owned and operated by one person:

- 1. A mobile home park is only permitted in Zone RV-15.
- 2. A mobile home site must remain under sole management and ownership: it must not be subject to a cadastral operation, including a cadastral operation to identify a private portion. This prohibition does not apply to a site whose area and dimensions comply with the *By-Law Regarding Subdivision*, that is adjacent to a street, and that is intended to hold a main building that is not a mobile home.
- 3. A mobile home must have a footprint of at least 40 m<sup>2</sup>.
- 4. A mobile home must have a footprint of no more than 80 m<sup>2</sup>.
- 5. A mobile home must be at least 3.5 metres wide.
- 6. A mobile home must comply with the set-backs indicated in the specifications grid.
- 7. A mobile home must be no more than 1 storey tall.
- 8. A mobile home must be anchored to the ground with anchors weighing at least 55 kilograms per linear metre of length.
- 9. The space under a mobile home must be enclosed by screens or continuous, planted vegetation.
- 10. A mobile home must not rest on a foundation or concrete slab.
- 11. If a mobile home is adjacent to a street, the narrowest part of it must face the street.

- 12. The maximum area of all accessory buildings indicated in this by-law does not apply.
- 13. Wooded strips, 3 metres in depth, must be created and maintained along lot lines.

# CHAPTER XV: SPECIAL PROVISIONS REGARDING ACQUIRED RIGHTS

#### **DIVISION A - GENERAL PROVISIONS**

#### 214. General provisions

This chapter applies to non-conforming uses and structures, as well as those protected by acquired rights.

A "non-conforming use" is any use that takes place in a structure or on a lot (or part thereof) and a "non-conforming structure" is any structure (or part thereof) that does not comply with one or more provisions of the *By-Law Regarding Zoning* or the *By-Law Regarding Construction*.

If a use or structure conformed with the by-laws in force at the time it began to take place or was built, it is protected by acquired rights (subject to the specific rules on acquired rights).

A non-conforming use does not render the structure in which it takes place non-conforming, nor does a non-conforming structure render the use taking place within it non-conforming.

## 215. Conforming uses and structures on non-conforming lots protected by acquired rights

A use may take place or a structure may be built on a non-conforming lot that is protected by acquired rights, as long as that use or structure complies with the town planning by-laws.

#### DIVISION B - NON-CONFORMING USES PROTECTED BY ACQUIRED RIGHTS

#### 216. Changes of use

A non-conforming use that is protected by acquired rights may not be changed.

#### 217. Expansion of uses within structures

A non-conforming use that is protected by acquired rights and takes place within a structure may be expanded under the following conditions:

- 1. The use must remain the same.
- 2. The use must take place within the structure.
- 3. If a non-conforming use is protected by acquired rights, it may be expanded by up to 50% of the footprint of the structure that existed on the date the by-law that rendered the use non-conforming came into force. If the use takes place in more than one structure, the limit is calculated from the footprints of all structures involved.
- 4. The extension of the use must be on the same lot that was occupied by the use at the time when this use became non-conforming.
- 5. The extension of the use must comply with the rest of this by-law.

#### 218. Extension of uses outside of structures

A non-conforming use that is protected by acquired rights and takes place outside of a structure cannot be extended.

#### 219. Replacement of uses

A non-conforming use that is protected by acquired rights cannot be replaced by another non-conforming use, even if that use is part of the same use group (Chapter II).

#### 220. Additional uses to non-conforming main uses that are protected by acquired rights

A non-conforming main use that is protected by acquired rights cannot have an additional use.

The loss of acquired rights for a non-conforming main use also means the loss of rights for its associated additional use.

#### 221. Accessory uses to non-conforming main uses that are protected by acquired rights

A non-conforming main use that is protected by acquired rights may have an accessory use.

The loss of acquired rights for a non-conforming main use also means the loss of rights for its associated accessory use.

#### 222. Loss of acquired rights for a use

The acquired rights granted to a non-conforming use are lost if any of the following occur:

- 1. The use has ceased, been discontinued, or abandoned for 12 consecutive months.
- 2. The structure in which the use takes place is destroyed or burned, with damages equivalent to more than 50% of its value as shown on the assessment roll on the day preceding the loss, and the structure is not rebuilt within 12 months of the loss.

#### DIVISION C - NON-CONFORMING STRUCTURES PROTECTED BY ACQUIRED RIGHTS

#### 223. Repair and maintenance of buildings and structures

A non-conforming building or structure that is protected by acquired rights may be repaired and maintained.

#### 224. Renovation of buildings and structures

For the purposes of this section, "renovation" means modifications to a building or structure such as adding or removing windows, changing the pitch of the roof, replacing the exterior cladding material, adding or replacing a foundation, or adding a portico.

A non-conforming building or structure that is protected by acquired rights may be renovated under the following conditions:

- 1. The renovation must comply with the rest of this by-law.
- 2. The renovation must not involve the expansion of the building or structure. Otherwise, the provisions regarding expansion apply.
- 3. The renovation must not worsen the non-conformity.
- 4. Notwithstanding subparagraph 1, a maximum encroachment of 0.15 metres is permitted on a non-conforming building or structure that is protected by acquired siting rights if that encroachment is due to the replacement of its exterior cladding.
- 5. If a main building is non-conforming with siting or foundation replacement standards but protected by acquired rights, a foundation may only be added if it has been shown that the building cannot reasonably be moved to a conforming location.

#### 225. Expansion of main buildings

A non-conforming main building that is protected by acquired rights may be expanded under the following conditions:

- 1. The expansion must comply with the rest of this by-law.
- 2. The expansion must not worsen the non-conformity of the building.
- 3. The expansion must not exceed 50% of the footprint that existed at the time the by-law that rendered the structure non-conforming came into force.
- 4. Where an exemption relates to a building's siting (set-backs or any other mandatory distances), expansions must:
  - a) Be carried out on the side that will permit them to comply with siting standards;
  - b) Extend from existing walls, without allowing the building or structure to encroach further into the set-back or other required distance.

#### 226. Expansion of main buildings on shorelines

A non-conforming main building that is protected by acquired rights and located on a shoreline may be expanded under the following conditions:

- 1. The expansion must comply with the rest of this by-law.
- 2. The expansion must not worsen the non-conformity of the building.
- 3. The expansion must not exceed 50% of the footprint that existed at the time the by-law that rendered the structure non-conforming came into force.
- 4. The expansion must be above ground level and without additional encroachment on the ground.
- 5. The subdivision must have occurred before May 18, 2005.
- 6. A vegetated strip at least 5 metres wide, as measured from the boundary of the littoral zone, must be kept in a natural state or restored to a combination of at least two herbaceous, shrub, or tree layers. The recommended native plants are identified in the list attached as Schedule D to this by-law.

#### 227. Expansion of accessory buildings and structures

A non-conforming accessory building or structure that is protected by acquired rights cannot be expanded.

#### 228. Expansion of accessory buildings and structures on shorelines

A non-conforming accessory building or structure that is protected by acquired rights and located on a shoreline cannot be expanded.

#### 229. Rebuilding of main buildings

A non-conforming main building that is protected by acquired rights and has been destroyed, become dangerous, or lost more than half (50%) of its value due to a fire or any other cause must be rebuilt in compliance with the town planning by-laws in effect at the time of the rebuilding.

Notwithstanding the previous paragraph, if a main building cannot be rebuilt to current standards or if it is not reasonably possible to improve the non-conformity (for example, by relocating the building to conform to siting standards), it may be rebuilt in the same location within 12 months as long as doing so does not worsen the previous non-conformity. Reuse of existing foundations is not a reason to rebuild in the same place.

Chapter XIII lists additional conditions for the rebuilding of buildings in road noise zones.

#### 230. Rebuilding of main buildings on shorelines

A non-conforming main building that is located on a shoreline, is protected by acquired rights, and has suffered damage due to a disaster (other than those mentioned in the second paragraph) may be rebuilt if the value of the damage represents more than 50% of the new cost of the building (excluding its accessory buildings and structures), calculated in accordance with Part 3E of the *Manuel d'évaluation foncière du Québec* and adjusted as of July 1 of the year preceding the disaster. In this case, the following conditions apply:

- 1. The reconstruction must comply with the rest of this by-law.
- 2. The reconstruction must not worsen the non-conformity of the building.
- 3. The shoreline encroachment of the rebuilt main building must be equal to or less than the area of the original building's shoreline encroachment.
- 4. Work must not be possible elsewhere on the lot without encroaching on the shoreline.
- 5. The subdivision must have occurred before May 18, 2005.
- 6. A vegetated strip at least 5 metres wide, as measured from the boundary of the littoral zone, must be kept in a natural state or restored to a combination of at least two herbaceous, shrub, or tree layers. The recommended native plants are identified in the list attached as Schedule D to this by-law.

Flooding, submersion, landslides, and coastal erosion are not considered "disasters."

Chapter XIII lists additional conditions for the rebuilding of buildings in road noise zones.

#### 231. Rebuilding of accessory buildings and structures

A non-conforming accessory building that is protected by acquired rights and has been destroyed, become dangerous, or lost more than half (50%) of its value due to a fire or any other cause must be rebuilt in compliance with the town planning by-laws in effect at the time of the rebuilding.

However, if a building cannot be rebuilt to current standards or if it is not reasonably possible to improve the non-conformity (for example, by relocating the building to conform to siting standards), it may be rebuilt in the same location within 12 months as long as doing so does not worsen the previous non-conformity. Reuse of existing foundations is not a reason to rebuild in the same place.

A non-conforming accessory structure that is protected by acquired rights cannot be rebuilt.

#### 232. Rebuilding of accessory buildings and structures on shorelines

An accessory building or structure on a shoreline cannot be rebuilt.

#### 233. Relocation of buildings and structures

A building or structure that does not conform with siting standards, but is protected by acquired rights, may be relocated if doing so does not worsen the non-conformity.

#### 234. Relocation of buildings and structures on shorelines

A non-conforming building or structure that is protected by acquired rights and located on the shoreline may be relocated away from the shoreline only. The relocation must comply with this by-law.

#### 235. Access roads within integrated projects approved before December 11, 2020

Other than a turning radius, no access road may be expanded within any integrated project approved by resolution of the Municipal Council prior to December 11, 2020, under *By-Law 420 Regarding Site Planning and Architectural Integration Programs*.

The approved integrated projects are: rue Altitude, chemin des Cours-du-Balmoral, rue des Elfes, rue du Havre, rue Moutain View, rue de l'Oasis, rue de l'Escale, rue du Portail, rue des Trois-Pierre, rue du Patrimoine, rue du Plateau and rue du Husky.

### 236. Siting standards applicable in the absence of standards indicated in a specifications grid

When an activity is permitted under this division, the standards that apply under the specifications grid are those prescribed for a building whose use belongs to the same class or group as the activity. Otherwise, the siting standards for main buildings are as follows:

- 1. Attachment: detached
- 2. Minimum front set-back: 7.5 m
- 3. Minimum/total side set-backs: 4.5 m/9 m
- 4. Minimum rear set-back: 9 m
- 5. Maximum land-to-building ratio: 25%
- 6. Minimum footprint: 60 m<sup>2</sup>
- 7. Minimum/maximum height in storeys: 1 storey/2 storeys
- 8. Minimum/maximum height in metres: 5 m/11 m
- 9. Minimum width/depth: 8 m/6 m

#### DIVISION D - NON-CONFORMING SIGNS PROTECTED BY ACQUIRED RIGHTS

#### 237. Sign maintenance and repair

A non-conforming sign that is protected by acquired rights may be maintained and repaired.

For the purposes of this section, "maintenance and repair" includes changing the message on a sign without altering or enlarging its structure.


### 238. Sign expansions

The expansion of a non-conforming sign that is protected by acquired rights must comply with this by-law.

#### 239. Sign replacements

The replacement of a non-conforming sign that is protected by acquired rights must comply with this by-law.

# SCHEDULE A: ZONING MAP





### Annexe A: Zoning plan Urbanism bylaw

	Municipal limit
	Cadastral index plan (July 202
	Waterway (stream)
	Lake
Zones	: Dominant Vocation
	Agro-forestery (AF)
	Commercial (C)
	Conservation (CONS)
	Industrial (I)
	Mixted (M)
	Recreational (REC)
	Residential and Forestery (RF
	Residential and Resort (RV)

Effective date: 27 February 2023

**Scale:** 1:40 000

Source: MRC des Pays-d'en-Haut

### Plan admendment

By-law N° :	Effective date :
670-2023	13-September-23
757-2024	23-August-24

0 750 1 500 m

# SCHEDULE B: SPECIFICATIONS GRIDS

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: AF-1

Agroforestry

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses				·	·		l			
2	See Chapter II of the By-Law Regar	ding Zoning : park	s, playgrou	nds, natura	l areas, trail	s, bike path	s, conservat	ion activities	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	I2 Agroforestry Industry		• (1)						(1)	12-03, 12-04	
5											
6											
7											
8									-		
9											
10											
11									Sp	ecifically prohibite	ed uses
12									•		
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ma	in use quotas	
20	Mixed use									400 440140	
21	Multiple use										
22	Land use density (dw./ha)										
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to		IISAS						Δd	ditional uses (other	ueoe)
25	Intergenerational dwelling units	o ixesideritiar	uses	Personal	and profes	sional serv	ices		Au	antional uses (other	uses)
26	Additional dwelling units				ed artistic a				For	additional uses to the Cor	mmercial, Industrial,
27	Guest houses			Hobby far		ina antisane	1 activities		Pub	lic or Agricultural groups,	see Chapter III of the
					comodatio	n of the pr	ncipal		Ву-	aw Regarding Zoning .	
28	Room rental			residence							
29	Siting standards for main b	uildings							No	tes – Attachment a	and size
30	Attachment (detached, semi-detac	ched, row)	D						cid	e set-back: When calc	ulated from a street
31	Front set-back (min. in meters)		7.5							minimum set-back is 7	
32	Side set-back (min. and total in me	eters)	4.5 / 9								
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards								No	tes – Subdivision	
40	Lot size (min. in sq. m)		16,000						Mor	e restrictive standards ma	y apply. See Chapter IV
41	Width (min. in meters)		50							ne By-Law Regarding Sub	
42	Depth (min. in meters)		60						OI ti	ic by-Law Regarding Sub	aivision :
43	Special conditions (for referen	nce only; see the	By-Law R	Regarding Z	Zoning)						
44	Natural space (%) and trees	•	Floodplaii	1						grated projects	
45	Water withdrawal protection zone		Noise lev	el zone				Rec. and to	urisn	integrated projects	
46	Parc linéaire		Chapter >	(IV							
47	Other notes and special pro	visions								Changes to	the grid
48										law 673-2023, entry in 3	to force November 3,
49											
50											
51											
52											
53											
54											
55											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: C-1

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard	ding Zoning : parl	s, playgrou	nds, natural	areas, trail	s, bike path	s, conserva	tion activities			
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	C4 Arterial Trade and Services		•						(1)	12-01, 12-02	
5	C10 Vehicle Trade and Services			•					(2)	A2-03, A2-04, A2-05	
6	C11 Heavy and P-Ind. Trade and S	Services		•							
7	C12 Specialty Trade and Services			•							
8	I1 Light Industry				•						
9	I2 Agroforestry Industry				• (1)						
10	P4 Public Utilities					•					
11	A2 Animal Husbandry						• (2)		Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses			1					Ma	in use quotas	
20	Mixed use										
21	Multiple use		•	•	•						
22	Land use density (dw./ha)										
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to		uses	I					Ad	ditional uses (other	uses)
25	Intergenerational dwelling units			Personal a	and profes	sional serv	ices			· · · · · · · · · · · · · · · · · · ·	,
26	Additional dwelling units				ed artistic a				For	additional uses to the Cor	mmercial, Industrial,
27	Guest houses			Hobby fari					Pub	lic or Agricultural groups,	see Chapter III of the
					comodatio	n of the pri	ncipal		By-l	aw Regarding Zoning .	
28	Room rental			residence							
29	Siting standards for main b	uildings	,		,				No	tes – Attachment	and size
30	Attachment (detached, semi-detac	hed, row)	D	D	D	D	D		Fro	nt set-back: along Roւ	ites 329 and 364,
31	Front set-back (min. in meters)		7.5	7.5	7.5	7.5	7.5			Chapter V of the <i>By-L</i>	aw Regarding
32	Side set-back (min. and total in me	eters)	4.5 / 9	4.5 / 9	4.5 / 9	4.5 / 9	4.5 / 9		Zor	ning .	
33	Rear set-back (min. in meters)		10	10	10	10	10		Sid	e set-back: When calc	ulated from a street
34	Land use density (max. %)		10%	10%	10%	10%	10%			minimum set-back is 7	,
35	Footprint (min. in sq. m)		70	70	70	60	50				-
36	Height in storeys (min./max.)		1/2	1/2	1/2	1/2	1/2				
37	Height in meters (min./max.)		5 / 11	5 / 11	5 / 11	5 / 11	5 / 11				
38	Width and depth (min. in meters)		8/6	8/6	8/6	8/6	8/6				
39	Subdivision standards								No	tes – Subdivision	
40	Lot size (min. in sq. m)		8,000	8,000	8,000	8,000	8,000		Mor	e restrictive standards ma	y apply. See Chapter IV
41	Width (min. in meters)		50	50	50	50	50			ne By-Law Regarding Sub	
42	Depth (min. in meters)		60	60	60	60	60		0		
43	Special conditions (for referen	nce only; see the	eBy-Law R	Regarding Z	oning)						
44	Natural space (%) and trees	•	Floodplair					Commercia	al inte	grated projects	
45	Water withdrawal protection zone		Noise leve	el zone				Rec. and to	urism	integrated projects	
46	Parc linéaire		Chapter X	(IV			•				
47	Other notes and special pro	visions								Changes to	_
48									By- 202	law 674-2023, entry in 3	to force November 3,
49											
50											
51											
52											
53											
54											
55											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: C-2

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard		ks, playgrou	ınds, natural	areas, trail	s, bike path	s, conservat	ion activities,			
3	Permitted major use categor	ies							_	ecifically permitte	
4	C1 Retail		•						(1)	C4-01, C4-02, C4-03	3, C4-04, C4-05,
5	C2 Personal Services		•							C4-06, C4-13, C4-14	1
6	C3 Prof. and Other Services		•						(2)	C10-01, C10-06	
7	C4 Arterial Trade and Services			• (1)					(3)	C11-04	
8	C5 Rest. and Food Services			•					(4)	I1-01, I1-02	
9	C7 Indoor Recreation Businesses			•							
10	C10 Vehicle Trade and Services				• (2)						
11	C11 Heavy and P-Ind. Trade and S	ervices			• (3)				Sp	ecifically prohibit	ed uses
12	I1 Light Industry					• (4)					
13	P2 Municipal Services						•				
14											
15											
16											
17											
18											
19	Provisions for main uses								Ma	in use quotas	
20	Mixed use									4	
21	Multiple use		•		•	•	•				
22	Land use density (dw./ha)										
23	Max dwelling units/building (H4 or n	nixed)									
24	Permitted additional uses to		HEAS						Δd	ditional uses (othe	ar uene)
25	Intergenerational dwelling units	Residential	u303	Personal :	and profess	sional serv	ices		Au	artional ases (onle	i uses)
26	Additional dwelling units				ed artistic a				For	additional uses to the Co	ommercial, Industrial,
	Guest houses			Hobby far		na artisana	activities		Pub	lic or Agricultural groups	, see Chapter III of the
27					comodatio	n of the pri	ncinal		By-l	aw Regarding Zoning .	
28	Room rental			residence		oo p	о.ра.				
29	Siting standards for main bu	ildings							No	tes – Attachment	and size
30	Attachment (detached, semi-detach	ed, row)	D	D	D	D	D		Fro	nt set-back: along Ro	utes 329 and 364.
31	Front set-back (min. in meters)		7.5	7.5	7.5	7.5	7.5			Chapter V of the By-	· ·
32	Side set-back (min. and total in met	ers)	4.5 / 9	4.5 / 9	4.5 / 9	4.5 / 9	4.5 / 9		Zor	ning .	
33	Rear set-back (min. in meters)		10	10	10	10	10				
34	Land use density (max. %)		30%	30%	30%	30%	30%			e set-back: When cal	,
35	Footprint (min. in sq. m)		70	70	70	70	60		tne	minimum set-back is	7.5 m.
36	Height in storeys (min./max.)		1/2	1/2	1/2	1/2	1/2				
37	Height in meters (min./max.)		5 / 11	5 / 11	5 / 11	5 / 11	5 / 11				
38	Width and depth (min. in meters)		8/6	8/6	8/6	8/6	8/6				
39	Subdivision standards			-, -,	-, -	-, -			No	tes – Subdivision	
40	Lot size (min. in sq. m)		2,000	2,000	2,000	2,000	2,000			division standards for a par	
41	Width (min. in meters)		25	25	25	25	25		unse	erviced lot, see note A. Mor	e restrictive standards may
42	Depth (min. in meters)		45	45	45	45	45			<li>y. See Chapter IV of the E livisions.</li>	By-Law Regarding
43	Special conditions (for referen	ce only: see the									
44	Natural space (%) and trees	•	Floodplair		·-······9 )		•	Commerci	al inte	grated projects	•
45	Water withdrawal protection zone		Noise leve				•			integrated projects	
46	Parc linéaire		Chapter X				•	rtoo. una te	diloili	mogratoa projecto	
47	Other notes and special prov	visions	Onaptor 7							Changes to	the arid
7/			4.000			. =0			By-		nto force November 3,
48	Note A: For an unserviced lot, the n	ıınımum area i	s 4,000 sq	.m the min	ımum widtl	n is 50 m a	na the		202		ioroo reveniber o,
49	minimum depth is 60 m.										
50											
51									-		
52									-		
53									-		
54									-		
56											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: C-3

			1	2	3	4	5	6	Sheet 1 of				
1	Generally permitted uses												
2	See Chapter II of the By-Law Regard		ks, playgrou	nds, natural	l areas, trail	s, bike path	s, conservat	ion activities					
3	Permitted major use catego	ries							Specifically permitted uses				
4	C1 Retail		•						(1) C6-06				
5	C2 Personal Services		•						(2) C10-01, C10-06, C10-07				
6	C3 Prof. and Other Services		•						(3) C11-03, C11-04				
7	C4 Arterial Trade and Services			•					(4) 11-01, 11-02, 11-03				
8	C5 Rest. and Food Services			•									
9	C6 Accommodation			• (1)									
10	C7 Indoor Recreation Businesses			•									
11	C10 Vehicle Trade and Services				• (2)				Specifically prohibited uses				
12	C11 Heavy and P-Ind. Trade and S	Services			• (3)								
13	I1 Light Industry					• (4)							
14	P2 Municipal Services						•						
15													
16													
17													
18													
19	Provisions for main uses			1	<u> </u>	<u> </u>		1	Main use quotas				
20	Mixed use								·				
21	Multiple use		•	•	•	•	•						
	Land use density (dw./ha)												
23	Max dwelling units/building (H4 or	mixed)											
24	Permitted additional uses to		LISAS						Additional uses (other uses)				
25	Intergenerational dwelling units	o reordentia	4505	Personal :	and profes	sional serv	Additional acco (other acco)						
26	Additional dwelling units				ed artistic a				For additional uses to the Commercial, Industrial,				
27	Guest houses			Hobby far		ina antibana	- douvidoo		Public or Agricultural groups, see Chapter III of t				
					comodatio	n of the pri	ncipal		By-Law Regarding Zoning .				
28	Room rental			residence									
29	Siting standards for main b	uildings							Notes – Attachment and size				
30	Attachment (detached, semi-detac	ched, row)	D	D	D	D	D		Front set-back: along Routes 329 and 364,				
31	Front set-back (min. in meters)		7.5	7.5	7.5	7.5	7.5		see Chapter V of the By-Law Regarding				
32	Side set-back (min. and total in me	eters)	4.5 / 9	4.5 / 9	4.5 / 9	4.5 / 9	4.5 / 9		Zoning .				
33	Rear set-back (min. in meters)		10	10	10	10	10		0:1 11 1 14 15				
34	Land use density (max. %)		30%	30%	30%	30%	30%		Side set-back: When calculated from a street the minimum set-back is 7.5 m.				
35	Footprint (min. in sq. m)		70	70	70	70	60		the minimum set-back is 7.5 m.				
36	Height in storeys (min./max.)		1/2	1/2	1/2	1/2	1/2						
37	Height in meters (min./max.)		5 / 11	5 / 11	5 / 11	5 / 11	5 / 11						
38	Width and depth (min. in meters)		8/6	8/6	8/6	8/6	8/6						
	Subdivision standards								Notes - Subdivision				
40	Lot size (min. in sq. m)		2,000	2,000	2,000	2,000	2,000		Subdivision standards for a partially serviced lot. For an				
41	Width (min. in meters)		25	25	25	25	25		unserviced lot, see note A. More restrictive standards mapply. See Chapter IV of the By-Law Regarding				
42	Depth (min. in meters)		45	45	45	45	45		subdivisions.				
43	Special conditions (for referen	nce only; see th	e <i>By-Law F</i>	Regarding Z	Zoning)								
44	Natural space (%) and trees	•	Floodplair	า			•	Commerci	al integrated projects				
45	Water withdrawal protection zone		Noise lev	el zone			•		ourism integrated projects				
46	Parc linéaire		Chapter >	(IV			•						
47	Other notes and special pro	visions							Changes to the grid				
48	Note A: For an unserviced lot, the and the minimum depth is 60 m.		s 4,000 sq	. m the min	imum widt	h is 50 m			By-law 676-2023, entry into force November 3				
49	•												
50													
51													
52													
53													
54													
55													

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: C-4

			1	2	3	4	5	6			Sheet 1 of 1			
1	Generally permitted uses													
2	See Chapter II of the By-Law Regard	ding Zoning : parl	ks, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activities	, etc.					
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses			
4	C1 Retail		•						(1)	C4-01, C4-02, C4-04	, C4-14			
5	C2 Personal Services		•						(2)	C6-01				
6	C3 Prof. and Other Services		•						(3)	C10-01, C10-06				
7	C4 Arterial Trade and Services			• (1)					(4)	C12-02				
8	C5 Rest. and Food Services			•										
9	C6 Accommodation			• (2)										
10	C7 Indoor Recreation Businesses			•										
11	C9 Service Stations				•				Sp	ecifically prohibite	ed uses			
12	C10 Vehicle Trade and Services				• (3)									
13	C12 Specialty Trade and Services				• (4)									
14	P2 Municipal Services					•								
15														
16														
17														
18														
19	Provisions for main uses				1				Ma	in use quotas				
20	Mixed use													
21	Multiple use		•	•	•	•								
22	Land use density (dw./ha)													
23	Max dwelling units/building (H4 or	mixed)												
24	Permitted additional uses to		uses					Ad	ditional uses (other	r uses)				
25	Intergenerational dwelling units			Personal	and profes	sional serv	rices			- mainerial acce (ems. acce)				
26	Additional dwelling units				ed artistic a				For	For additional uses to the Commercial, Industrial,				
27	Guest houses			Hobby far					Pub	lic or Agricultural groups,	see Chapter III of the			
				-	comodatio	n of the pr	incipal		By-l	aw Regarding Zoning .				
28	Room rental			residence	type									
29	Siting standards for main b	uildings	,	,					No	tes – Attachment	and size			
30	Attachment (detached, semi-detac	hed, row)	D	D	D	D			Fro	nt set-back: along Roւ	utes 329 and 364,			
31	Front set-back (min. in meters)		7.5	7.5	7.5	7.5				Chapter V of the By-L	Law Regarding			
32	Side set-back (min. and total in me	eters)	4.5 / 9	4.5 / 9	4.5 / 9	4.5 / 9			Zor	ning .				
33	Rear set-back (min. in meters)		10	10	10	10			Sid	e set-back: When calc	culated from a street			
34	Land use density (max. %)		30%	30%	30%	30%				minimum set-back is	,			
35	Footprint (min. in sq. m)		70	70	70	60					-			
36	Height in storeys (min./max.)		1/2	1/2	1/2	1/2								
	Height in meters (min./max.)		5 / 11	5 / 11	5 / 11	5 / 11								
38	Width and depth (min. in meters)		8/6	8/6	8/6	8/6								
39	Subdivision standards								No	tes - Subdivision				
40	Lot size (min. in sq. m)		2,000	2,000	2,000	2,000				division standards for a part erviced lot, see note A. More				
41	Width (min. in meters)		25	25	25	25				y. See Chapter IV of the	By-Law Regarding			
42	Depth (min. in meters)		45	45	45	45			subo	livisions.				
43	Special conditions (for referen	nce only; see the	eBy-Law R	egarding Z	Zoning)									
44	Natural space (%) and trees	•	Floodplair	1			•	-		grated projects	•			
45	Water withdrawal protection zone		Noise leve	el zone			•	Rec. and to	urism	integrated projects				
46	Parc linéaire		Chapter X	(IV			•							
47	Other notes and special pro									Changes to				
48	Note A: For an unserviced lot, the and the minimum depth is 60 m.	minimum area i	s 4,000 sq	. m the mir	nimum widt	h is 50 m			By- 202	law 677-2023, entry in 3	to force November 3,			
49	·													
50														
51														
52														
53														
54														
55														

Schedule B to *By-Law 642-2022 Regarding Zoning*Municipality of Morin-Heights

ZONE: C-5

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard	ding Zoning : parl	s, playgrou	nds, natural	areas, trail:	s, bike path	s, conserva	ation activities			
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	C1 Retail		•						(1)	C4-01, C4-02, C4-03	, C4-04, C4-14
5	C2 Personal Services		•						(3)	C10-01, C10-06	
6	C3 Prof. and Other Services		•						(4)	I1-01	
7	C4 Arterial Trade and Services			• (1)							
8	C5 Rest. and Food Services			•							
9	C7 Indoor Recreation Businesses			• (2)							
10	C10 Vehicle Trade and Services				• (3)						
11	I1 Light Industry					• (4)			Sp	ecifically prohibite	ed uses
12	P2 Municipal Services						•		(2)	C7-02, C7-03, C7-04	
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use										
21	Multiple use		•	•	•	•	•				
22	Land use density (dw./ha)										
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to	Residential	uses						Ad	ditional uses (other	ruses)
25	Intergenerational dwelling units			Personal a	and profess	sional serv	ices			•	,
26	Additional dwelling units			Home-base	ed artistic a	nd artisana	I activities			additional uses to the Cor	
27	Guest houses			Hobby far	ms				Pub	lic or Agricultural groups,	see Chapter III of the
	Room rental				comodatio	n of the pri	ncipal		By-L	aw Regarding Zoning .	
28											
29	Siting standards for main b	uildings	T	T	T	T	T		No	tes – Attachment	and size
30	Attachment (detached, semi-detac	hed, row)	D	D	D	D	D		Fro	nt set-back: along Roւ	ites 329 and 364,
31	Front set-back (min. in meters)		7.5	7.5	7.5	7.5	7.5			Chapter V of the By-L	∟aw Regarding
32	Side set-back (min. and total in me	eters)	4.5 / 9	4.5 / 9	4.5 / 9	4.5 / 9	4.5 / 9		Zor	ing .	
33	Rear set-back (min. in meters)		10	10	10	10	10		Side	e set-back: When calc	ulated from a street
34	Land use density (max. %)		30%	30%	30%	30%	30%			minimum set-back is	,
35	Footprint (min. in sq. m)		70	70	70	70	60				
36	Height in storeys (min./max.)		1/2	1/2	1/2	1/2	1/2				
37	Height in meters (min./max.)		5 / 11	5 / 11	5 / 11	5 / 11	5 / 11				
38	Width and depth (min. in meters)		8/6	8/6	8/6	8/6	8/6				
39	Subdivision standards			,			ľ		No	tes - Subdivision	
40	Lot size (min. in sq. m)		2,000	2,000	2,000	2,000	2,000			division standards for a part erviced lot, see note A. More	
41	Width (min. in meters)		25	25	25	25	25		appl	y. See Chapter IV of the B	
42	Depth (min. in meters)		45	45	45	45	45		subc	livisions.	
43	Special conditions (for referen	nce only; see the	eBy-Law F	Regarding Z	oning)						
44	Natural space (%) and trees	•	Floodplair			1	•			grated projects	•
	Water withdrawal protection zone		Noise lev			1	•	Rec. and to	ourism integrated projects		
	Parc linéaire		Chapter >	(IV			•				
47	Other notes and special pro									Changes to	•
48	Note A: For an unserviced lot, the and the minimum depth is 60 m.	minimum area i	s 4,000 sq	. m the min	imum widt	h is 50 m			By- 202	aw 678-2023, entry in 3	to force November 3,
49											
50											
51											
52											
53											
54											
55										<u></u>	

Schedule B to *By-Law 642-2022 Regarding Zoning*Municipality of Morin-Heights

ZONE: C-6

			1	2	3	4	5	6			Sheet 1 of 1			
1	Generally permitted uses													
2	See Chapter II of the By-Law Re	garding Z	oning :	parks,	playgrou	ınds, n	atural a	reas, tra						
3	Permitted major use categorie	es							Sp	ecifically permitte	d uses			
4	C1 Retail		•						(1)	C4-04, C4-14, C4-15				
5	C2 Personal Services		•											
6	C3 Prof. and Other Services		•											
7	C4 Arterial Trade and Services			• (1)										
8	C5 Rest. and Food Services			•										
9	C7 Indoor Recreation Businesses			• (2)										
10	P2 Municipal Services			. ,	•									
11									Sp	ecifically prohibite	ed uses			
12										C7-02				
13									(-)					
14														
15														
16														
17														
18														
19	Provisions for main uses								Ma	in use quotas				
	Mixed use			1	I				IVIa	iii use quotas				
20	Multiple use													
21			•	•	•									
22	Land use density (dw./ha)	1\												
23	Max dwelling units/building (H4 or mi								A -1	-1141 1				
24	Permitted additional uses to F	kesidentiai	uses	n .					Aa	ditional uses (other	uses)			
25	Intergenerational dwelling units				and profess				For	For additional uses to the Commercial, Industrial,				
26	Additional dwelling units				ed artistic ar	nd artisana	al activities			ic or Agricultural groups,				
27	Guest houses			Hobby far		of the ne	inainal		By-L	.aw Regarding Zoning .				
28	Room rental			residence	comodation	or the pr	ıncıpaı							
29	Siting standards for main buil	dinas		residence	турс				No	tes – Attachment a	and size			
30	Attachment (detached, semi-detache		D	D	D									
31	Front set-back (min. in meters)	-,,	7.5	7.5	7.5					e set-back: When calc				
32	Side set-back (min. and total in mete	rs)	4.5 / 9	4.5 / 9	4.5 / 9				the	minimum set-back is 7	7.5 m.			
33	Rear set-back (min. in meters)	/	10	10	10									
34	Land use density (max. %)		30%	30%	30%									
35	Footprint (min. in sq. m)		70	70	60									
36	Height in storeys (min./max.)		1/2	1/2	1/2									
37	Height in meters (min./max.)				5/11									
	, ,		5/11	5/11										
38	Width and depth (min. in meters)		8/6	8/6	8/6				NI.c	tes - Subdivision				
	Subdivision standards		0.000	0.000	0.000						ially and in the Carry			
40	Lot size (min. in sq. m)		2,000	2,000	2,000					division standards for a part rviced lot, see note A. More				
41	Width (min. in meters)		25	25	25					y. See Chapter IV of the B	y-Law Regarding			
42	Depth (min. in meters)		45	45	45				subc	livisions.				
43	Special conditions (for reference				(oning)									
44	Natural space (%) and trees	•	Floodplair				•			grated projects	•			
45	Water withdrawal protection zone	•	Noise leve					Rec. and to	urism	ntegrated projects				
	Parc linéaire		Chapter X	(IV			•							
47	Other notes and special provi									Changes to				
48	Note A: For an unserviced lot, the min and the minimum depth is 60 m.	nimum area is	s 4,000 sq	. m the mir	nimum width	n is 50 m			By- 202	aw 679-2023, entry in 3	to force November 3,			
49														
50														
51														
52														
53														
54														
55														

Specifications grids
Schedule B to By-Law 642-2022 Regarding Zoning **Municipality of Morin-Heights** 

ZONE: C-7

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard	ding Zoning : park	s, playgrou	nds, natura	l areas, trai	ls, bike path	ns, conserva	tion activities	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	C1 Retail		• (1)						(1)	C1-01	
5	C2 Personal Services		•						(3)	C6-01, C6-02, C6-05	, C6-06
6	C3 Prof. and Other Services		•						(4)	C7-02, C7-06, C7-07	
7	C4 Arterial Trade and Services			• (2)							
8	C5 Rest. and Food Services			•							
9	C6 Accommodation			• (3)							
10	C7 Indoor Recreation Businesses			• (4)							
11	P2 Municipal Services			,	•				Sp	ecifically prohibite	ed uses
12	·								_	C4-01, C4-04, C4-11	
13									,		
14											
15											
16											
17											
18											
	Provisions for main uses								Ma	in uso quotas	
19	Mixed use						T		IVI a	in use quotas	
20											
21	Multiple use		•	•	•						
22	Land use density (dw./ha)										
23	Max dwelling units/building (H4 or										
24	Permitted additional uses to	o Residential	uses	I			Ad	Additional uses (other uses)			
25	Intergenerational dwelling units				· ·	sional ser			For	additional uses to the Co	mmoroial Industrial
26	Additional dwelling units			Home-bas	ed artistic a	and artisana	al activities			lic or Agricultural groups,	
27	Guest houses			Hobby far						.aw Regarding Zoning .	·
28	Room rental					on of the pr	incipal			aw regarding Zoning :	
29	Siting standards for main b	uildinas		residence	туре				No	tes - Attachment	and size
30	Attachment (detached, semi-detached)		D	D	D				110	too Attuoriment	una 5120
31	Front set-back (min. in meters)	incu, row)	7.5	7.5	7.5				Sid	e set-back: When cald	culated from a street,
32	Side set-back (min. and total in me	otore)	4.5 / 9	4.5 / 9	4.5 / 9				the	minimum set-back is	7.5 m.
	Rear set-back (min. in meters)	eters)									
33			10	10	10						
34	Land use density (max. %)		30%	30%	30%						
35	Footprint (min. in sq. m)		70	70	60						
36	Height in storeys (min./max.)		1/2	1/2	1/2						
37	Height in meters (min./max.)		5 / 11	5 / 11	5 / 11						
38	Width and depth (min. in meters)		8/6	8/6	8/6						
39	Subdivision standards								No	tes – Subdivision	
40	Lot size (min. in sq. m)		8,000	8,000	8,000				Mor	e restrictive standards ma	ay apply. See Chapter IV
41	Width (min. in meters)		50	50	50		1		of th	e By-Law Regarding Sub	odivision .
42	Depth (min. in meters)		60	60	60						
43	Special conditions (for referen	nce only; see the	eBy-Law R	egarding Z	Zoning)						
44	Natural space (%) and trees	•	Floodplair	า				Commercia	al inte	grated projects	•
45	Water withdrawal protection zone		Noise leve	el zone				Rec. and to	urism	ntegrated projects	•
46	Parc linéaire		Chapter X	(IV			•				
47	Other notes and special pro	visions								Changes to	the grid
48										aw 680-2023, entry in	to force November 3,
40									202	3	
49											
50									L		
51			-	-	-	-					
52											
53											
54											
55											

Schedule B to By-Law 642-2022 Regarding Zoning

**Municipality of Morin-Heights** 

ZONE: CONS-1

Conservation

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard		ks, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activities			
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4											
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16 17											
18											
19	Provisions for main uses								Ma	in use quotas	
20	Mixed use								1416	aoo quotas	
21	Multiple use										
22	Land use density (dw./ha)										
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to		uses						Ad	ditional uses (other	uses)
25	Intergenerational dwelling units			Personal	and profes	sional serv			,	,	
26	Additional dwelling units				ed artistic a					additional uses to the Cor	
27	Guest houses			Hobby far	ms					lic or Agricultural groups,	see Chapter III of the
28	Room rental				comodatio	n of the pr	incipal		By-	aw Regarding Zoning .	
29	Siting standards for main b	uildinge		residence	type				No	tes – Attachment a	and size
30	Attachment (detached, semi-detached			I					NC	tes – Attachment	alla size
31	Front set-back (min. in meters)	rica, rowj									
32	Side set-back (min. and total in me	eters)									
33	Rear set-back (min. in meters)										
34	Land use density (max. %)										
35	Footprint (min. in sq. m)										
36	Height in storeys (min./max.)										
37	Height in meters (min./max.)										
38	Width and depth (min. in meters)										
39	Subdivision standards								No	tes – Subdivision	
40	Lot size (min. in sq. m)										
41	Width (min. in meters)										
42	Depth (min. in meters)										
43	Special conditions (for referen	nce only; see the	1		Zoning)	1					
44	Natural space (%) and trees	•	Floodplair							grated projects	
	Water withdrawal protection zone		Noise lev					Rec. and to	urism	integrated projects	
	Parc linéaire	vilala :: -	Chapter >	VIV						O!	4h a
47	Other notes and special pro		D	Changes to							
48									By- 202	law 681-2023, entry in 3	to force November 3,
49											
50											
51									-		
52											
53									-		
54									-		
55											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: CONS-2

Conservation

wu	incipality of Moriti-Heights	4	0	_	4	_	0			054464
4	Canavally narmitted year	1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses									
2	See Chapter II of the By-Law Regarding Zoning	: parks, playgro	unds, natura	il areas, trail	s, bike path	s, conserva	ition activitie		!£! !! !44 -	-1
3	Permitted major use categories		1	T	I	l		Spo	ecifically permitted	a uses
4										
5										
6										
7										
8										
9										
10										
11								Spe	ecifically prohibite	ed uses
12										
13										
14										
15										
16										
17										
18										
19	Provisions for main uses							Ma	in use quotas	
20	Mixed use							IVIG	iii uoc quotuo	
	Multiple use									
_	Land use density (dw./ha)									
22										
23	Max dwelling units/building (H4 or mixed)	4!-1						A -1	1141 1	
24	Permitted additional uses to Reside	ntiai uses	- I					Add	ditional uses (other	uses)
25	Intergenerational dwelling units			and profes				Eor :	additional uses to the Cor	mmercial Industrial
26	Additional dwelling units			sed artistic a	ınd artisana	l activities			ic or Agricultural groups,	
27	Guest houses		Hobby fa					aw Regarding Zoning .		
28	Room rental		residence	ccomodatio	n of the pr		_, _	· · · · · · · · · · · · · · · · · ·		
29	Siting standards for main buildings		residence	з туре		No	tes – Attachment a	and size		
30	Attachment (detached, semi-detached, row)					110	ioo / tituo/iii/o/it/	3114 0120		
31	Front set-back (min. in meters)									
32	Side set-back (min. and total in meters)									
	Rear set-back (min. in meters)							-		
33								-		
34	Land use density (max. %)									
35	Footprint (min. in sq. m)									
36	Height in storeys (min./max.)									
37	Height in meters (min./max.)									
38	Width and depth (min. in meters)									
39	Subdivision standards	T						No	tes - Subdivision	
40	Lot size (min. in sq. m)									
41	Width (min. in meters)									
42	Depth (min. in meters)									
43	Special conditions (for reference only; s	ee the <i>By-Law</i>	Regarding 2	Zoning)						
44	Natural space (%) and trees	Floodpla	iin				Commerci	ial inte	grated projects	
45	Water withdrawal protection zone	Noise le	vel zone				Rec. and to	ourism i	ntegrated projects	
46	Parc linéaire	Chapter	XIV							
47	Other notes and special provisions				1				Changes to	the grid
	, , , , , , ,							By-I	aw 682-2023, entry int	
48								202		-,
49										
50										
51										
52										
53										
54										
J+										

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

Industrial

ZONE: I-1

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard		s, playgrou	nds, natura	l areas, trail	ls, bike path	is, conserva	tion activities			
3	Permitted major use catego	ries							Sp	ecifically permitted	d uses
4	I2 Agroforestry Industry		• (1)						(1)	12-05	
5	I3 Extractive Activity		•								
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses							1	Ma	in use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)										
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to	Residential	uses		<u></u>				Ad	ditional uses (other	uses)
25	Intergenerational dwelling units			Personal	and profes	sional ser	/ices			· · · · · · · · · · · · · · · · · · ·	
26	Additional dwelling units			Home-bas	sed artistic a	and artisana	al activities			additional uses to the Cor	
27	Guest houses			Hobby far	rms					lic or Agricultural groups,	see Chapter III of the
28	Room rental			Tourist ac	ccomodatio	n of the pr	incipal		By-Law Regarding Zoning .		
29	Siting standards for main b	uildings		rooidorioc	утуро				Notes – Attachment and size		
30	Attachment (detached, semi-detac	_	D								
31	Front set-back (min. in meters)	-	7.5							e set-back: When calc	·
32	Side set-back (min. and total in me	eters)	4.5 / 9						trie	minimum set-back is 7	.5 III.
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		70								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
	Subdivision standards								No	tes - Subdivision	
40	Lot size (min. in sq. m)		8,000						Mor	e restrictive standards ma	v apply. See Chapter IV
41	Width (min. in meters)		50								
42	Depth (min. in meters)		60						OI II	e By-Law Regarding Sub	uivisiori .
43	Special conditions (for referen	nce only; see the	By-Law F	Regarding 2	Zoning)				•		
44	Natural space (%) and trees	•	Floodplaii	า				Commercia	l inte	grated projects	
45	Water withdrawal protection zone		Noise lev	el zone				Rec. and to	ırism	integrated projects	
46	Parc linéaire		Chapter >	(IV							
47	Other notes and special pro	visions								Changes to	
48									By- 202	law 683-2023, entry int 3	to force November 3,
49											
50 51											
52											
53											
54											
55											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: I-2

Industrial

		1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses		<b>'</b>	<b>'</b>						
2	See Chapter II of the By-Law Regarding Zoning: pa	rks, playgrou	ınds, natura	l areas, trail	s, bike path	s, conserva	tion activities	s, etc.		
3	Permitted major use categories							Sp	ecifically permitte	d uses
4	C4 Arterial Trade and Services	• (1)							C4-14	
5	I1 Light Industry		• (2)						I1-15	
6	3 ,		(-/					(-/	-	
7										
8										
9										
10										
11								Sn	 ecifically prohibite	nd uene
12								Op		u uses
13										
14										
15										
16										
17										
18	Provisions for main uses							N#	in use sustan	
19						1		IVIa	in use quotas	
20	Mixed use									
21	Multiple use									
22	Land use density (dw./ha)									
23	Max dwelling units/building (H4 or mixed)									
24	Permitted additional uses to Residentia	al uses	1					Ad	ditional uses (other	uses)
25	Intergenerational dwelling units			and profes				F	additional was to the Car	
26	Additional dwelling units		Home-bas	ed artistic a	and artisana	l activities			additional uses to the Cor lic or Agricultural groups,	
27	Guest houses		Hobby far					.aw Regarding Zoning .		
28	Room rental			comodatio	n of the pr	incipal		, Dy 1	aw riogarang zoning :	
29	Siting standards for main buildings		residence	туре		No	tes – Attachment a	and size		
	Attachment (detached, semi-detached, row)	D	D	1	1	110	too Attuoriment	ana 5126		
31	Front set-back (min. in meters)	7.5	7.5					Sid	e set-back: When calc	ulated from a street,
32	Side set-back (min. and total in meters)	4.5 / 9	4.5 / 9					the	minimum set-back is 7	7.5 m.
33	Rear set-back (min. in meters)	10	10							
	Land use density (max. %)		35%							
34	Footprint (min. in sq. m)	35% 70	70							
35										
36	Height in storeys (min./max.)	1/2	1/2							
	Height in meters (min./max.)	5 / 11	5/11							
	Width and depth (min. in meters)	8/6	8/6					N1.	too Cubalists!	
	Subdivision standards	0.000	0.000						tes - Subdivision	
	Lot size (min. in sq. m)	2,000	2,000						division standards for a part rviced lot, see note A. More	
41	Width (min. in meters)	25	25					appl	y. See Chapter IV of the	By-Law Regarding
42	Depth (min. in meters)	45	45	<u> </u>				subc	livisions.	
	Special conditions (for reference only; see to	_		coning)						
44	Natural space (%) and trees	Floodplai							grated projects	•
45	Water withdrawal protection zone   •	Noise lev					Rec. and to	urism	ntegrated projects	
46	Parc linéaire	Chapter 2	KIV		<u> </u>	•				
47	Other notes and special provisions								Changes to	
48	Note A: For an unserviced lot, the minimum area and the minimum depth is 60 m.	is 4,000 so	. m the mir	nimum widt	th is 50 m			By- 202	aw 684-2023, entry int 3	to force November 3,
49	Note B: Outdoor storage is prohibited.									
50										
51										
52										
53				-	-	-				
54										
55										

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: MIX-1

Mixed

	,	1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses									
2	See Chapter II of the By-Law Regarding Zoning: park	s, playgrou	nds, natural	areas, trails	s, bike path	s, conserva	ition activities	, etc.		
3	Permitted major use categories		·		<u> </u>				ecifically permitte	d uses
4	H1 Single-family residence	•	•						C12-01	
5	H2 Two-family residence	•						· /		
6	H3 Three-family residence	•								
7	H4 Multi-family residence	•								
8	C1 Retail			•						
9	C2 Personal Services			•						
10	C3 Prof. and Other Services			•						
11	C5 Rest. and Food Services				•			Sp	ecifically prohibite	ed uses
12	C6 Accommodation				• (1)			(1)	C6-02, C6-03, C6-04	
13	C7 Indoor Recreation Businesses				•					
14	C12 Specialty Trade and Services					• (2)				
15	P1 Inst. and Admin. Services					. ,	•			
16	P2 Municipal Services						•			
17	P3 Worship Services						•			
18										
19	Provisions for main uses		'			l		Ма	in use quotas	
20	Mixed use			•						
21	Multiple use			•	•	•	•			
22	Land use density (dw./ha)	Min. 4+	Min. 4+	Min. 4+						
23	Max dwelling units/building (H4 or mixed)	12		4						
24	Permitted additional uses to Residential	uses						Ad	ditional uses (other	uses)
25	Intergenerational dwelling units	•	Personal a	and profess	sional serv	ices	•			
26	Additional dwelling units	•	Home-base	ed artistic a	nd artisana	l activities	•		additional uses to the Cor	
27	Guest houses	Hobby farms							lic or Agricultural groups,	see Chapter in or the
28	Room rental	•	Tourist ac residence	comodatioi type	n of the pri	ncipal	•	Ву-ц	.aw Regarding Zoning .	
29	Siting standards for main buildings			<u> </u>				No	tes – Attachment a	and size
30	Attachment (detached, semi-detached, row)	D	S-D	D	D	D	D	Fro	nt set-back: along Rou	tes 329 and 364.
31	Front set-back (min. in meters)	4	4	4	4	4	4		Chapter V of the By-L	
32	Side set-back (min. and total in meters)	4/8	0/4	4/8	4/8	4/8	4/8	Zor	ning .	
33	Rear set-back (min. in meters)	5	5	5	5	5	5	0: 1		1.1.16
34	Land use density (max. %)	30%	30%	30%	30%	30%	30%		e set-back: When calc minimum set-back is 7	,
35	Footprint (min. in sq. m)	60	60	70	70	70	60	uic	minimum scrback is i	.0 111.
36	Height in storeys (min./max.)	1/2	1/2	1/2	1/2	1/2	1/2			
37	Height in meters (min./max.)	5 / 11	5 / 11	5 / 11	5 / 11	5 / 11	5 / 11			
38	Width and depth (min. in meters)	8/6	8/6	8/6	8/6	8/6	8/6			
39	Subdivision standards							No	tes - Subdivision	
40	Lot size (min. in sq. m)	2,000	2,000	2,000	2,000	2,000	2,000		division standards for a parti	,
41	Width (min. in meters)	25	25	25	25	25	25		erviced lot, see note A. More y. See Chapter IV of the	By-Law Regarding
42	Depth (min. in meters)	45	45	45	45	45	45	subc	livisions.	
43	Special conditions (for reference only; see the	By-Law R	Regarding Z	oning)						
44	Natural space (%) and trees	Floodplair				•			grated projects	
45	Water withdrawal protection zone	Noise leve				•	Rec. and to	urism	integrated projects	•
46	Parc linéaire •	Chapter X	(IV			•				
47	Other notes and special provisions								Changes to	_
48	Note A: For an unserviced lot, the minimum area is and the minimum depth is 60 m.	s 4,000 sq	. m the min	imum widtl	n is 50 m			By- 202	law 738-2023, entry int 3	to force November 3,
49										
50										
51										
52										
53										
54										
55										

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: MIX-2

Mixed

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard	ding Zoning : parks	s, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activities	s, etc.		
3	Permitted major use catego									ecifically permitte	d uses
4	H1 Single-family residence		•	•					(1)	C6-07	
5	H2 Two-family residence		•								
6	H3 Three-family residence		•								
7	H4 Multi-family residence		•								
8	C1 Retail				•						
9	C2 Personal Services				•						
10	C3 Prof. and Other Services				•						
11	C5 Rest. and Food Services					•			Spe	ecifically prohibite	ed uses
12	C6 Accommodation					• (1)					
13	C7 Indoor Recreation Businesses						•				
14	P1 Inst. and Admin. Services							•			
15	P2 Municipal Services							•			
16	P3 Worship Services							•			
17											
18											
19	Provisions for main uses						,	,	Mai	in use quotas	
20	Mixed use				•						
21	Multiple use				•	•	•	•			
22	Land use density (dw./ha)		Min. 4+	Min. 4+	Min. 4+						
23	Max dwelling units/building (H4 or	mixed)	12		4						
24	Permitted additional uses to	Residential	uses						Add	ditional uses (other	uses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•			
26	Additional dwelling units		•	Home-bas	ed artistic a	nd artisana	•		additional uses to the Cor ic or Agricultural groups,		
27	Guest houses		Hobby farms								see Chapter III of the
28	Room rental		•	Tourist ac residence	comodatio type	n of the pr	incipal		By-L	aw Regarding Zoning .	
29	Siting standards for main b	uildings						,	Not	tes – Attachment	and size
30	Attachment (detached, semi-detac	hed, row)	D	S-D	D	D	D	D	Fror	nt set-back: along Rou	ites 329 and 364,
31	Front set-back (min. in meters)		4	4	4	4	4	4		Chapter V of the By-L	
32	Side set-back (min. and total in me	eters)	4/8	0/4	4/8	4/8	4/8	4/8	Zon	ing .	
33	Rear set-back (min. in meters)		5	5	5	5	5	5	0:-1		
34	Land use density (max. %)		30%	30%	30%	30%	30%	30%		e set-back: When calc minimum set-back is 7	,
35	Footprint (min. in sq. m)		60	60	70	70	70	60	u ic i	minimum set-back is	.0 111.
36	Height in storeys (min./max.)		1/2	1/2	1/2	1/2	1/2	1/2			
37	Height in meters (min./max.)		5 / 11	5 / 11	5 / 11	5 / 11	5 / 11	5 / 11			
38	Width and depth (min. in meters)		8/6	8/6	8/6	8/6	8/6	8/6			
39	Subdivision standards								Not	tes – Subdivision	
40	Lot size (min. in sq. m)		2,000	2,000	2,000	2,000	2,000	2,000		livision standards for a part	
41	Width (min. in meters)		25	25	25	25	25	25		rviced lot, see note A. More  v. See Chapter IV of the	restrictive standards may By-Law Regarding
42	Depth (min. in meters)		45	45	45	45	45	45		ivisions.	, ,
		41	By-Law R	Regarding Z	Zoning)						
43	Special conditions (for referen	ice only; see the						Commorci	al inted	grated projects	
43	Special conditions (for referent Natural space (%) and trees	•	Floodplair	1			•	Commercia		gratea projecto	
	• `	•	Floodplair Noise leve				•			ntegrated projects	•
44	Natural space (%) and trees	•		el zone			•				•
44 45	Natural space (%) and trees Water withdrawal protection zone	•	Noise leve	el zone							
44 45 46	Natural space (%) and trees Water withdrawal protection zone Parc linéaire Other notes and special pro Note A: For an unserviced lot, the	• • visions	Noise leve	el zone (IV	nimum widt				By-I	Changes to aw 85-2023, entry into	the grid
44 45 46 47 48	Natural space (%) and trees Water withdrawal protection zone Parc linéaire Other notes and special pro	• • visions	Noise leve	el zone (IV	imum widt				urism i	Changes to aw 85-2023, entry into	the grid
44 45 46 47 48 49	Natural space (%) and trees Water withdrawal protection zone Parc linéaire Other notes and special pro Note A: For an unserviced lot, the	• • visions	Noise leve	el zone (IV	imum widt				By-I	Changes to aw 85-2023, entry into	the grid
44 45 46 47 48 49 50	Natural space (%) and trees Water withdrawal protection zone Parc linéaire Other notes and special pro Note A: For an unserviced lot, the	• • visions	Noise leve	el zone (IV	ilmum widt				By-I	Changes to aw 85-2023, entry into	the grid
44 45 46 47 48 49 50 51	Natural space (%) and trees Water withdrawal protection zone Parc linéaire Other notes and special pro Note A: For an unserviced lot, the	• • visions	Noise leve	el zone (IV	imum widt				By-I	Changes to aw 85-2023, entry into	the grid
44 45 46 47 48 49 50 51 52	Natural space (%) and trees Water withdrawal protection zone Parc linéaire Other notes and special pro Note A: For an unserviced lot, the	• • visions	Noise leve	el zone (IV	imum widt				By-I	Changes to aw 85-2023, entry into	the grid
44 45 46 47 48 49 50 51	Natural space (%) and trees Water withdrawal protection zone Parc linéaire Other notes and special pro Note A: For an unserviced lot, the	• • visions	Noise leve	el zone (IV	imum widt				By-I	Changes to aw 85-2023, entry into	the grid

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: MIX-3

Mixed

	3	1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses	•	_	•	•		•			5.1561.1 61.1
2	See Chapter II of the By-Law Regarding Zoning: park	s. plavgrou	nds. natural	areas, trails	s, bike path	s. conserva	ition activities	. etc.		
3	Permitted major use categories	, p, g			, ,	,			ecifically permitted	duses
4	H1 Single-family residence	•							C6-07	
5	H2 Two-family residence	•						(2)	C10-01	
6	H3 Three-family residence	•						` '	C12-01	
7	H4 Multi-family residence	•						(3)	012-01	
8	C1 Retail	•		•						
9	C2 Personal Services			•						
10	C3 Prof. and Other Services									
11	C5 Rest. and Food Services			•				e n	ecifically prohibite	d uses
12	C6 Accommodation				• (1)			Sþ		u uses
	C7 Indoor Recreation Businesses				• (1)					
13	C10 Vehicle Trade and Services				•	. (0)		-		
14						• (2)				
15	C12 Specialty Trade and Services					• (3)				
16	P1 Inst. and Admin. Services						•			
	P2 Municipal Services						•			
	P3 Worship Services						•			
19	Provisions for main uses	ı	ı			ı		Ма	in use quotas	
20	Mixed use			•						
21	Multiple use			•	•	•	•			
22	Land use density (dw./ha)	Min. 4+	Min. 4+	Min. 4+						
23	Max dwelling units/building (H4 or mixed)	12		4						
24	Permitted additional uses to Residential	uses	1					Ad	ditional uses (other	uses)
25	Intergenerational dwelling units	•	Personal a	and profess	sional serv	ices	•		- 4-1141 1 4 - 41 - 0	anna mai al I lea de cadeiral
26	Additional dwelling units	•	Home-base	ed artistic a	nd artisana	l activities	•		additional uses to the Cor lic or Agricultural groups,	
27	Guest houses		Hobby far						_aw Regarding Zoning .	
28	Room rental	•	Tourist ac residence	comodatio	n of the pri	ncipal		Dy-i	Law Regarding Loning .	
29	Siting standards for main buildings		residence	туре				No	tes – Attachment a	and size
30	Attachment (detached, semi-detached, row)	D	S-D	D	D	D	D			
31	Front set-back (min. in meters)	7.5	4	7.5	7.5	7.5	7.5		nt set-back: along Rou Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in meters)	3/6	0/4	3/6	3/6	3/6	3/6		ning.	aw regarding
33	Rear set-back (min. in meters)	10	5	10	10	10	10			
34	Land use density (max. %)	30%	30%	30%	30%	30%	30%	Sid	e set-back: When calc	ulated from a street,
35	Footprint (min. in sq. m)	60	60	70	70	70	60	the	minimum set-back is 7	'.5 m.
	Height in storeys (min./max.)	1/2	1/2	1/2	1/2	1/2	1/2	-		
36								-		
37	Height in meters (min./max.)	5 / 11	5/11	5/11	5 / 11	5/11	5 / 11			
38	Width and depth (min. in meters)	8/6	8/6	8/6	8/6	8/6	8/6	NI -	too Cubalisiolos	
39	Subdivision standards	0.000	0.000	0.000	0.000	0.000	0.000		tes - Subdivision	
40	Lot size (min. in sq. m)	2,000	2,000	2,000	2,000	2,000	2,000		division standards for a parti erviced lot, see note A. More	
41	Width (min. in meters)	25	25	25	25	25	25		y. See Chapter IV of the By	-Law Regarding
42	Depth (min. in meters)	45	45	45	45	45	45	SUDO	divisions.	
	Special conditions (for reference only; see the			oning)			lo .			
44	Natural space (%) and trees	Floodplair				•			grated projects	•
45	Water withdrawal protection zone	Noise leve				•	Rec. and to	urism	integrated projects	
46	Parc linéaire	Chapter X	av			•				
47	Other notes and special provisions								Changes to	_
48	Note A: For an unserviced lot, the minimum area is and the minimum depth is 60 m.	s 4,000 sq	. m the min	imum widtl	n is 50 m			By- 202	law 686-2023, entry int	o force November 3,
40	and the minimum depth is 60 m.							202		
49										
50										
51										
52										
53										
54										
55								1		

Schedule B to By-Law 642-2022 Regarding Zoning **Municipality of Morin-Heights** 

**ZONE: REC-1** Recreational

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regarding 2		, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activities			
3	Permitted major use categories	1							Sp	ecifically permitte	d uses
4	C6 Accommodation		• (1)						(3)	C12-12	
5	C8 Outdoor Recreation Businesses		• (2)								
6	C12 Specialty Trade and Services			• (3)							
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12									(1)	C6-06, C6-07	
13									(2)	C8-02	
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use										
21	Multiple use		•								
22	Land use density (dw./ha)										
23	Max dwelling units/building (H4 or mixe	ed)									
24	Permitted additional uses to Re		IISAS						Δd	ditional uses (other	ueoe)
25	Intergenerational dwelling units	Sideritian	u303	Personal	and profes	sional sen	vices		Au	artional ases (other	usesj
26	Additional dwelling units				ed artistic a				For	additional uses to the Cor	mmercial, Industrial,
	Guest houses					na artisane	ii activitics		Pub	ic or Agricultural groups,	see Chapter III of the
27			Hobby farms  Tourist accomodation of the principal							aw Regarding Zoning .	
28	Room rental			residence		о. ш.о р.					
29	Siting standards for main build	ings							Notes – Attachment and size		
30	Attachment (detached, semi-detached,	row)	D	D					Fro	nt set-back: along Rou	ites 329 and 364.
31	Front set-back (min. in meters)		7.5	7.5						Chapter V of the By-L	
32	Side set-back (min. and total in meters)	)	4.5 / 9	4.5 / 9					Zon	ing .	
33	Rear set-back (min. in meters)		10	10							
34	Land use density (max. %)		10%	10%						e set-back: When calc	,
35	Footprint (min. in sq. m)		70	70					ine	minimum set-back is 7	7.5 III.
36	Height in storeys (min./max.)		1/2	1/2							
37	Height in meters (min./max.)		5 / 11	5 / 11							
38	Width and depth (min. in meters)		8/6	8/6							
39	Subdivision standards				1				No	tes - Subdivision	
40	Lot size (min. in sq. m)		20,000	20,000							v anniu C - Ct
41	Width (min. in meters)		50	50						e restrictive standards ma	
42	Depth (min. in meters)		60	60					of th	e By-Law Regarding Sub	division .
43	Special conditions (for reference of	only: see the			Zonina )						
44	Natural space (%) and trees		Floodplair		g )			Commercia	al inte	grated projects	
45	Water withdrawal protection zone		Noise leve				•			ntegrated projects	•
46	Parc linéaire		Chapter X				•	r too. and to		og.atoa projecto	
47	Other notes and special provisi		o napto.	•						Changes to	the arid
	Co. Hotos and opecial provisi								Bv-	aw 687-2023, entry int	
48									202		
49											
50											
51											
52											
53											
54	<u> </u>										
55	<u> </u>										

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: REC-2

Recreational

	3	1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses									
2	See Chapter II of the By-Law Regarding Zoning: parl	ks, playgrou	nds, natural	l areas, trails	s, bike path	s, conserva	tion activities	, etc.		
3	Permitted major use categories							Sp	ecifically permitte	d uses
4	C7 Indoor Recreation Businesses	• (1)						_	C12-12	
5	C8 Outdoor Recreation Businesses	• (2)						, ,		
6	C12 Specialty Trade and Services	. ,	• (3)							
7	P1 Inst. and Admin. Services		,	•						
8	P2 Municipal Services			•						
9										
10										
11								Sp	ecifically prohibite	ed uses
12								_	C7-02, C7-04, C7-05	
13									C8-02, C8-03	
14								(-)	, , , , , , , , , , , , , , , , , , , ,	
15										
16										
17										
18								-		
19	Provisions for main uses							Ma	in use quotas	
20	Mixed use							10.0	doo quotao	
21	Multiple use	•	•	•						
22	Land use density (dw./ha)									
23	Max dwelling units/building (H4 or mixed)									
24	Permitted additional uses to Residential	uses						Ad	ditional uses (other	uses)
25	Intergenerational dwelling units		Personal a	and profess	sional serv	rices		2 10		2000)
26	Additional dwelling units			ed artistic a					additional uses to the Cor	
27	Guest houses		Hobby far	ms				Publ	ic or Agricultural groups,	see Chapter III of the
			,	comodatio	n of the pr	incipal		By-L	aw Regarding Zoning .	
28	Room rental		residence	type						
	Siting standards for main buildings		T	1		T		No	tes – Attachment a	and size
	Attachment (detached, semi-detached, row)	D	D	D					nt set-back: along Rou	
31	Front set-back (min. in meters)	7.5	7.5	7.5					Chapter V of the By-L	aw Regarding
32	Side set-back (min. and total in meters)	4.5 / 9	4.5 / 9	4.5 / 9				Zon	ing .	
33	Rear set-back (min. in meters)	10	10	10				Side	e set-back: When calc	ulated from a street
34	Land use density (max. %)	10%	10%	10%					minimum set-back is 7	· ·
35	Footprint (min. in sq. m)	70	70	60						
36	Height in storeys (min./max.)	1/2	1/2	1/2						
37	Height in meters (min./max.)	5/11	5/11	5/11						
38	Width and depth (min. in meters)	8/6	8/6	8/6						
39	Subdivision standards			, ,		,		No	tes - Subdivision	
40	Lot size (min. in sq. m)	16,000	16,000	16,000				More	e restrictive standards ma	y apply. See Chapter IV
41	Width (min. in meters)	50	50	50				of th	e By-Law Regarding Sub	division .
	Depth (min. in meters)	60	60	60						
43	Special conditions (for reference only; see th			Zoning)						
44	Natural space (%) and trees	Floodplair							grated projects	
45	Water withdrawal protection zone	Noise leve					Rec. and to	urism i	ntegrated projects	
46	Parc linéaire	Chapter X	(IV			•				
47	Other notes and special provisions								Changes to	_
48								By-I 202	aw 688-2023, entry int 3	to force November 3,
49									<u>-                                      </u>	
50										
51										
52										
53										
54										
55										

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

**ZONE: REC-3** 

Recreational

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regar	ding Zoning : park	s, playgrou	nds, natura	l areas, trail	s, bike path	s, conservat	ion activities	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	C7 Indoor Recreation Businesses		•							C8-01	
5	C8 Outdoor Recreation Businesse	s	• (1)								
6	P1 Inst. and Admin. Services		( )	•							
7	P2 Municipal Services			•							
8	P4 Public Utilities			•							
9	-										
10											
11									Sn	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ma	in use quotas	
20	Mixed use				1				IVIC	iii use quotas	
	Multiple use		_	_							
21	Land use density (dw./ha)		•	•					-		
22		maissa d\									
23	Max dwelling units/building (H4 or								۸ ۵	ditional wass (	,
24	Permitted additional uses to	o Residentiai	uses	Dersenel	and nuclea	nianal aam	daaa		Ad	ditional uses (other	'uses)
25	Intergenerational dwelling units				and profes				For	additional uses to the Cor	mmercial Industrial
	Additional dwelling units				sed artistic a	no arusana	ii aciivilies			lic or Agricultural groups,	
27	Guest houses			Hobby fai	rms ccomodatio	n of the pr	incinal		Ву-	aw Regarding Zoning .	
28	Room rental			residence		n or the pr	псіраі				
29	Siting standards for main b	uildings		1	-71				Notes - Attachment and size		
	Attachment (detached, semi-detac		D	D					Fro	nt set-back: along Roເ	ites 329 and 364
31	Front set-back (min. in meters)		7.5	7.5						Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in me	eters)	4.5 / 9	4.5 / 9					Zor	ning .	
33	Rear set-back (min. in meters)		10	10							
34	Land use density (max. %)		10%	10%						e set-back: When calc	
35	Footprint (min. in sq. m)		70	60					the	minimum set-back is 7	7.5 m.
36	Height in storeys (min./max.)		1/2	1/2							
	Height in meters (min./max.)		5 / 11	5/11							
	Width and depth (min. in meters)		8/6	8/6							
	Subdivision standards		3.0	1	<u> </u>				No	tes - Subdivision	
	Lot size (min. in sq. m)		16,000	16,000							
41	Width (min. in meters)		50	50					Mor	e restrictive standards ma	y apply. See Chapter IV
42	Depth (min. in meters)		60	60					of th	e By-Law Regarding Sub	division .
	Special conditions (for refere	nce only: see the		<u> </u>	Zonina )						
44	Natural space (%) and trees	•	Floodplair		_oning )		•	Commercia	l inte	grated projects	
45	Water withdrawal protection zone		Noise lev							integrated projects	
46	Parc linéaire	•	Chapter >				•	. 100. and 101		ogratou projecto	
47	Other notes and special pro		Onaptor 7							Changes to	the arid
71	Other notes and special pro	741310113							By-	law 689-2023, entry in	
48									202	•	to lorde November 0,
49											
50											
51									<u> </u>		
52									$\vdash$		
53									-		
54									-		
55									-		
55									L		

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

**ZONE: REC-4** Recreational

			1	2	3	4	5	6			Sheet 1 of 1	
1	Generally permitted uses											
2	See Chapter II of the By-Law Regar	ding Zoning : park	s, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activities	, etc.			
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses	
4	C8 Outdoor Recreation Businesse	s	• (1)						(1)	C8-02		
5												
6												
7												
8												
9												
10												
11									Sn	ecifically prohibite	ed uses	
12									Op		54 45C5	
13												
14												
15												
16												
17												
18												
19	Provisions for main uses		1				ı		Ма	in use quotas		
20	Mixed use											
21	Multiple use											
22	Land use density (dw./ha)											
23	Max dwelling units/building (H4 or											
24	Permitted additional uses to	o Residential	uses						Ad	ditional uses (other	r uses)	
25	Intergenerational dwelling units			Personal	and profes	sional serv	rices					
26	Additional dwelling units			Home-bas	ed artistic a	and artisana	l activities			additional uses to the Co		
27	Guest houses		Hobby farms							Public or Agricultural groups, see Chapter III of the		
28	Room rental				comodatio	n of the pr	incipal		By-Law Regarding Zoning .			
				residence	type				Nata Attacherant and also			
29	Siting standards for main b				<u> </u>				Notes – Attachment and size			
30	Attachment (detached, semi-detached)	ched, row)	D							nt set-back: along Rou		
31	Front set-back (min. in meters)		7.5							Chapter V of the By-Ling.	Law Regarding	
32	Side set-back (min. and total in me	eters)	4.5 / 9						201	ilig.		
33	Rear set-back (min. in meters)		10						Sid	e set-back: When calc	culated from a street.	
34	Land use density (max. %)		10%							minimum set-back is	· 1	
35	Footprint (min. in sq. m)		70									
	Height in storeys (min./max.)		1/2									
	Height in meters (min./max.)		5 / 11									
38	Width and depth (min. in meters)		8/6									
39	Subdivision standards								No	tes – Subdivision		
40	Lot size (min. in sq. m)		16,000						Mor	e restrictive standards ma	ay apply. See Chapter IV	
41	Width (min. in meters)		50							e By-Law Regarding Sub		
42	Depth (min. in meters)		60						OI ti	e by-Law Negarding Sub	idivision .	
43	Special conditions (for refere	nce only; see the	By-Law R	egarding 2	Zoning)	•						
44	Natural space (%) and trees	•	Floodplair	ı				Commercia	al inte	grated projects		
45	Water withdrawal protection zone	•	Noise leve	el zone			•	Rec. and to	urism	ntegrated projects		
46	Parc linéaire		Chapter X	(IV			•					
47	Other notes and special pro	visions				1				Changes to	the grid	
									Ву-	aw 690-2023, entry in		
48									202	3		
49									L			
50				-	-	-						
51												
52												
53												
54												
55												

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

**ZONE: REC-5** 

Recreational

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses			,							
2	See Chapter II of the By-Law Regar	ding Zoning : park	s, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activities	, etc.		
3	Permitted major use catego									ecifically permitte	d uses
4	C8 Outdoor Recreation Businesse	es	• (1)								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12									_	C8-02, C8-03	
13									<u> </u>		
14											
15											
16											
17											
18											
19	Provisions for main uses			<u> </u>	1				Ma	in use quotas	
20	Mixed use									4	
21	Multiple use										
22	Land use density (dw./ha)										
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to		HEAS						Δd	ditional uses (other	uene)
	Intergenerational dwelling units	o Residentiai	u303	Personal	and profes	sional serv	rices		Au	artional ases (other	usesj
	Additional dwelling units				ed artistic a				For	additional uses to the Cor	mmercial, Industrial,
27	Guest houses					ina artioane		Pub	lic or Agricultural groups,	see Chapter III of the	
			Hobby farms Tourist accommodation of the principal							aw Regarding Zoning .	
28	Room rental			residence		'	'				
29	Siting standards for main b	uildings						No	tes – Attachment a	and size	
30	Attachment (detached, semi-detac	ched, row)	D						C:4	a aat baak Whan aala	ulated from a street
31	Front set-back (min. in meters)		7.5							e set-back: When calc minimum set-back is 7	·
32	Side set-back (min. and total in me	eters)	4.5 / 9								
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		70								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards								No	tes – Subdivision	
40	Lot size (min. in sq. m)		16,000						Mor	e restrictive standards ma	y apply. See Chapter IV
41	Width (min. in meters)		50							ie By-Law Regarding Sub	
42	Depth (min. in meters)		60						OI (I		uiviolUII •
43	Special conditions (for refere	nce only; see the	eBy-Law R	Regarding 2	Zoning)						
44	Natural space (%) and trees	•	Floodplair	ı				Commercia	al inte	grated projects	
45	Water withdrawal protection zone		Noise lev	el zone				Rec. and to	urism	integrated projects	
46	Parc linéaire		Chapter >	(IV			•				
47	Other notes and special pro	ovisions								Changes to	the grid
48									By- 202	law 691-2023, entry int 3	to force November 3,
49											
50											
51											
52											
53											
54											
55											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: RF-1

Residential and Forestry

		1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses									
2	See Chapter II of the By-Law Regarding Zoning:	parks, playgrou	nds, natural	l areas, trails	s, bike path	s, conservat	ion activities	, etc.		
	Permitted major use categories								ecifically permitte	d uses
4	H1 Single-family residence	•						(1)	C8-01, C8-06	
5	C8 Outdoor Recreation Businesses		• (1)					(2)	A2-01, A2-02	
6	A1 Cultivation and Maple Sugaring			•						
7	A2 Animal Husbandry			• (2)						
8										
9										
10										
11								Sp	ecifically prohibite	ed uses
12										
13										
14										
15										
16										
17										
18										
19	Provisions for main uses	<b>-</b>				l.		Ма	in use quotas	
20	Mixed use									
21	Multiple use									
22	Land use density (dw./ha)	max. 3								
23	Max dwelling units/building (H4 or mixed)									
24	Permitted additional uses to Residen	tial uses						Ad	ditional uses (other	uses)
25	Intergenerational dwelling units	•	Personal a	and profess	sional serv	ices	•			
26	Additional dwelling units	•	Home-bas	ed artistic a	nd artisana	l activities	•		additional uses to the Co	
27	Guest houses	•	Hobby far				•		ic or Agricultural groups,	see Chapter III of the
28	Room rental	•	Tourist ac residence	comodation	n of the pr	ncipal		By-L	aw Regarding Zoning .	
29	Siting standards for main buildings			.,,,,				No	tes - Attachment	and size
	Attachment (detached, semi-detached, row)	D	D	D						
31	Front set-back (min. in meters)	7.5	7.5	7.5					e set-back: When calc	,
32	Side set-back (min. and total in meters)	4.5 / 9	4.5 / 9	4.5 / 9				trie	minimum set-back is T	7.5 III.
33	Rear set-back (min. in meters)	10	10	10						
34	Land use density (max. %)	10%	10%	10%						
35	Footprint (min. in sq. m)	60	70	50						
	Height in storeys (min./max.)	1/2	1/2	1/2						
	Height in meters (min./max.)	5 / 11	5 / 11	5 / 11						
38	Width and depth (min. in meters)	8/6	8/6	8/6						
39	Subdivision standards					<u> </u>		No	tes - Subdivision	
	Lot size (min. in sq. m)	16,000	16,000	16,000					e restrictive standards ma	ny apply Saa Charter IV
41	Width (min. in meters)	50	50	50						
42	Depth (min. in meters)	60	60	60				of th	e By-Law Regarding Sub	division .
43	Special conditions (for reference only; se	e the <i>By-Law R</i>	egarding Z	Zoning)						
	Natural space (%) and trees	Floodplain					Commercia	ıl inte	grated projects	
45	Water withdrawal protection zone	Noise leve	el zone				Rec. and to	urism i	ntegrated projects	
	Parc linéaire	Chapter X	IV			•			-	
47	Other notes and special provisions	-							Changes to	the grid
48	· ·								aw 692-2023, entry in	
49								202	3	
50										
51										
52										
53										
54										
55								-		

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: RF-2

	3	1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses	•	_	-	•		J			0.1361 1 61 1
2	See Chapter II of the By-Law Regarding Zoning : park	s. plavgrou	nds. natural	areas, trails	s, bike path	s. conserva	ition activities	s. etc.		
3	Permitted major use categories	-,   ,8			, ,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			cifically permitte	d uses
4	H1 Single-family residence	•							C8-01	G. 0.000
5	C8 Outdoor Recreation Businesses		• (1)						A1-03	
6	A1 Cultivation and Maple Sugaring		• (1)	• (2)				(2)	11 00	
7	711 Cultivation and Maple Cagaining			• (2)						
8										
9										
10										
11								Sne	cifically prohibite	ad usas
12								Орс	omouny promone	,u uses
13										
14										
15										
16										
17	1									
18										
19	Provisions for main uses							Mai	n use quotas	
20	Mixed use									
21	Multiple use									
22	Land use density (dw./ha)	max. 3								
23	Max dwelling units/building (H4 or mixed)									
24	Permitted additional uses to Residential	uses						Add	itional uses (other	uses)
25	Intergenerational dwelling units	•	Personal a	and profess	sional serv	ices	•		·	-
26	Additional dwelling units	•	Home-base	ed artistic a	nd artisana	l activities	•		dditional uses to the Cor	
27	Guest houses	•	Hobby far	ms			•		c or Agricultural groups,	see Chapter III of the
28	Room rental	•	Tourist ac residence	comodatio	n of the pr	ncipal		By-La	w Regarding Zoning .	
29	Siting standards for main buildings		rocidorioo	1,700				Not	es – Attachment a	and size
30	Attachment (detached, semi-detached, row)	D	D	D				Fron	t set-back: along Rou	ites 329 and 364
31	Front set-back (min. in meters)	7.5	7.5	7.5					Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in meters)	4.5 / 9	4.5 / 9	4.5 / 9				Zoni	ng .	
33	Rear set-back (min. in meters)	10	10	10						
34	Land use density (max. %)	10%	10%	10%					set-back: When calc	
35	Footprint (min. in sq. m)	60	60	50				the r	minimum set-back is i	7.5 III.
36	Height in storeys (min./max.)	1/2	1/2	1/2						
37	Height in meters (min./max.)	5 / 11	5 / 11	5 / 11						
38	Width and depth (min. in meters)	8/6	8/6	8/6						
39	Subdivision standards							Not	es - Subdivision	
40	Lot size (min. in sq. m)	16,000	16,000	16,000				More	restrictive standards ma	y apply. See Chapter IV
41	Width (min. in meters)	50	50	50					By-Law Regarding Sub	
42	Depth (min. in meters)	60	60	60				or the	by-Law Regarding Sub	uivision .
43	Special conditions (for reference only; see the	By-Law R	egarding Z	oning)						
44	Natural space (%) and trees	Floodplair	า				Commercia	al integ	rated projects	
45	Water withdrawal protection zone	Noise leve	el zone				Rec. and to	urism ir	tegrated projects	
46	Parc linéaire	Chapter X	(IV			•				
47	Other notes and special provisions								Changes to	
48								By-la 2023		to force November 3,
49										
50										
51										
52										
53		·			·	·				
54		·			·	·				
55										

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: RF-3

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard	dina Zonina · narks	s nlavgrou	nds natura	l areas trail	s hike nath	s conserva	tion activitie	s etc.		
3	Permitted major use catego		s, p.u,g. ou	mas, matara		s, and path	3, 001.501.74			ecifically permitte	d uses
4	H1 Single-family residence		•						•	<b>,</b>	
5	<u> </u>										
6											
7											
8											
9											
10											
11									Sn	 ecifically prohibite	אל וופפפ
12									Op		,u uses
13											
14											
15											
16											
17											
18											
18	Provisions for main uses								Ma	in use quotas	
20	Mixed use								ivia	iii use quotas	
	Multiple use										
21			0								
	Land use density (dw./ha)	i	max. 3								
23	Max dwelling units/building (H4 or								A -1	-1141 1	
24	Permitted additional uses to	Residentiai		ь .				1	Ad	ditional uses (other	uses)
25	Intergenerational dwelling units		•			sional serv		•	For	additional uses to the Cor	mmercial Industrial
26	Additional dwelling units		•			ınd artisana	l activities	•		ic or Agricultural groups,	
27	Guest houses		•	Hobby far		n of the pri	incinal	•	By-L	aw Regarding Zoning .	
28	Room rental		•	residence		n or the ph	псіраі				
29	Siting standards for main b	uildings		1	-71-				No	tes – Attachment a	and size
30	Attachment (detached, semi-detac		D						Fro	nt set-back: along Rou	ites 329 and 364
31	Front set-back (min. in meters)		7.5							Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in me	eters)	4.5 / 9						Zon	ing .	
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%							e set-back: When calc	
35	Footprint (min. in sq. m)		60						tne	minimum set-back is 7	7.5 m.
36	Height in storeys (min./max.)		1/2								
	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
	Subdivision standards			1	1				No	tes - Subdivision	
	Lot size (min. in sq. m)		16,000								wonnly Coo Charter "
41	Width (min. in meters)		50							e restrictive standards ma	
	Depth (min. in meters)		60						of th	e By-Law Regarding Sub	division .
	Special conditions (for referen	nce only; see the	By-Law R	egarding Z	Zoning )						
	Natural space (%) and trees	-	Floodplair					Commerci	al inte	grated projects	
45	Water withdrawal protection zone		Noise leve							ntegrated projects	
46	Parc linéaire		Chapter X	(IV							
47	Other notes and special pro	visions				·				Changes to	the grid
48									By-I	aw 694-2023, entry in	
49											
50											
51											
52											
53									-		
54											
55									-		

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: RF-4

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses					1					
2	See Chapter II of the By-Law Regards	ing Zoning : park	s, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activities	s, etc.		
3	Permitted major use categor									ecifically permitte	d uses
4	H1 Single-family residence		•							<b>,</b>	
5	3										
6											
7											
8											
9											
10											
11									Sn	 ecifically prohibite	ad usas
12									Op		u uses
13											
14											
15											
16											
17											
18									-		
18	Provisions for main uses								Ma	in use quotas	
20	Mixed use								ivia	iii use quotas	
	Multiple use										
21			0						-		
	Land use density (dw./ha)	-:	max. 3								
23	Max dwelling units/building (H4 or m								Α -1	-1141 1	
24	Permitted additional uses to	Residentiai		D .					Ad	ditional uses (other	uses)
25	Intergenerational dwelling units		•		and profes			•	For	additional uses to the Cor	mmercial Industrial
26	Additional dwelling units		•	1	ed artistic a	and artisana	l activities	•		ic or Agricultural groups,	
27	Guest houses		•	Hobby far	ms comodatio	n of the pr	noinal	•	By-L	aw Regarding Zoning .	
28	Room rental		•	residence		iii oi tile pi	псіраі				
29	Siting standards for main bu	ildings		•	,,			<u>'</u>	No	tes – Attachment a	and size
30	Attachment (detached, semi-detach	ed, row)	D								
31	Front set-back (min. in meters)		7.5							e set-back: When calc minimum set-back is 7	· ·
32	Side set-back (min. and total in met	ers)	4.5 / 9						uie	IIIIIIIIIIIIIIII SEL-DACK IS I	.5 111.
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards							,	No	tes - Subdivision	
40	Lot size (min. in sq. m)		16,000						Mor	e restrictive standards ma	y apply See Chapter IV
41	Width (min. in meters)		50								
42	Depth (min. in meters)		60						of th	e By-Law Regarding Sub	aivision .
	Special conditions (for reference	ce only; see the	eBy-Law R	Regarding Z	Zoning )						
	Natural space (%) and trees		Floodplair					Commerci	al integ	grated projects	
45	Water withdrawal protection zone		Noise leve	el zone				Rec. and to	urism i	ntegrated projects	
46	Parc linéaire	•	Chapter X	(IV							
47	Other notes and special prov	/isions								Changes to	the grid
48									By-I	aw 695-2023, entry int	
49											
50											
51											
52											
53											
54											
55									-		

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: RF-5

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard		ks, playgrou	nds, natura	l areas, trail	s, bike path	s, conservat	tion activities	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses					1	1	-	Ма	in use quotas	
20	Mixed use										
	Multiple use										
	Land use density (dw./ha)		max. 3								
	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to		uses						Ad	ditional uses (othe	r uses)
	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•	- 10		. 4000)
26	Additional dwelling units		•		ed artistic a			•	For	additional uses to the Co	mmercial, Industrial,
27	Guest houses		•	Hobby far				•	Pub	ic or Agricultural groups,	see Chapter III of the
					comodatio	n of the pr	incipal	-	By-L	aw Regarding Zoning .	
28	Room rental		•	residence							
29	Siting standards for main b	uildings							No	tes – Attachment	and size
30	Attachment (detached, semi-detac	ched, row)	D							nt set-back: along Rou	
31	Front set-back (min. in meters)		7.5							Chapter V of the By-I	Law Regarding
32	Side set-back (min. and total in me	eters)	4.5 / 9						Zor	ing .	
33	Rear set-back (min. in meters)		10						Sid	e set-back: When cald	culated from a street
34	Land use density (max. %)		10%							minimum set-back is	, i
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards								No	tes – Subdivision	
40	Lot size (min. in sq. m)		16,000						Mor	e restrictive standards ma	ay apply. See Chapter IV
41	Width (min. in meters)		50						of th	e By-Law Regarding Sub	ndivision
42	Depth (min. in meters)		60						0	o by Law riogaramy can	
43	Special conditions (for referen	nce only; see the	e <i>By-Law R</i>	Regarding 2	Zoning)						
44	Natural space (%) and trees	•	Floodplair	1				Commercia	al inte	grated projects	
45	Water withdrawal protection zone		Noise leve	el zone			•	Rec. and to	urism	ntegrated projects	
46	Parc linéaire	•	Chapter X	(IV			•				
47	Other notes and special pro	visions								Changes to	the grid
48									By- 202	aw 696-2023, entry in 3	to force November 3,
49											
50											
51											
52											
53											
54											
55											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

**ZONE: RF-6** 

	3	1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses									
2	See Chapter II of the By-Law Regarding Zoning: pa	rks, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	ation activities	s, etc.		
3	Permitted major use categories				<u> </u>	<u> </u>			ecifically permitte	d uses
4	H1 Single-family residence	•								
5										
6										
7										
8										
9										
10										
11								Spe	ecifically prohibite	ed uses
12										
13										
14										
15										
16										
17										
18										
19	Provisions for main uses							Ma	in use quotas	
20	Mixed use									
21	Multiple use									
22	Land use density (dw./ha)	max. 3								
23	Max dwelling units/building (H4 or mixed)									
24	Permitted additional uses to Residentia	l uses						Add	ditional uses (other	uses)
25	Intergenerational dwelling units	•		and profes			•	Ford	additional uses to the Co	mmoroial Industrial
26	Additional dwelling units	•		ed artistic a	ınd artisana	l activities	•		ic or Agricultural groups,	
27	Guest houses	•	Hobby far				•		aw Regarding Zoning .	
28	Room rental	•	residence	comodatio	n of the pr	ncipai				
29	Siting standards for main buildings			.,,,,,				Not	es – Attachment	and size
30	Attachment (detached, semi-detached, row)	D						Fron	nt set-back: along Rou	ites 329 and 364
31	Front set-back (min. in meters)	7.5							Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in meters)	4.5/9						Zon	ing .	
33	Rear set-back (min. in meters)	10						0.1		
34	Land use density (max. %)	10%							e set-back: When calc minimum set-back is 7	
35	Footprint (min. in sq. m)	60						uic	minimum set-back is	.5 III.
36	Height in storeys (min./max.)	1/2								
37	Height in meters (min./max.)	5 / 11								
38	Width and depth (min. in meters)	8/6								
39	Subdivision standards							Not	es – Subdivision	
40	Lot size (min. in sq. m)	16,000						More	restrictive standards ma	y apply. See Chapter IV
41	Width (min. in meters)	50						of the	e By-Law Regarding Sub	division .
	Depth (min. in meters)	60								
43	Special conditions (for reference only; see the			Zoning)	T					
44	Natural space (%) and trees	Floodplai						`	rated projects	
45	Water withdrawal protection zone	Noise lev				•	Rec. and to	urism i	ntegrated projects	
46	Parc linéaire •	Chapter >	UV			•			61	41!
47	Other notes and special provisions								Changes to	
48								By-I 202	aw 697-2023, entry in 3	to force November 3,
49								202	-	
50								-		
51								-		
52										
53										
54										
55										

Schedule B to By-Law 642-2022 Regarding Zoning

**Municipality of Morin-Heights** 

ZONE: RF-7

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses							l			
2	See Chapter II of the By-Law Regard	ding Zoning : park	ks, playgrou	nds, natura	l areas, trail	s, bike path	s, conservat	ion activities	, etc.		
3	Permitted major use catego	ries							Spe	ecifically permitte	d uses
4	H1 Single-family residence		•						(1)		
5											
6											
7											
8											
9											
10											
11									Spe	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses		1		1	1	I		Ma	in use quotas	
20	Mixed use									•	
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to	Residential	uses						Add	ditional uses (other	ruses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	ices	•			
26	Additional dwelling units		•	Home-bas	ed artistic a	ınd artisana	l activities	•		additional uses to the Co	
27	Guest houses		•	Hobby far	ms			•		ic or Agricultural groups,	see Chapter III of the
28	Room rental		•	Tourist ac		n of the pri	ncipal		By-L	aw Regarding Zoning .	
29	Siting standards for main b	uildinas		residence	туре				No	tes - Attachment	and size
30	Attachment (detached, semi-detac		D							nt set-back: along Rou	
	Front set-back (min. in meters)		7.5							Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in me	eters)	4.5 / 9						Zon		
33	Rear set-back (min. in meters)	,	10								
34	Land use density (max. %)		10%							set-back: When calc	·
35	Footprint (min. in sq. m)		60						the	minimum set-back is	7.5 m.
36	Height in storeys (min./max.)		1/2								
	Height in meters (min./max.)		5 / 11								
	Width and depth (min. in meters)		8/6								
	Subdivision standards				l				No	tes - Subdivision	
	Lot size (min. in sq. m)		16,000								
41	Width (min. in meters)		50							e restrictive standards ma	
42	Depth (min. in meters)		60						Cha	oter IV of the <i>By-Law Re</i> g	garding Subdivision .
43	Special conditions (for referen	nce only; see the	e <i>By-Law R</i>	egarding 2	Zoning)						
44	Natural space (%) and trees	•	Floodplair					Commercia	ıl integ	rated projects	
45	Water withdrawal protection zone		Noise leve	el zone				Rec. and to	ırism i	ntegrated projects	
46	Parc linéaire		Chapter X	IV							
47	Other notes and special pro	visions	L			L				Changes to	the grid
48									By-I 202	aw 698-2023, entry in	to force November 3,
49									202	3	
50											
51											
52											
53											
54											
									-		

Schedule B to By-Law 642-2022 Regarding Zoning

**Municipality of Morin-Heights** 

**ZONE: RF-8** 

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard		, playgrou	nds, natural	l areas, trail	s, bike path	s, conserva	tion activities			
	Permitted major use categor	ries			,					ecifically permitte	ed uses
	H1 Single-family residence		•						(1)	A1-03	
5	A1 Cultivation and Maple Sugaring			• (1)							
6											
7											
8											
9											
10											
11									Sp	ecifically prohibit	ted uses
12											
13											
14											
15											
16											
17											
18	Provisions for main uses								N4 -	i	
				1	I				ivia	in use quotas	
20	Mixed use Multiple use										
	Land use density (dw./ha)		max. 3						-		
	Max dwelling units/building (H4 or n	nived)	шах. э								
24	Permitted additional uses to		1606						۸۵	ditional uses (othe	
	Intergenerational dwelling units	Residential		Personal:	and profes	sional serv	ices		Au	uitional uses (othe	er uses)
25 26	Additional dwelling units		•		ed artistic a			•	For	additional uses to the Co	ommercial, Industrial,
27	Guest houses		•	Hobby far		na antisana	Tactivities	•	Publ	ic or Agricultural groups	s, see Chapter III of the
				,	comodatio	n of the pri	ncipal		By-L	aw Regarding Zoning .	
28	Room rental		•	residence	type						
29	Siting standards for main bu			T	T				No	tes – Attachment	and size
30	Attachment (detached, semi-detach	ned, row)	D	D						nt set-back: along Ro	
	Front set-back (min. in meters)		7.5	7.5						Chapter V of the By-	Law Regarding
	Side set-back (min. and total in met	ters)	4.5 / 9	4.5 / 9					2011	ing .	
	Rear set-back (min. in meters)		10	10					Side	e set-back: When cal	culated from a street,
	Land use density (max. %)		10%	10%						minimum set-back is	
	Footprint (min. in sq. m)		60	50							
	Height in storeys (min./max.)		1/2	1/2							
	Height in meters (min./max.) Width and depth (min. in meters)		5/11	5/11							
			8/6	8/6					No	taa Cubdiyisia	
	Subdivision standards Lot size (min. in sq. m)		16,000	16,000						tes – Subdivisior	
40	Width (min. in meters)		16,000	16,000 50					More	e restrictive standards m	nay apply. See Chapter IV
41	Depth (min. in meters)	+	60	60					of th	e By-Law Regarding Su	bdivision .
	Special conditions (for referen	ce only: see the			onina)						
44	Natural space (%) and trees		loodplair		Johnny)			Commercia	al inte	grated projects	
45	Water withdrawal protection zone		Noise leve							Water withdrawal pro	tection zone
46	Parc linéaire		Chapter X						11	· · · · · · ·	
	Other notes and special prov		<u> </u>							Changes to	the grid
	от при								By-I		nto force November 3,
48									202	3	
49											
50											
51						-	-				
52			-								
									- 1		
53											
53 54 55											

Schedule B to By-Law 642-2022 Regarding Zoning

**Municipality of Morin-Heights** 

**ZONE: RF-9** 

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard	ding Zoning : parl	ks, playgrou	nds, natura	l areas, trai	ls, bike path	s, conserva	tion activitie	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or										
24	Permitted additional uses to	o Residential	uses	,				,	Ad	ditional uses (other	uses)
25	Intergenerational dwelling units		•		•	sional serv		•		- 1 1:4: 1	
26	Additional dwelling units		•	Home-bas	ed artistic a	and artisana	l activities	•		additional uses to the Colic or Agricultural groups,	
27	Guest houses		•	Hobby far		6 41		•		aw Regarding Zoning .	·
28	Room rental		•	residence		on of the pr	ıncıpaı		-, -		
29	Siting standards for main b	uildings		1.00.00	.,,,,,				No	tes - Attachment	and size
30	Attachment (detached, semi-detac		D								
31	Front set-back (min. in meters)		7.5							e set-back: When calc minimum set-back is :	
32	Side set-back (min. and total in me	eters)	4.5 / 9						uie	millimum set-back is	7.5 111.
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards								No	tes – Subdivision	
40	Lot size (min. in sq. m)		16,000						More	e restrictive standards ma	y apply. See Chapter IV
41	Width (min. in meters)		50							e By-Law Regarding Sub	
42	Depth (min. in meters)		60							,	
43	Special conditions (for referen	nce only; see the			Zoning)						
44	Natural space (%) and trees	•	Floodplair							grated projects	
45	Water withdrawal protection zone	•	Noise leve					Rec. and to	urism i	ntegrated projects	
46	Parc linéaire		Chapter X	(IV							
47	Other notes and special pro	ovisions								Changes to	
48									By-I 202	aw 700-2023, entry in 3	to force November 3,
49											
50											
51											
52											
53											
54											
55											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ning

ZONE: RF-10

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard	ding Zoning : park	s, playgrou	nds, natura	l areas, trail	ls, bike path	s, conserva	tion activities	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12									-  -		
13											
14											
15											
16											
17											
18											
19	Provisions for main uses						1		Ма	in use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to	o Residential	uses						Ad	ditional uses (other	ruses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•			
26	Additional dwelling units		•	Home-bas	ed artistic a	and artisana	l activities	•		additional uses to the Co	
27	Guest houses		•	Hobby far	ms			•		ic or Agricultural groups,	see Chapter III of the
28	Room rental		•		ccomodatio	n of the pr	incipal		By-L	aw Regarding Zoning .	
				residence	type						
29	Siting standards for main b		T	T	Ť		ı	T	No	tes – Attachment	and size
	Attachment (detached, semi-detac	ched, row)	D						Side	e set-back: When calc	ulated from a street.
31	Front set-back (min. in meters)		7.5							minimum set-back is	,
32	Side set-back (min. and total in me	eters)	4.5 / 9								
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								-
39	Subdivision standards								No	tes – Subdivision	
40	Lot size (min. in sq. m)		16,000						Mor	e restrictive standards ma	av anniv See Chanter IV
41	Width (min. in meters)		50								
	Depth (min. in meters)		60						of th	e By-Law Regarding Sub	aivision .
43	Special conditions (for referen	nce only; see the		egardina 2	Zoning )						
44	Natural space (%) and trees	•	Floodplair		3,			Commercia	al inte	grated projects	
45	Water withdrawal protection zone	•	Noise leve							ntegrated projects	
46	Parc linéaire	-	Chapter X							3 1 7	
47	Other notes and special pro	visions		-						Changes to	the grid
71	other notes and special pro								By. I	aw 701-2023, entry in	
48									202		to force Novellinel 3,
49									F-		
50									-		
51											
52									-		
53									-		
54											
55											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: RF-11

wiui	incipality of Moriti-Heights	İ			_	4	_				01 14 14
	0		1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard		s, playgrou	nds, natura	l areas, trail:	s, bike path	s, conserva	ition activities		161 11 144	
3	Permitted major use catego	ries			T	I	ı		Spe	ecifically permitted	duses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Spe	cifically prohibite	d uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Mai	n use quotas	
20	Mixed use									400 440040	
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mived)	max. 5								
24	Permitted additional uses to		HEOE						۸da	litional uses (other	
	Intergenerational dwelling units	Residential		Porsonal	and profes	sional son	icos	_	Aut	ittional uses (other	uses)
25			•		ed artistic a			•	For a	idditional uses to the Cor	nmercial. Industrial.
26	Additional dwelling units		•			inu arusana	ii activities	•		c or Agricultural groups,	
27	Guest houses		•	Hobby far	ms comodatio	n of the pri	incinal	•	By-L	aw Regarding Zoning .	
28	Room rental		•	residence		ii oi tile pii	пора				
29	Siting standards for main be	uildings			71				Not	es – Attachment a	and size
30	Attachment (detached, semi-detac		D						Fron	it set-back: along Rou	tes 329 and 364
31	Front set-back (min. in meters)		7.5							Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in me	eters)	4.5 / 9						Zoni		
33	Rear set-back (min. in meters)	,	10								
34	Land use density (max. %)		10%							set-back: When calc	
35	Footprint (min. in sq. m)		60						the i	minimum set-back is 7	'.5 m.
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5/11								
	Width and depth (min. in meters)		8/6								
38	Subdivision standards		0/0						Not	es - Subdivision	
			16 000						NOI	es – Subulvision	
40	Lot size (min. in sq. m) Width (min. in meters)		16,000	1					More	restrictive standards ma	y apply. See Chapter IV
41	, ,		50						of the	e By-Law Regarding Sub	division .
42	Depth (min. in meters)		60		<b>7</b> ( )						
43	Special conditions (for referen				coning)	I		lo .			
44			Floodplair	า				Commercia	al inted	rated projects	
	Natural space (%) and trees	•									
45	Water withdrawal protection zone	•	Noise lev				•	Rec. and to		ntegrated projects	
46	Water withdrawal protection zone Parc linéaire						•	Rec. and to			
	Water withdrawal protection zone		Noise lev				•	Rec. and to	ourism ii	Changes to	_
46	Water withdrawal protection zone Parc linéaire		Noise lev				•	Rec. and to	ourism ii	Changes to aw 702-2023, entry int	_
46 47	Water withdrawal protection zone Parc linéaire		Noise lev			,	•	Rec. and to	By-la	Changes to aw 702-2023, entry int	_
46 47 48	Water withdrawal protection zone Parc linéaire		Noise lev				•	Rec. and to	By-la	Changes to aw 702-2023, entry int	_
46 47 48 49	Water withdrawal protection zone Parc linéaire		Noise lev					Rec. and to	By-la	Changes to aw 702-2023, entry int	_
46 47 48 49 50 51	Water withdrawal protection zone Parc linéaire		Noise lev					Rec. and to	By-la	Changes to aw 702-2023, entry int	_
46 47 48 49 50 51 52	Water withdrawal protection zone Parc linéaire		Noise lev					Rec. and to	By-la	Changes to aw 702-2023, entry int	_
46 47 48 49 50 51	Water withdrawal protection zone Parc linéaire		Noise lev					Rec. and to	By-la	Changes to aw 702-2023, entry int	_

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: RV-1

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regar	ding Zoning : parl	s, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activitie	s, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)	_								
	Permitted additional uses to		uses						Ad	ditional uses (other	uses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•			
26	Additional dwelling units		•		ed artistic a			•		additional uses to the Cor	
27	Guest houses		•	Hobby far					Pub	ic or Agricultural groups,	see Chapter III of the
					comodatio	n of the pr	incipal		By-L	aw Regarding Zoning .	
	Room rental		•	residence							
	Siting standards for main b		1	T	T	T	T	1	No	tes – Attachment	and size
30	Attachment (detached, semi-detached)	ched, row)	D						Side	e set-back: When calc	ulated from a street.
31	Front set-back (min. in meters)		7.5							minimum set-back is	
32	Side set-back (min. and total in me	eters)	4.5 / 9								
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
	Footprint (min. in sq. m)		60								
	Height in storeys (min./max.)		1/2								
	Height in meters (min./max.)		5 / 11								
	Width and depth (min. in meters)		8/6								
	Subdivision standards								No	tes - Subdivision	
40	Lot size (min. in sq. m)		8,000						More	e restrictive standards ma	y apply. See Chapter IV
41	Width (min. in meters)		50						of th	e By-Law Regarding Sub	division .
42	Depth (min. in meters)		60								
	Special conditions (for refere	·	_		Zoning)	ı		I .			
44	Natural space (%) and trees	•	Floodplair							grated projects	
45	Water withdrawal protection zone		Noise lev					Rec. and to	urism	ntegrated projects	
46	Parc linéaire		Chapter >	uν						O.b.	41
47	Other notes and special pro	ovisions								Changes to	
48									By- 202	aw 703-2023, entry in 3	to force November 3,
49									202	<u> </u>	
50											
51											
52											
53											
54											
55								I			

Schedule B to By-Law 642-2022 Regarding Zoning

**Municipality of Morin-Heights** 

**ZONE: RV-2** 

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard		s, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activities			
3	Permitted major use catego	ries		ı	ı	ı	ı		Spe	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10									Sne	oifically prohibit	ad ugas
11									She	ecifically prohibit	eu uses
12											
13 14											
15											
16											
17											
18											
19	Provisions for main uses								Mai	in use quotas	
20	Mixed use								1010	iii uoo quotao	
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to		uses			L			Add	ditional uses (othe	r uses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•			,
26	Additional dwelling units		•			and artisana		•		additional uses to the Co	
27	Guest houses		•	Hobby far	ms					ic or Agricultural groups,	see Chapter III of the
28	Room rental		•	Tourist ac	comodatio	n of the pri	incipal		By-L	aw Regarding Zoning .	
				residence	type						
29	Siting standards for main b			T	T	I	T	I	NO	tes – Attachment	and size
30	Attachment (detached, semi-detac	nea, row)	D						Side	set-back: When cald	culated from a street,
31	Front set-back (min. in meters)	.4\	7.5						the	minimum set-back is	7.5 m.
32	Side set-back (min. and total in me Rear set-back (min. in meters)	elers)	4.5 / 9								
33	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5/11								
	Width and depth (min. in meters)		8/6								
39	Subdivision standards		0,0						Not	tes – Subdivision	
40	Lot size (min. in sq. m)		8,000								
41	Width (min. in meters)		50								ay apply. See Chapter IV
42	Depth (min. in meters)		60						of the	e By-Law Regarding Sub	odivision .
43	Special conditions (for referen	nce only; see the	By-Law R	l egarding 2	Zoning)		l				
44	Natural space (%) and trees	•	Floodplair					Commerci	al integ	rated projects	
45	Water withdrawal protection zone		Noise leve	el zone				Rec. and to	urism i	ntegrated projects	
46	Parc linéaire		Chapter X	ΊV							
47	Other notes and special pro	visions				1				Changes to	the grid
48									By-la 202:	, ,	to force November 3,
49											
50											
51											
52											
53											
54											
55											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: RV-3
Residential and Resort

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard		s, playgrou	nds, natura	l areas, trail	s, bike path	s, conservat	ion activities			
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses						1		Ma	in use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to		uses				1		Ad	ditional uses (other	r uses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•		,	,
26	Additional dwelling units		•		ed artistic a			•		additional uses to the Cor	
27	Guest houses		•	Hobby far	ms				Pub	lic or Agricultural groups,	see Chapter III of the
28	Room rental		•	Tourist ac	comodatio	n of the pr	incipal		By-l	Law Regarding Zoning .	
29	Siting standards for main b	uildinas		residence	type				No	tes - Attachment	and size
30	Attachment (detached, semi-detac		D						Fro	nt set-back: along Rou	ites 329 and 364
31	Front set-back (min. in meters)		7.5							Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in me	eters)	4.5 / 9							ning .	
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%							e set-back: When calc	· 1
35	Footprint (min. in sq. m)		60						the	minimum set-back is	7.5 m.
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
	Subdivision standards								No	tes - Subdivision	
40	Lot size (min. in sq. m)		8,000								av apply Soc Charter IV
41	Width (min. in meters)		50							e restrictive standards ma	
42	Depth (min. in meters)		60						of th	ne By-Law Regarding Sub	odivision .
43	Special conditions (for referen	nce only; see the	eBy-Law R	Regarding 2	Zoning)						
44	Natural space (%) and trees	•	Floodplair					Commercia	al inte	grated projects	
45	Water withdrawal protection zone		Noise lev	el zone				Rec. and to	urism	integrated projects	
46	Parc linéaire		Chapter >	(IV							
47	Other notes and special pro	visions								Changes to	the grid
48									By-	law 705-2023, entry in	
49											
50											
51											
52											
53											
54											
55											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

**ZONE: RV-4** 

	. ,	1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses		1							
2	See Chapter II of the By-Law Regarding Zon	ing: parks, playgrou	unds, natura	l areas, trai	ls, bike path	s, conserva	ition activitie	s, etc.		
3	Permitted major use categories		<u> </u>	· ·					ecifically permitte	d uses
4	H1 Single-family residence	•								
5										
6										
7										
8										
9										
10										
11								Spe	cifically prohibite	ed uses
12										
13										
14										
15										
16										
17										
18										
19	Provisions for main uses							Ма	in use quotas	
20	Mixed use									
21	Multiple use									
22	Land use density (dw./ha)	max. 3								
23	Max dwelling units/building (H4 or mixed)									
24	Permitted additional uses to Resi	dential uses						Add	ditional uses (other	uses)
25	Intergenerational dwelling units	•			sional serv		•	For	additional upon to the Cor	mmoroial Industrial
26	Additional dwelling units	•			and artisana	I activities	•		additional uses to the Cor ic or Agricultural groups,	
27	Guest houses	•	Hobby far					Bv-L	aw Regarding Zoning .	
28	Room rental	•	residence		n of the pr	ncipai				
29	Siting standards for main building	qs .		1,750				No	es – Attachment	and size
30	Attachment (detached, semi-detached, ro							Froi	nt set-back: along Rou	ites 329 and 364
31	Front set-back (min. in meters)	7.5							Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in meters)	4.5 / 9						Zon	ing .	
33	Rear set-back (min. in meters)	10						0:1		
34	Land use density (max. %)	10%							e set-back: When calc minimum set-back is 7	
35	Footprint (min. in sq. m)	60						uic	minimum set-back is i	.5 III.
36	Height in storeys (min./max.)	1/2								
37	Height in meters (min./max.)	5 / 11								
38	Width and depth (min. in meters)	8/6								
39	Subdivision standards	,						No	es – Subdivision	
40	Lot size (min. in sq. m)	8,000						More	restrictive standards ma	y apply. See Chapter IV
41	Width (min. in meters)	50						of th	e By-Law Regarding Sub	division .
	Depth (min. in meters)	60								
43	Special conditions (for reference only	r; see the <i>By-Law F</i>	Regarding 2	Zoning)						
44		<ul> <li>Floodplai</li> </ul>						,	rated projects	
45	Water withdrawal protection zone	Noise lev					Rec. and to	urism i	ntegrated projects	
46	Parc linéaire	Chapter 2	XIV							
47	Other notes and special provision	ıs							Changes to	
48								By-I 202	aw 706-2023, entry int 3	to force November 3,
49									-	
50										
51										
52										
53										
54				-	-	-				
55										

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

Residential and Resort

**ZONE: RV-5** 

		1		2	3	4	5	6	Sheet 1 of 1
1	Generally permitted uses	·							
2	See Chapter II of the By-Law Regard	ding Zoning : parks, play	ground	ls, natura	l areas, trai	ls, bike patl	ns, conserva	tion activitie	s, etc.
3	Permitted major use catego	ries							Specifically permitted uses
4	H1 Single-family residence	•							
5									
6									
7									
8									
9									
10									
11									Specifically prohibited uses
12									openious premiated desc
13									
14									
15									
16									
17									
18									
19	Provisions for main uses								Main use quotas
20	Mixed use								
21	Multiple use								
22	Land use density (dw./ha)	max	t. 3						
23	Max dwelling units/building (H4 or	mixed)							
24	Permitted additional uses to	o Residential uses	;						Additional uses (other uses)
25	Intergenerational dwelling units	•	Р	ersonal	and profes	sional ser	vices	•	
26	Additional dwelling units	•	Н	lome-bas	ed artistic a	and artisan	al activities	•	For additional uses to the Commercial, Industrial,
27	Guest houses	•	Н	lobby far	ms				Public or Agricultural groups, see Chapter III of the
28	Room rental	•	Т	ourist ac	comodatio	n of the p	incipal		By-Law Regarding Zoning .
			re	esidence	type				
29	Siting standards for main b								Notes – Attachment and size
30	Attachment (detached, semi-detac	· ·							Front set-back: along Routes 329 and 364,
31	Front set-back (min. in meters)	7.	5						see Chapter V of the <i>By-Law Regarding</i>
32	Side set-back (min. and total in me	eters) 4.5	/ 9						Zoning .
33	Rear set-back (min. in meters)	10	)						Side set-back: When calculated from a street.
34	Land use density (max. %)	101	%						the minimum set-back is 7.5 m.
35	Footprint (min. in sq. m)	60	)						
36	Height in storeys (min./max.)	1/	2						
37	Height in meters (min./max.)	5 /	11						
38	Width and depth (min. in meters)	8 /	6						
39	Subdivision standards				•		·	*	Notes - Subdivision
40	Lot size (min. in sq. m)	8,0	00						More restrictive standards may apply. See Chapter IV
41	Width (min. in meters)	50	)						,,
42	Depth (min. in meters)	60	)						of the <i>By-Law Regarding Subdivision</i> .
43	Special conditions (for referen	nce only; see the <i>By-La</i>	aw Rec	garding Z	Zoning)				
44	Natural space (%) and trees	• Flood						Commerc	ial integrated projects
45	Water withdrawal protection zone		level	zone					purism integrated projects
46	Parc linéaire	Chap	ter XIV	,					0 1 7
47	Other notes and special pro								Changes to the grid
	Carlot frotos ana oposiai pro	711010110							By-law 707-2023, entry into force November 3,
48									2023
49									
50									
51									
52									
53									
54									
55									

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

**ZONE: RV-6** 

	3	1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses									
2	See Chapter II of the By-Law Regarding Zon	ing: parks, playgrou	unds, natura	l areas, trai	ls, bike path	s, conserva	ation activitie	s, etc.		
3	Permitted major use categories		<u> </u>	· ·		<u> </u>			ecifically permitted	d uses
4	H1 Single-family residence	•								
5										
6										
7										
8										
9										
10										
11								Spe	ecifically prohibite	ed uses
12										
13										
14										
15										
16										
17										
18										
19	Provisions for main uses							Ma	n use quotas	
20	Mixed use									
21	Multiple use									
22	Land use density (dw./ha)	max. 3								
23	Max dwelling units/building (H4 or mixed)									
24	Permitted additional uses to Resi	dential uses						Add	ditional uses (other	uses)
25	Intergenerational dwelling units	•		•	sional serv		•	F	additional was to the Con	
26	Additional dwelling units	•			tisanal acti	vities	•	1	additional uses to the Cor ic or Agricultural groups,	
27	Guest houses	•	Hobby far						aw Regarding Zoning .	
28	Room rental	•	residence		n of the pr	ncipai		-, -		
29	Siting standards for main building	gs	1.00.00	.,,,,,				Not	es – Attachment a	and size
	Attachment (detached, semi-detached, ro							Fror	nt set-back: along Rou	ites 329 and 364.
31	Front set-back (min. in meters)	7.5							Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in meters)	4.5 / 9						Zon	ing .	
33	Rear set-back (min. in meters)	10						0.1		
34	Land use density (max. %)	10%							e set-back: When calc minimum set-back is 7	
35	Footprint (min. in sq. m)	60						uic	TIITIIITIUITI SEL-DACK IS I	.5 III.
36	Height in storeys (min./max.)	1/2								
37	Height in meters (min./max.)	5 / 11								
38	Width and depth (min. in meters)	8/6								
39	Subdivision standards							Not	es - Subdivision	
40	Lot size (min. in sq. m)	8,000						More	restrictive standards ma	y apply. See Chapter IV
41	Width (min. in meters)	50						of th	e By-Law Regarding Sub	division .
42	Depth (min. in meters)	60						0	z zy zan riogarang caz	
43	Special conditions (for reference only	r; see the <i>By-Law I</i>	Regarding 2	Zoning)						
44	· · · · · · · · · · · · · · · · · · ·	<ul> <li>Floodplai</li> </ul>						•	rated projects	
45	Water withdrawal protection zone	Noise lev					Rec. and to	urism i	ntegrated projects	
46	Parc linéaire	Chapter 2	XIV							
47	Other notes and special provision	IS						_	Changes to	
48								By-I 202	aw 708-2023, entry int 3	to force November 3,
49										
50										
51										
52										
53										
54										
55										

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

**ZONE: RV-7** 

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regar		s, playgrou	nds, natural	areas, trail	ls, bike path	s, conserva	tion activitie	s, etc.		
3	Permitted major use catego	ries								ecifically permitte	d uses
4	H1 Single-family residence		•						(1)	C6-06	
5	C6 Accommodation			• (1)							
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)	max. o								
24	Permitted additional uses to		uses						Δd	ditional uses (other	uses)
25	Intergenerational dwelling units	o reolectica	•	Personal a	and profes	sional ser	rices	•	7.0	antional ascs (other	uses
26	Additional dwelling units		•			al activitie		•	For	additional uses to the Cor	mmercial, Industrial,
27	Guest houses		•	Hobby far		iai aotivitio			Pub	ic or Agricultural groups,	see Chapter III of the
						n of the pr	incipal		By-l	aw Regarding Zoning .	
28	Room rental		•	residence	type	·	·	•			
29	Siting standards for main b						,		No	tes – Attachment a	and size
30	Attachment (detached, semi-detached)	ched, row)	D	D					Fro	nt set-back: along Rou	ites 329 and 364,
31	Front set-back (min. in meters)		7.5	7.5						Chapter V of the By-L	aw Regarding
32	Side set-back (min. and total in me	eters)	4.5 / 9	4.5 / 9					Zor	ing .	
33	Rear set-back (min. in meters)		10	10							
34	Land use density (max. %)		10%	10%							
35	Footprint (min. in sq. m)		60	60							
36	Height in storeys (min./max.)		1/2	1/2							
	Height in meters (min./max.)		5 / 11	5 / 11							
38	Width and depth (min. in meters)		8/6	8/6							
39	Subdivision standards								No	tes - Subdivision	
40	Lot size (min. in sq. m)		8,000	8,000					Mor	e restrictive standards ma	y apply. See Chapter IV
41	Width (min. in meters)		50	50						e By-Law Regarding Sub	
42	Depth (min. in meters)		60	60					0		
43	Special conditions (for refere	nce only; see the	eBy-Law F	Regarding Z	Coning)						
44	Natural space (%) and trees	•	Floodplair	n				Commerci	al inte	grated projects	
45	Water withdrawal protection zone		Noise lev	el zone				Rec. and to	urism	ntegrated projects	
46	Parc linéaire		Chapter >	(IV			•				
47	Other notes and special pro	visions								Changes to	the grid
48									By- 202	aw 739-2023, entry int 3	to force November 3,
49											
50											
51											
52											
53											
54											
55											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

**ZONE: RV-8** 

		1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses	1	1	l .	1		1			
2	See Chapter II of the By-Law Regarding Zoning: par	ks, playgrou	ınds, natura	l areas, trai	ls, bike path	s, conserva	tion activitie:	, etc.		
3	Permitted major use categories							Sp	ecifically permitte	d uses
4	H1 Single-family residence	•							C6-06	
5	C6 Accommodation		• (1)							
6			. ,							
7										
8										
9										
10										
11								Sp	ecifically prohibite	ed uses
12								-	, , , , , , , , , , , , , , , , , , ,	
13										
14										
15										
16										
17										
18										
19	Provisions for main uses	1	1	1		1		Ма	in use quotas	
20	Mixed use									
21	Multiple use									
22	Land use density (dw./ha)	max. 3								
23	Max dwelling units/building (H4 or mixed)									
24	Permitted additional uses to Residentia	luses						Ad	ditional uses (other	uses)
25	Intergenerational dwelling units	•	Personal	and profes	sional serv	rices	•			
26	Additional dwelling units	•	Home-bas	sed artisan	al activities	3	•		additional uses to the Cor	
27	Guest houses	•	Hobby far	ms					lic or Agricultural groups,	see Chapter III of the
28	Room rental	•			n of the pr	incipal	•	By-L	aw Regarding Zoning.	
			residence	type				NIa	400 A4400hmoom4	
29	Siting standards for main buildings			1		1		NO	tes – Attachment a	and Size
30	Attachment (detached, semi-detached, row)	D	D					Side	e set-back: When calc	ulated from a street,
31	Front set-back (min. in meters)	7.5	7.5					the	minimum set-back is 7	7.5 m.
32	Side set-back (min. and total in meters)  Rear set-back (min. in meters)	4.5 / 9	4.5 / 9							
33	· /	10	10							
34	Land use density (max. %)	10%	10%							
35	Footprint (min. in sq. m)	60	60							
36	Height in storeys (min./max.) Height in meters (min./max.)	1/2	1/2							
37	Width and depth (min. in meters)	5/11	5/11							
38		8/6	8/6					Nic	tos – Subdivision	
	Subdivision standards Lot size (min. in sq. m)	4.000	4.000						tes - Subdivision division standards for a part	ially serviced lot. For an
41	Width (min. in meters)	4,000 50	4,000 50					unse	rviced lot, see note A. More	restrictive standards may
42	Depth (min. in meters)	60	60						y. See Chapter IV of the By livisions.	-Law Regarding
43	Special conditions (for reference only; see the			Zonina \				50000	TVIGIOTIO.	
44	Natural space (%) and trees	Floodplai		Jimiy)			Commerci	al inte	grated projects	
45	Water withdrawal protection zone	Noise lev							integrated projects	
46	Parc linéaire	Chapter >				•			2 F. 9) 9 2 10	
47	Other notes and special provisions	p.co. ,							Changes to	the grid
	•							Bv-	aw 740-2023, entry in	
48	Note A: For an unserviced lot, the minimum area	ıs 8,000 sq	. m.					202		0,
49										
50										
51										
52										
53										
54										

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

**ZONE: RV-9** 

		1	2	3	4	5	6	Sh	eet 1 of 1
1	Generally permitted uses			l .			1		
2	See Chapter II of the By-Law Regarding Zoning: pa	ırks, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activitie	s, etc.	
3	Permitted major use categories							Specifically permitted uses	
4	H1 Single-family residence	•							
5	H2 Two-family residence	•							
6	H3 Three-family residence		•						
7									
8									
9									
10									
11								Specifically prohibited uses	
12									
13									
14									
15									
16									
17									
18									
19	Provisions for main uses		•				•	Main use quotas	
20	Mixed use								
21	Multiple use								
22	Land use density (dw./ha)	min. 4 +	min. 4 +						
23	Max dwelling units/building (H4 or mixed)								
24	Permitted additional uses to Residentia	al uses						Additional uses (other uses)	
25	Intergenerational dwelling units	•	Personal	and profes	sional serv	rices	•		
26	Additional dwelling units	•	Home-bas	sed artisan	al activities	5	•	For additional uses to the Commercial, Indu Public or Agricultural groups, see Chapter I	
27	Guest houses	•	Hobby far						ii oi uie
28	Room rental	•		comodatio	n of the pr	incipal		By-Law Regarding Zoning .	
29	Siting standards for main buildings		residence	туре				Notes – Attachment and size	
30		D	D					F	204
30	Attachment (detached, semi-detached, row)	D 7.5	D 7.5					Front set-back: along Routes 329 and see Chapter V of the Rv-l aw Regardi	-
31	Attachment (detached, semi-detached, row) Front set-back (min. in meters)	7.5	7.5					Front set-back: along Routes 329 and see Chapter V of the <i>By-Law Regardi Zoning</i> .	-
31 32	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters)	7.5 4.5 / 9	7.5 4.5 / 9					see Chapter V of the By-Law Regardi	-
31 32 33	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters)	7.5 4.5 / 9 10	7.5 4.5 / 9 10					see Chapter V of the <i>By-Law Regardi Zoning</i> .  Side set-back: When calculated from	ng
31 32 33 34	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %)	7.5 4.5 / 9 10 10%	7.5 4.5 / 9 10 10%					see Chapter V of the <i>By-Law Regardi Zoning</i> .	ng
31 32 33 34 35	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m)	7.5 4.5 / 9 10 10% 60	7.5 4.5 / 9 10 10% 60					see Chapter V of the <i>By-Law Regardi Zoning</i> .  Side set-back: When calculated from	ng
31 32 33 34 35 36	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.)	7.5 4.5 / 9 10 10% 60 1 / 2	7.5 4.5/9 10 10% 60 1/2					see Chapter V of the <i>By-Law Regardi Zoning</i> .  Side set-back: When calculated from	ng
31 32 33 34 35	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m)	7.5 4.5 / 9 10 10% 60	7.5 4.5/9 10 10% 60 1/2 5/11					see Chapter V of the <i>By-Law Regardi Zoning</i> .  Side set-back: When calculated from	ng
31 32 33 34 35 36 37 38	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.)	7.5 4.5/9 10 10% 60 1/2 5/11	7.5 4.5/9 10 10% 60 1/2					see Chapter V of the <i>By-Law Regardi Zoning</i> .  Side set-back: When calculated from	ng
31 32 33 34 35 36 37 38 39	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)	7.5 4.5/9 10 10% 60 1/2 5/11	7.5 4.5/9 10 10% 60 1/2 5/11					see Chapter V of the <i>By-Law Regardi Zoning</i> .  Side set-back: When calculated from the minimum set-back is 7.5 m.	a street,
31 32 33 34 35 36 37 38 39	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)  Subdivision standards	7.5 4.5/9 10 10% 60 1/2 5/11 8/6	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6					see Chapter V of the <i>By-Law Regardi Zoning</i> .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes – Subdivision  Subdivision standards for a partially serviced le unserviced lot, see note A. More restrictive stan	a street,
31 32 33 34 35 36 37 38 39 40	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)  Subdivision standards Lot size (min. in sq. m)	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6					see Chapter V of the <i>By-Law Regardi Zoning</i> .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes – Subdivision  Subdivision standards for a partially serviced lo	a street,
31 32 33 34 35 36 37 38 39 40 41	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)  Subdivision standards Lot size (min. in sq. m) Width (min. in meters)	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6 2,000 25 45	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6 2,000 25 45	Coning)				see Chapter V of the <i>By-Law Regardi Zoning</i> .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes — Subdivision  Subdivision standards for a partially serviced lot unserviced lot, see note A. More restrictive stat apply. See Chapter IV of the <i>By-Law Regardin</i>	a street,
31 32 33 34 35 36 37 38 39 40 41 42	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)  Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters)	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6 2,000 25 45	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6 2,000 25 45	Coning)			Commercia	see Chapter V of the <i>By-Law Regardi Zoning</i> .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes — Subdivision  Subdivision standards for a partially serviced lot unserviced lot, see note A. More restrictive stat apply. See Chapter IV of the <i>By-Law Regardin</i>	a street,
31 32 33 34 35 36 37 38 39 40 41 42 43	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters) Special conditions (for reference only; see	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6 2,000 25 45	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6 2,000 25 45 Regarding 2	Coning)				see Chapter V of the <i>By-Law Regardi Zoning</i> .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes – Subdivision  Subdivision standards for a partially serviced le unserviced lot, see note A. More restrictive star apply. See Chapter IV of the <i>By-Law Regardir subdivisions</i> .	a street,
31 32 33 34 35 36 37 38 39 40 41 42 43	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)  Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters)  Special conditions (for reference only; see to Natural space (%) and trees	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6 2,000 25 45 he <i>By-Law F</i>	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 Regarding 2 nel zone	Coning )				see Chapter V of the <i>By-Law Regardi Zoning</i> .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes – Subdivision  Subdivision standards for a partially serviced lc unserviced lot, see note A. More restrictive star apply. See Chapter IV of the <i>By-Law Regardir subdivisions</i> .	a street,
31 32 33 34 35 36 37 38 39 40 41 42 43 44	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)  Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters)  Special conditions (for reference only; see to Natural space (%) and trees  Water withdrawal protection zone	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6 2,000 25 45 he <i>By-Law F</i> Floodplair Noise leve	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 Regarding 2 nel zone	Zoning )				see Chapter V of the <i>By-Law Regardi Zoning</i> .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes – Subdivision  Subdivision standards for a partially serviced lc unserviced lot, see note A. More restrictive star apply. See Chapter IV of the <i>By-Law Regardir subdivisions</i> .	a street,
31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)  Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters)  Special conditions (for reference only; see to Natural space (%) and trees Water withdrawal protection zone Parc linéaire  Other notes and special provisions Note A: For an unserviced lot, the minimum area	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 he <i>By-Law F</i> Floodplain Noise leve	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 Regarding 2 n el zone		h is 50 m			See Chapter V of the By-Law Regardi Zoning .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes — Subdivision  Subdivision standards for a partially serviced lot unserviced lot, see note A. More restrictive stal apply. See Chapter IV of the By-Law Regardin subdivisions.  all integrated projects  urism integrated projects  Changes to the grid  By-law 709-2023, entry into force Nov	a street,  t. For an indards may g
31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)  Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters)  Special conditions (for reference only; see to the standard space (%) and trees Water withdrawal protection zone Parc linéaire  Other notes and special provisions	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 he <i>By-Law F</i> Floodplain Noise leve	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 Regarding 2 n el zone		h is 50 m			see Chapter V of the By-Law Regardi Zoning .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes — Subdivision  Subdivision standards for a partially serviced lot unserviced lot, see note A. More restrictive stan apply. See Chapter IV of the By-Law Regardin subdivisions.  al integrated projects  urism integrated projects  Changes to the grid	a street,  t. For an indards may g
31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)  Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters)  Special conditions (for reference only; see to Natural space (%) and trees Water withdrawal protection zone Parc linéaire  Other notes and special provisions Note A: For an unserviced lot, the minimum area	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 he <i>By-Law F</i> Floodplain Noise leve	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 Regarding 2 n el zone		h is 50 m			See Chapter V of the By-Law Regardi Zoning .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes — Subdivision  Subdivision standards for a partially serviced lot unserviced lot, see note A. More restrictive stal apply. See Chapter IV of the By-Law Regardin subdivisions.  all integrated projects  urism integrated projects  Changes to the grid  By-law 709-2023, entry into force Nov	a street,  t. For an indards may g
31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)  Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters)  Special conditions (for reference only; see to Natural space (%) and trees Water withdrawal protection zone Parc linéaire  Other notes and special provisions Note A: For an unserviced lot, the minimum area	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 he <i>By-Law F</i> Floodplain Noise leve	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 Regarding 2 n el zone		h is 50 m			See Chapter V of the By-Law Regardi Zoning .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes — Subdivision  Subdivision standards for a partially serviced lot unserviced lot, see note A. More restrictive stal apply. See Chapter IV of the By-Law Regardin subdivisions.  all integrated projects  urism integrated projects  Changes to the grid  By-law 709-2023, entry into force Nov	a street,  t. For an indards may g
31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)  Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters)  Special conditions (for reference only; see to Natural space (%) and trees Water withdrawal protection zone Parc linéaire  Other notes and special provisions Note A: For an unserviced lot, the minimum area	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 he <i>By-Law F</i> Floodplain Noise leve	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 Regarding 2 n el zone		h is 50 m			See Chapter V of the By-Law Regardi Zoning .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes — Subdivision  Subdivision standards for a partially serviced lot unserviced lot, see note A. More restrictive stal apply. See Chapter IV of the By-Law Regardin subdivisions.  all integrated projects  urism integrated projects  Changes to the grid  By-law 709-2023, entry into force Nov	a street,  t. For an indards may g
31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)  Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters)  Special conditions (for reference only; see to Natural space (%) and trees Water withdrawal protection zone Parc linéaire  Other notes and special provisions Note A: For an unserviced lot, the minimum area	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 he <i>By-Law F</i> Floodplain Noise leve	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 Regarding 2 n el zone		h is 50 m			See Chapter V of the By-Law Regardi Zoning .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes — Subdivision  Subdivision standards for a partially serviced lot unserviced lot, see note A. More restrictive stal apply. See Chapter IV of the By-Law Regardin subdivisions.  all integrated projects  urism integrated projects  Changes to the grid  By-law 709-2023, entry into force Nov	a street,  t. For an indards may g
31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51	Attachment (detached, semi-detached, row) Front set-back (min. in meters) Side set-back (min. and total in meters) Rear set-back (min. in meters) Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)  Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters)  Special conditions (for reference only; see to Natural space (%) and trees Water withdrawal protection zone Parc linéaire  Other notes and special provisions Note A: For an unserviced lot, the minimum area	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 he <i>By-Law F</i> Floodplain Noise leve	7.5 4.5 / 9 10 10% 60 1 / 2 5 / 11 8 / 6  2,000 25 45 Regarding 2 n el zone		h is 50 m			See Chapter V of the By-Law Regardi Zoning .  Side set-back: When calculated from the minimum set-back is 7.5 m.  Notes — Subdivision  Subdivision standards for a partially serviced lot unserviced lot, see note A. More restrictive stal apply. See Chapter IV of the By-Law Regardin subdivisions.  all integrated projects  urism integrated projects  Changes to the grid  By-law 709-2023, entry into force Nov	a street,  t. For an indards may g

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: RV-10

	3	1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses	•	_	•	•					0.1361 1 61 1
2	See Chapter II of the By-Law Regarding Zoning: par	ks. plavgrou	nds. natural	areas, trails	s, bike path	s. conserva	tion activities	. etc.		
3	Permitted major use categories	, p, g			, ,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			ecifically permitte	d uses
4	H1 Single-family residence	•						- P	pomounity pominion	G. 0.000
5	H2 Two-family residence									
6	H3 Three-family residence		-	•						
7	H4 Multi-family residence			•						
8	TH- Walti-falling residence			_						
9										
10								Sn	ecifically prohibite	nd usos
12								ъþ	ecinically profilbite	tu uses
								-		
13								-		
14 15								-		
16										
17										
18	Paradalana fan mala maa							N		
19	Provisions for main uses							IVI a	in use quotas	
20	Mixed use									
21	Multiple use									
22	Land use density (dw./ha)	Min. 4+	Min. 4+	min. 4 +						
23	Max dwelling units/building (H4 or mixed)			12						
24	Permitted additional uses to Residentia	1	- ·					Ad	ditional uses (other	uses)
25	Intergenerational dwelling units	•		and profess			•	For	additional uses to the Cor	mmercial Industrial
26	Additional dwelling units	•		sed artisan	al activitie	S	•		ic or Agricultural groups,	
27	Guest houses	•	Hobby far					Bv-L	aw Regarding Zoning .	
28	Room rental	•	residence	comodation	n or the pr	ncipai				
29	Siting standards for main buildings		rocidorioo	туро				No	tes – Attachment a	and size
30	Attachment (detached, semi-detached, row)	D	D	D				Fro	nt set-back: along Rou	ites 329 and 364
31	Front set-back (min. in meters)	7.5	7.5	7.5					Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in meters)	4.5 / 9	4.5 / 9	4.5 / 9				Zon	ing .	
33	Rear set-back (min. in meters)	10	10	10						
34	Land use density (max. %)	10%	10%	10%					e set-back: When calc	,
35	Footprint (min. in sq. m)	60	60	60				tne	minimum set-back is 7	7.5 m.
36	Height in storeys (min./max.)	1/2	1/2	1/2						
37	Height in meters (min./max.)	5 / 11	5 / 11	5 / 11						
38	Width and depth (min. in meters)	8/6	8/6	8/6						
39	Subdivision standards							No	tes - Subdivision	
40	Lot size (min. in sq. m)	2,000	2,000	2,000					livision standards for a part	ially serviced lot. For an
41	Width (min. in meters)	25	25	25					rviced lot, see note A. More	
42	Depth (min. in meters)	45	45	45					<ol> <li>See Chapter IV of the By livisions.</li> </ol>	r-Law Regarding
43	Special conditions (for reference only, see th	e <i>By-Law F</i>	Regarding Z	oning)						
44	Natural space (%) and trees	Floodplair		- J			Commercia	al inte	grated projects	
45	Water withdrawal protection zone	Noise lev	el zone				1		ntegrated projects	
46	Parc linéaire	Chapter >							- , ,	
47	Other notes and special provisions								Changes to	the arid
	Note A: For an unserviced lot, the minimum area	is 4,000 sq	. m the min	imum widtl	n is 50 m			By-	aw 710-2023, entry int	
48	and the minimum depth is 60 m.							202		-,
49										
50										
51										
52										
53										
54										
55								-		

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: RV-11

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regar		s, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activitie	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to	o Residential	uses						Ad	ditional uses (other	r uses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•	_		
26	Additional dwelling units		•	Home-bas	sed artisan	al activitie	3	•		additional uses to the Colic ic or Agricultural groups,	
27	Guest houses		•	Hobby far						aw Regarding Zoning .	
28	Room rental		•	Tourist ac residence	comodatio	n of the pr	incipal		Dy-L	aw Regarding Zoning .	
29	Siting standards for main b	uildings		1.00.0000	1,750				No	tes – Attachment	and size
30	Attachment (detached, semi-detached)		D								
31	Front set-back (min. in meters)		7.5							e set-back: When calc minimum set-back is :	
32	Side set-back (min. and total in me	eters)	4.5 / 9						uie	IIIIIIIIIIIIIIIII SEL-DACK IS	7.5 III.
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards								No	tes – Subdivision	
40	Lot size (min. in sq. m)		8,000							division standards for a p	
41	Width (min. in meters)		50						Mor	e restrictive standards ma	ay apply. See Chapter IV
42	Depth (min. in meters)		60						of th	e By-Law Regarding Sub	division .
43	Special conditions (for referen	nce only; see the	By-Law R	Regarding 2	Zoning)						
44	Natural space (%) and trees	•	Floodplaii	า				Commerci	al inte	grated projects	
45	Water withdrawal protection zone		Noise lev	el zone				Rec. and to	urism	ntegrated projects	
46	Parc linéaire	•	Chapter >	(IV			•				
47	Other notes and special pro	visions								Changes to	
48									By-	aw 711-2023, entry in 3	to force November 3,
49									202	<u> </u>	
50											
51											
52											
53									-		
54									-		
55											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: RV-12

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses							· · · · · ·			
2	See Chapter II of the By-Law Regard	ding Zoning : park	s, playgrou	ınds, natura	l areas, trail	s, bike path	s, conserva	tion activities	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12									_	, ,	
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use								1010	doo quotao	
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)	тах. о								
24	Permitted additional uses to		11565						Δd	l ditional uses (other	(11606)
25	Intergenerational dwelling units	reordenda	•	Personal	and profes	sional serv	rices	•	Au	antional asos (other	usesj
26	Additional dwelling units		•		•	al activities		•	For	additional uses to the Co	mmercial, Industrial,
27	Guest houses		•	Hobby far		ai aonvino.	,		Pub	ic or Agricultural groups,	see Chapter III of the
						n of the pr	incipal		By-l	aw Regarding Zoning .	
28	Room rental		•	residence	type		·				
29	Siting standards for main b								No	tes – Attachment	and size
30	Attachment (detached, semi-detac	hed, row)	D						Sid	e set-back: When calc	ulated from a street
31	Front set-back (min. in meters)		7.5							minimum set-back is	
32	Side set-back (min. and total in me	eters)	4.5 / 9								
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards								No	tes - Subdivision	
40	Lot size (min. in sq. m)		8,000						Mor	e restrictive standards ma	ay apply. See Chapter IV
41	Width (min. in meters)		50						of th	e By-Law Regarding Sub	division .
42	Depth (min. in meters)		60								
43	Special conditions (for referen	nce only; see the	eBy-Law F	Regarding Z	Zoning)	,					
44	Natural space (%) and trees	•	Floodplai							grated projects	
45	Water withdrawal protection zone		Noise lev					Rec. and to	urism	integrated projects	
46	Parc linéaire	•	Chapter >	(IV							
47	Other notes and special pro	visions								Changes to	
48									By- 202	aw 712-2023, entry in 3	to force November 3,
49											
50											
51											
52											
~-											
53											

Schedule B to By-Law 642-2022 Regarding Zoning

**Municipality of Morin-Heights** 

ZONE: RV-13

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard		s, playgrou	nds, natural	areas, trail	s, bike path	s, conserva	tion activities			
3	Permitted major use catego	ries	1						Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5	H2 Two-family residence			•							
6	H3 Three-family residence				•						
7	H4 Multi-family residence				•						
8											
9											
10									_		
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18	Dunidiana far main vaca								N/ -	:	
	Provisions for main uses								ivia	in use quotas	
20	Mixed use Multiple use										
21	Land use density (dw./ha)		main 4 I	main 4 I	main 4 I						
22	Max dwelling units/building (H4 or	miyod)	min. 4 +	min. 4 +	min. 4 +						
23	Permitted additional uses to		11000		12				٨٨	ditional uses (other	
24	Intergenerational dwelling units	Residential	l	Porconal	and profes	cional con	icos	_	Au	ultional uses (other	uses)
25 26	Additional dwelling units		•		sed artisan			•	For	additional uses to the Cor	mmercial, Industrial,
27	Guest houses		•	Hobby far		ai activities	•	•		ic or Agricultural groups,	
			•	_	comodatio	n of the pri	ncipal		By-L	aw Regarding Zoning .	
28	Room rental		•	residence							
29	Siting standards for main b	uildings							No	tes – Attachment	and size
30	Attachment (detached, semi-detac	hed, row)	D	D	D				C:4	ant bank Whan and	ulated from a street
31	Front set-back (min. in meters)		7.5	7.5	7.5					e set-back: When calc minimum set-back is 7	,
32	Side set-back (min. and total in me	eters)	4.5 / 9	4.5 / 9	4.5 / 9						
33	Rear set-back (min. in meters)		10	10	10						
34	Land use density (max. %)		10%	10%	10%						
35	Footprint (min. in sq. m)		60	60	60						
36	Height in storeys (min./max.)		1/2	1/2	1/2						
37	Height in meters (min./max.)		5 / 11	5 / 11	5 / 11						
38	Width and depth (min. in meters)		8/6	8/6	8/6						
39	Subdivision standards								No	tes - Subdivision	
40	Lot size (min. in sq. m)		2,000	2,000	2,000					livision standards for a part rviced lot, see note A. More	
41	Width (min. in meters)		25	25	25					<ol> <li>See Chapter IV of the By</li> </ol>	
	Depth (min. in meters)		45	45	45				subc	ivisions.	
43	Special conditions (for referen	nce only; see the			oning)						
44	Natural space (%) and trees	•	Floodplair							grated projects	
45	Water withdrawal protection zone		Noise leve					Rec. and to	ırism	ntegrated projects	
46	Parc linéaire	•	Chapter X	IV			•				
47	Other notes and special pro									Changes to	
48	Note A: For an unserviced lot, the and the minimum depth is 60 m.	minimum area is	s 4,000 sq.	m the min	imum widt	h is 50 m			By- 202	aw 713-2023, entry in 3	to force November 3,
49											
50											
51											
52											
53											
54											
55											

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

ZONE: RV-14

	. ,	1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses	•	_	•	•		J			0.1361 1 61 1
2	See Chapter II of the By-Law Regarding Zoning: par	ks. plavgrou	nds. natural	areas, trails	s. bike path	s. conserva	ation activities	etc.		
3	Permitted major use categories	, p, g			, ,	,			ecifically permitte	d uses
4	H1 Single-family residence	•						ОР		2 0.000
5	H2 Two-family residence		•							
6	H3 Three-family residence			•						
7	H4 Multi-family residence			-						
8	THE Walte-latting residence			•						
9										
10								Sn	ecifically prohibite	nd usos
11								ъþ		u uses
13										
14 15										
16										
17								-		
18	Duranialana fan marin 1122							N4 -	i	
19	Provisions for main uses  Mixed use	T				I		IVI a	in use quotas	
20										
21	Multiple use	10. 4.	10. 4.	N4: 4:						
22	Land use density (dw./ha)	Min. 4+	Min. 4+	Min. 4+						
23	Max dwelling units/building (H4 or mixed)	•		12					11/4	
24	Permitted additional uses to Residentia		n .					Ad	ditional uses (other	uses)
25	Intergenerational dwelling units	•		and profess			•	For	additional uses to the Cor	mmercial Industrial
26	Additional dwelling units	•		ed artisana	al activities	3	•		ic or Agricultural groups,	
27	Guest houses	•	Hobby fari	ms comodatio	a of the ne	nainal		By-L	.aw Regarding Zoning .	
28	Room rental	•	residence		i oi trie pri	псіраі				
29	Siting standards for main buildings			.,,,,,				No	tes – Attachment a	and size
30	Attachment (detached, semi-detached, row)	D	D	D						
31	Front set-back (min. in meters)	4	4	4					e set-back: When calc	· ·
32	Side set-back (min. and total in meters)	4.5 / 9	4.5 / 9	4.5 / 9				tne	minimum set-back is 7	.5 M.
33	Rear set-back (min. in meters)	10	10	10						
34	Land use density (max. %)	30%	30%	30%						
35	Footprint (min. in sq. m)	60	60	60						
36	Height in storeys (min./max.)	1/2	1/2	1/2						
37	Height in meters (min./max.)	5 / 11	5 / 11	5 / 11						
38	Width and depth (min. in meters)	8/6	8/6	8/6						
39	Subdivision standards							No	tes - Subdivision	
40	Lot size (min. in sq. m)	2,000	2,000	2,000					division standards for a parti	ally serviced lot. For an
41	Width (min. in meters)	25	25	25					rviced lot, see note A. More	
42	Depth (min. in meters)	45	45	45					y. See Chapter IV of the by livisions.	-Law Regarding
43	Special conditions (for reference only, see th	e <i>By-Law F</i>	Regarding Z	oning)				-		
44	Natural space (%) and trees	Floodplair		- J		•	Commercia	al inte	grated projects	
45	Water withdrawal protection zone	Noise lev	el zone						ntegrated projects	
46	Parc linéaire	Chapter >	(IV							
47	Other notes and special provisions								Changes to	the arid
	Note A: For an unserviced lot, the minimum area	is 4,000 sq	. m the min	imum widtl	n is 50 m			By-	aw 714-2023, entry int	
48	and the minimum depth is 60 m.							202		-,
49										
50										
51										
52										
53										
54										
55										

Schedule B to By-Law 642-2022 Regarding Zoning **Municipality of Morin-Heights** 

ZONE: RV-15 Residential and Resort

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regar		ks, playgrou	nds, natura	al areas, trai	ls, bike path	s, conserva	tion activities	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitted	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		Min. 4+								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to		uses		1				Ad	ditional uses (other	uses)
25	Intergenerational dwelling units			Personal	and profes	sional serv	rices				,
26	Additional dwelling units				sed artisan					additional uses to the Cor	
27	Guest houses			Hobby fai					Pub	lic or Agricultural groups,	see Chapter III of the
	Room rental				ccomodatic	n of the pr	incipal		By-l	aw Regarding Zoning .	
28				residence	e type						
29	Siting standards for main b				1			T	No	tes – Attachment a	and size
30	Attachment (detached, semi-detac	ched, row)	D						Sid	e set-back: When calc	ulated from a street
31	Front set-back (min. in meters)		7.5							minimum set-back is 7	,
32	Side set-back (min. and total in me	eters)	4.5 / 9								
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10 %								
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards				1	1		1		tes - Subdivision	
40	Lot size (min. in sq. m)		8,000							division standards for a pa e restrictive standards ma	•
41	Width (min. in meters)		50								
42	Depth (min. in meters)		60						OI U	e By-Law Regarding Sub	uivisiori .
43	Special conditions (for refere	nce only; see th			Zoning)			1			
44	Natural space (%) and trees	•	Floodplai				•			grated projects	
45	Water withdrawal protection zone		Noise lev				•	Rec. and to	urism	integrated projects	
46	Parc linéaire		Chapter >	(IV			•				
47	Other notes and special pro	ovisions			1			T	_	Changes to	
48	The area includes a mobile home	park (see Chap	ter XIV).						By- 202	law 715-2023, entry int 3	to force November 3,
49											
50											
51											
52											
53											
54											
55								-			

Schedule B to By-Law 642-2022 Regarding Zoning Municipality of Morin-Heights

**ZONE: RV-16** 

wu	incipality of Morni-Heights		_							0
		1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses									
2	See Chapter II of the By-Law Regarding Zoning:	parks, playgrou	nds, natural	areas, trail	s, bike path	s, conserva	ation activities			
3	Permitted major use categories								ecifically permitte	d uses
4	H1 Single-family residence	•						(1)	P1-03	
5	H2 Two-family residence		•							
6	H3 Three-family residence			•						
7	P1 Institutions and Administrative Services				•					
8										
9										
10								0	! <b>6</b> ! !!- :  - !!- !4-	
11								Sp	ecifically prohibite	ea uses
12										
13										
14										
15										
16										
17										
18										
19	Provisions for main uses							Ma	in use quotas	
20	Mixed use								doo quotao	
	Multiple use									
21										
22	Land use density (dw./ha)	Min. 4+	min. 4 +	min. 4 +	min. 4 +					
23	Max dwelling units/building (H4 or mixed)									
24	Permitted additional uses to Residen	tial uses						Ad	ditional uses (other	uses)
25	Intergenerational dwelling units	•	Personal a	and profess	sional serv	ices	•			
26	Additional dwelling units	•	Home-bas	sed artisan	al activities	;	•		additional uses to the Cor	
27	Guest houses	•	Hobby far	ms				Pub	ic or Agricultural groups,	see Chapter III of the
20	Poem rontol		Tourist ac	comodatio	n of the pri	ncipal		By-L	aw Regarding Zoning .	
28	Room rental	•	residence	type						
29	Siting standards for main buildings							No	tes – Attachment a	and size
30	Attachment (detached, semi-detached, row)	D	D	D	D			<b>.</b>		
31	Front set-back (min. in meters)	7.5	7.5	7.5	7.5				e set-back: When calc minimum set-back is 7	· ·
32	Side set-back (min. and total in meters)	4.5 / 9	4.5 / 9	4.5 / 9	4.5 / 9			uic	IIIIIIIIIIIIIII SEL-DACK IS I	.5 111.
33	Rear set-back (min. in meters)	10	10	10	10					
34	Land use density (max. %)	10%	10%	10%	10%					
35	Footprint (min. in sq. m)	60	60	60	60					
	Height in storeys (min./max.)									
36	- ' ' '	1/2	1/2	1/2	1/2					
37	Height in meters (min./max.)	5 / 11	5 / 11	5 / 11	5 / 11					
38	Width and depth (min. in meters)	8/6	8/6	8/6	8/6					
39	Subdivision standards							No	tes - Subdivision	
40	Lot size (min. in sq. m)	2,000	2,000	2,000	2,000		<u> </u>		livision standards for a parti	
41	Width (min. in meters)	25	25	25	25	-			rviced lot, see note A. More  7. See Chapter IV of the By	
42	Depth (min. in meters)	45	45	45	45				livisions.	. Jg
43		tho Py Low E	Regarding Z	oning)						
1	Special conditions (for reference only; see	e illeby-Law r								
44	• • • • • • • • • • • • • • • • • • • •	Floodplai					Commercia	al inte	grated projects	
	Natural space (%) and trees	Floodplai	1				Commercia Rec. and to		ntegrated projects	
45	Natural space (%) and trees  Water withdrawal protection zone	Floodplai Noise lev	n el zone							
45 46	Natural space (%) and trees  Water withdrawal protection zone Parc linéaire	Floodplai	n el zone						ntegrated projects	the grid
45	Natural space (%) and trees  Water withdrawal protection zone  Parc linéaire  Other notes and special provisions	Floodplair Noise lev Chapter	el zone		h i- 50					the grid
45 46	Natural space (%) and trees  Water withdrawal protection zone Parc linéaire  Other notes and special provisions  Note A: For an unserviced lot, the minimum ar	Floodplair Noise lev Chapter	el zone	imum widt	h is 50 m			urism i	ntegrated projects	
45 46 47 48	Natural space (%) and trees  Water withdrawal protection zone  Parc linéaire  Other notes and special provisions	Floodplair Noise lev Chapter	el zone	ilmum widt	h is 50 m			urism i	Changes to w 716-2023, entry into force N	ovember 3, 2023
45 46 47 48 49	Natural space (%) and trees  Water withdrawal protection zone Parc linéaire  Other notes and special provisions  Note A: For an unserviced lot, the minimum ar	Floodplair Noise lev Chapter	el zone	imum widt	h is 50 m			urism i	ntegrated projects  Changes to	ovember 3, 2023
45 46 47 48 49 50	Natural space (%) and trees  Water withdrawal protection zone Parc linéaire  Other notes and special provisions  Note A: For an unserviced lot, the minimum ar	Floodplair Noise lev Chapter	el zone	imum widt	h is 50 m			urism i	Changes to w 716-2023, entry into force N	ovember 3, 2023
45 46 47 48 49	Natural space (%) and trees  Water withdrawal protection zone Parc linéaire  Other notes and special provisions  Note A: For an unserviced lot, the minimum ar	Floodplair Noise lev Chapter	el zone	imum widt	h is 50 m			urism i	Changes to w 716-2023, entry into force N	ovember 3, 2023
45 46 47 48 49 50	Natural space (%) and trees  Water withdrawal protection zone Parc linéaire  Other notes and special provisions  Note A: For an unserviced lot, the minimum ar	Floodplair Noise lev Chapter	el zone	imum widt	h is 50 m			urism i	Changes to w 716-2023, entry into force N	ovember 3, 2023
45 46 47 48 49 50 51	Natural space (%) and trees  Water withdrawal protection zone Parc linéaire  Other notes and special provisions  Note A: For an unserviced lot, the minimum ar	Floodplair Noise lev Chapter	el zone	imum widt	h is 50 m			urism i	Changes to w 716-2023, entry into force N	ovember 3, 2023
45 46 47 48 49 50 51 52	Natural space (%) and trees  Water withdrawal protection zone Parc linéaire  Other notes and special provisions  Note A: For an unserviced lot, the minimum ar	Floodplair Noise lev Chapter	el zone	imum widt	h is 50 m			urism i	Changes to w 716-2023, entry into force N	ovember 3, 2023

Schedule B to By-Law 642-2022 Regarding Zoning

**Municipality of Morin-Heights** 

ZONE: RV-17

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard	ding Zoning : parl	ks, playgrou	nds, natura	l areas, trai	ls, bike path	s, conserva	tion activitie	, etc.		
3	Permitted major use catego	ries							Spe	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Spe	ecifically prohibit	ed uses
12									•	,	
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ma	in use quotas	
20	Mixed use								IVIG	iii uoc quotao	
21	Multiple use										
22	Land use density (dw./ha)		Min. 4+								
	Max dwelling units/building (H4 or	mived)	IVIIII. 41								
24	Permitted additional uses to		HEOC						۸۵	ditional uses (othe	
	Intergenerational dwelling units	o Residential		Porconal	and profes	sional serv	vicos	_	Au	untional uses (other	r uses)
25 26	Additional dwelling units		•		•	and artisana		•	For a	additional uses to the Co	mmercial, Industrial,
	Guest houses		•			anu annsana	ii activities	•		ic or Agricultural groups,	
27			•	Hobby far		n of the pr	incinal		By-L	aw Regarding Zoning .	
28	Room rental		•	residence		00 p					
29	Siting standards for main b	uildings							No	tes – Attachment	and size
30	Attachment (detached, semi-detac	ched, row)	D						0: 1		
31	Front set-back (min. in meters)		7.5							e set-back: When cald minimum set-back is	
32	Side set-back (min. and total in me	eters)	4.5 / 9						uic	minimum set-back is	7.0 111.
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards				•		•		No	tes - Subdivision	
40	Lot size (min. in sq. m)		8,000							division standards for a p	•
41	Width (min. in meters)		50								ay apply. See Chapter IV
42	Depth (min. in meters)		60						of th	e By-Law Regarding Sub	odivision .
43	Special conditions (for referen	nce only; see the	e <i>By-Law R</i>	egarding 2	Zoning)	•	'	'			
44	Natural space (%) and trees	•	Floodplair	1				Commerci	al integ	rated projects	
45	Water withdrawal protection zone		Noise leve	el zone				Rec. and to	urism i	ntegrated projects	
46	Parc linéaire		Chapter X	IV							
47	Other notes and special pro	visions	<b>'</b>			'				Changes to	the grid
48									By-I 202	aw 717-2023, entry in	to force November 3,
49	<u> </u>										
50											
51											
52											
53											
54											
55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights

**ZONE: RV-18** 

			1	2	3	4	5	6			Sheet 1 of 1		
1	Generally permitted uses												
2	See Chapter II of the By-Law Regard	ding Zoning : parl	s, playgrou	nds, natura	l areas, trai	ls, bike path	s, conserva	tion activitie	, etc.				
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses		
4	H1 Single-family residence		•										
5													
6													
7													
8													
9													
10													
11									Sp	ecifically prohibite	ed uses		
12									•	<b>,</b> ,			
13													
14													
15													
16													
17													
18													
19	Provisions for main uses								Ma	in use quotas			
20	Mixed use								IVIG	iii uoc quotao			
21	Multiple use												
22	Land use density (dw./ha)		max. 3										
	Max dwelling units/building (H4 or	mived)	max. 5										
	Permitted additional uses to		HEOC						۸۵	ditional uses (other			
24	Intergenerational dwelling units	Residential	l .	Porconal	and profes	sional serv	vicos		Au	uitional uses (other	uses)		
	<u> </u>		•		•	and artisana		•	For	additional uses to the Cor	mmercial, Industrial,		
26	Additional dwelling units Guest houses		•			anu annsana	ii activities	•		ic or Agricultural groups,			
27	Guest nouses		•	Hobby far		n of the pr	incinal		By-L	By-Law Regarding Zoning .			
28	Room rental		•	residence		ni oi tile pi	пора						
29	Siting standards for main b	uildings						<u>'</u>	No	tes – Attachment	and size		
30	Attachment (detached, semi-detac	ched, row)	D										
31	Front set-back (min. in meters)		7.5							e set-back: When calc minimum set-back is 7			
32	Side set-back (min. and total in me	eters)	4.5 / 9						uie	minimum set-back is	7.3 111.		
33	Rear set-back (min. in meters)		10										
34	Land use density (max. %)		10%										
35	Footprint (min. in sq. m)		60										
36	Height in storeys (min./max.)		1/2										
37	Height in meters (min./max.)		5 / 11										
	Width and depth (min. in meters)		8/6										
39	Subdivision standards				1	1	l		No	tes - Subdivision			
40	Lot size (min. in sq. m)		8,000										
41	Width (min. in meters)		50							e restrictive standards ma			
	Depth (min. in meters)		60						of th	e By-Law Regarding Sub	division .		
43	Special conditions (for referen	nce only: see the		egarding 7	Zonina )								
44	Natural space (%) and trees	•	Floodplair		-og /			Commerci	al inte	grated projects			
45	Water withdrawal protection zone		Noise leve							ntegrated projects			
46	Parc linéaire		Chapter X							9 р,			
47	Other notes and special pro	visions								Changes to	the grid		
	The motor and special pro								Bv-I	aw 718-2023, entry in			
48									202				
49													
50													
51													
52													
53													
54													
55													

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights ZONE: RV-19

Comment   Comm				1	2	3	4	5	6			Sheet 1 of 1
Main	1											
Manual   M	2			s, playgrou	nds, natura	l areas, trail	ls, bike path	s, conserva	tion activities	_		
Second	3		ries							Sp	ecifically permitted	d uses
Second   S	4	H1 Single-family residence		•								
	5											
Second   S	6											
Main	7											
10	8											
1	9											
12	10									_		
1	11									Sp	ecifically prohibite	ed uses
Multiple use												
15												
1												
17												
18												
19   Provisions for main uses										-		
Mixed use		<b>D</b>										
Multiple use							ı	ı		Ma	in use quotas	
Land use density (dw/ha)										_		
Max divelling units/building (H4 or mixed)										_		
				max. 3						_		
Intergenerational dwelling units   •   Personal and professional services   •   Home-based artistic and artisanal activities   •   Home-based artistic and artisanal activities   •   Pera additional dwelling units   •   Home-based artistic and artisanal activities   •   Pera additional uses to the Commercial, industrial, Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning .    Sitting standards for main buildings     Tourist accommodation of the principal residence type   Pera additional uses to the Commercial, industrial, Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning .    Sitting standards for main buildings   Tourist accommodation of the principal residence type   Pera additional uses to the Commercial, industrial, Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning .    Sitting standards for main buildings   Tourist accommodation of the principal residence type   Pera additional uses to the Commercial, industrial, Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning .    Sitting standards for main buildings   Tourist accommodation of the principal residence type   Pera additional uses to the Commercial, industrial, Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning .    Sitting standards for main buildings   Tourist accommodation of the principal residence type   Pera additional uses to the Commercial industrial, Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning .    Sitting standards for main buildings   Tourist accommodation of the principal residence type   Pera additional uses to the Commercial, industrial, Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning .    Sitting standards for main buildings   Tourist accommodation of the principal residence type   Pera additional time and principal projects   Pera additional time accommodation of the principal residence type   Pera additional time accommodation of the princi												
Additional dwelling units			o Residentiai		Б		. ,			Ad	ditional uses (other	uses)
Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultural groups, see Chapter III of the By-Law Regarding Zoning.   Public or Agricultu										For	additional uses to the Cor	nmercial Industrial
Notes - Attachment and size   Sitting standards for main buildings   Sitting standards   Sit		=					and artisana	ii activities	•			
**   residence type	27	Guest houses		•			n of the nr	incinal		By-l	aw Regarding Zoning .	
Siting standards for main buildings	28	Room rental		•			iii oi tiie pi	пісіраі				
Front set-back (min. in meters)	29	Siting standards for main b	uildings							No	tes – Attachment a	and size
Thort set-back (min. n meters)	30	Attachment (detached, semi-detached)	ched, row)	D								
Side set-back (min. and total in meters)   4.5 / 9	31	Front set-back (min. in meters)		7.5								,
10%   10%	32	Side set-back (min. and total in me	eters)	4.5 / 9						uie	minimum set-back is i	.5 111.
Second to the post of the po	33	Rear set-back (min. in meters)		10								
Height in storeys (min./max.)   1 / 2	34	Land use density (max. %)		10%								
1	35	Footprint (min. in sq. m)		60								
38 Width and depth (min. in meters)   8 / 6	36	Height in storeys (min./max.)		1/2								
39 Subdivision standards 40 Lot size (min. in sq. m) 41 Width (min. in meters) 50 50 60 74 Special conditions (for reference only; see the By-Law Regarding Zoning) 44 Natural space (%) and trees 45 Water withdrawal protection zone 46 Parc linéaire 47 Other notes and special provisions 48 49 50 51 52 53 54 64 65 65 66 66 67 68 68 68 69 69 69 60 60 60 60 60 60 60 60 60 60 60 60 60	37	Height in meters (min./max.)		5 / 11								
40 Lot size (min. in sq. m) 41 Width (min. in meters) 42 Depth (min. in meters) 43 Special conditions (for reference only; see the by-Law Regarding Zoning)  44 Natural space (%) and trees 45 Water withdrawal protection zone 46 Parc linéaire 47 Other notes and special provisions  48  49  50  51  52  53  54  65  60  60  60  60  60  60  60  60  60	38	Width and depth (min. in meters)		8/6								
41 Width (min. in meters) 42 Depth (min. in meters) 43 Special conditions (for reference only; see the By-Law Regarding Zoning)  44 Natural space (%) and trees 45 Water withdrawal protection zone 46 Parc linéaire  47 Other notes and special provisions  48  49  50  51  52  53  54  60  60  60  60  60  60  60  60  60  6	39	Subdivision standards					_		•	No	tes - Subdivision	
41 Width (min. in meters) 50         of the By-Law Regarding Subdivision.  42 Depth (min. in meters) 60       of the By-Law Regarding Subdivision.  43 Special conditions (for reference only; see the By-Law Regarding Zoning)  44 Natural space (%) and trees   Floodplain   Commercial integrated projects   45 Water withdrawal protection zone   Noise level zone   Rec. and tourism integrated projects   46 Parc linéaire   Chapter XIV   The project   47 Other notes and special provisions   Changes to the grid   48 By-law 719-2023, entry into force November 3, 2023    49   Special Conditions (for reference only; see the By-Law Regarding Zoning)  Commercial integrated projects    Rec. and tourism integrated projects    Changes to the grid    By-law 719-2023, entry into force November 3, 2023    Endition (in meters) (integrated projects    Changes to the grid    By-law 719-2023, entry into force November 3, 2023    Endition (in meters) (integrated projects    Endition (integrated projects    Endition (in meters) (integrated projects    Endition (in m	40	Lot size (min. in sq. m)		8,000						Mor	e restrictive standards ma	v annly. See Chanter IV
Depth (min. in meters)   60	41	Width (min. in meters)		50								
At Natural space (%) and trees  Noise level zone  Noise level zone  Noise level zone  Rec. and tourism integrated projects  Chapter XIV  The notes and special provisions  Rec. and tourism integrated projects  Changes to the grid  By-law 719-2023, entry into force November 3, 2023  Rec. and tourism integrated projects  Changes to the grid  By-law 719-2023, entry into force November 3, 2023  Rec. and tourism integrated projects  Changes to the grid  By-law 719-2023, entry into force November 3, 2023  Rec. and tourism integrated projects  Rec. and tourism integ	42	Depth (min. in meters)		60						or tr	ie By-Law Regarding Sub	aivision .
Water withdrawal protection zone Noise level zone Rec. and tourism integrated projects  46 Parc linéaire Chapter XIV  47 Other notes and special provisions  48 By-law 719-2023, entry into force November 3, 2023  49 50 51 52 53 53 55 54 55 56 56 56 56 56 56 56 56 56 56 56 56	43	Special conditions (for refere	nce only; see the	By-Law F	Regarding 2	Zoning)						
Accordance   Chapter XIV   Changes to the grid	44	Natural space (%) and trees	•	Floodplai	n				Commercia	al inte	grated projects	
47         Other notes and special provisions         Changes to the grid           48         By-law 719-2023, entry into force November 3, 2023           49	45	Water withdrawal protection zone		Noise lev	el zone				Rec. and to	urism	integrated projects	
48       By-law 719-2023, entry into force November 3, 2023         49	46	Parc linéaire		Chapter >	(IV							
48       2023         49       ————————————————————————————————————	47	Other notes and special pro	visions				'				Changes to	the grid
49	48										law 719-2023, entry int	
51       52       53       54	49										<u> </u>	
51       52       53       54												
52       53       54												
53       54												
54												
	55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights ZONE: RV-20

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard		ks, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activities			
3	Permitted major use catego	ries							Sp	ecifically permitted	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ma	in use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or										
24	Permitted additional uses to	o Residential	uses						Ad	ditional uses (other	uses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•			
26	Additional dwelling units		•	Home-bas	ed artistic a	ınd artisana	l activities	•		additional uses to the Cor lic or Agricultural groups,	
27	Guest houses		•	Hobby far						Law Regarding Zoning .	
28	Room rental		•	Tourist ac	comodatio	n of the pr	incipal			Law riogaranig Lonning :	
29	Siting standards for main b	uildings			.,,,,,				No	tes – Attachment a	and size
30	Attachment (detached, semi-detac		D								
31	Front set-back (min. in meters)	-	7.5							e set-back: When calc minimum set-back is 7	· ·
32	Side set-back (min. and total in me	eters)	4.5 / 9						uie	minimum set-back is i	.5 III.
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards								No	tes - Subdivision	
40	Lot size (min. in sq. m)		8,000						Mor	e restrictive standards ma	v apply. See Chanter IV
41	Width (min. in meters)		50							ne By-Law Regarding Sub	
42	Depth (min. in meters)		60						OI ti	ie by-Law Negarding Subi	division .
43	Special conditions (for referen	nce only; see the	e <i>By-Law F</i>	Regarding 2	Zoning)						
44	Natural space (%) and trees	•	Floodplaii	n				Commercia	al inte	grated projects	
45	Water withdrawal protection zone		Noise lev	el zone				Rec. and to	urism	integrated projects	
46	Parc linéaire		Chapter >	(IV							
47	Other notes and special pro	ovisions								Changes to	_
48									By- 202	law 720-2023, entry int	to force November 3,
49											
50											
51											
52											
53											
54											
55									- 1		

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights

ZONE: RV-21

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regar	ding Zoning : parl	ks, playgrou	nds, natura	l areas, trai	ls, bike path	s, conserva	tion activitie	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		min. 4 +								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to		uses						Ad	ditional uses (other	r uses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•			,
26	Additional dwelling units		•		ed artistic a			•		additional uses to the Co	
27	Guest houses		•	Hobby far	ms				Pub	ic or Agricultural groups,	see Chapter III of the
	Room rental			-	comodatio	n of the pr	incipal		By-l	aw Regarding Zoning .	
28			•	residence	type						
29	Siting standards for main b		T	ı	1	I	ı		No	tes – Attachment	and size
30	Attachment (detached, semi-detac	ched, row)	D						Sid	e set-back: When calc	culated from a street.
31	Front set-back (min. in meters)		7.5							minimum set-back is	
32	Side set-back (min. and total in me	eters)	4.5 / 9								
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
	Footprint (min. in sq. m)		60								
	Height in storeys (min./max.)		1/2								
	Height in meters (min./max.)		5 / 11								
	Width and depth (min. in meters)		8/6								
	Subdivision standards			T			T			tes - Subdivision	
40	Lot size (min. in sq. m)		2,000							division standards for a part rviced lot, see note A. More	
41	Width (min. in meters)		25						appl	y. See Chapter IV of the By	
42	Depth (min. in meters)		45	L					subc	livisions.	
43	Special conditions (for refere				Zoning)			I			
44	Natural space (%) and trees	•	Floodplair							grated projects	
45	Water withdrawal protection zone		Noise leve					Rec. and to	urism	ntegrated projects	
46	Parc linéaire		Chapter X	av							
47	Other notes and special pro		4.000		,				_	Changes to	_
48	Note A: For an unserviced lot, the and the minimum depth is 60 m.	mınımum area i	s 4,000 sq	. m the mir	nmum widi	ın ıs 50 m			By- 202	aw 721-2023, entry in 3	to force November 3,
49	and thinmindin deput is 00 III.								202	~	
50											
51									-		
52 53											
54											
55											
S									1		

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights

**ZONE: RV-22** 

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard	ding Zoning : par	ks, playgrou	nds, natura	l areas, trai	ls, bike path	s, conserva	tion activities	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses				,			,	Ма	in use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to	o Residential	uses						Ad	ditional uses (other	uses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•			
26	Additional dwelling units		•	Home-bas	ed artistic a	and artisana	l activities	•		additional uses to the Cor lic or Agricultural groups,	
27	Guest houses		•	Hobby far						.aw Regarding Zoning .	occ chapter in or the
28	Room rental		•			n of the pr	ncipal		Dy-L	aw Negaraing Zoning .	
29	Siting standards for main b	uildinas		residence	туре				No	tes – Attachment a	and size
30	Attachment (detached, semi-detached		D							7	
31	Front set-back (min. in meters)		7.5							e set-back: When calc	,
32	Side set-back (min. and total in me	eters)	4.5 / 9						the	minimum set-back is 7	7.5 m.
33	Rear set-back (min. in meters)	,	10								
	Land use density (max. %)		10%								
	Footprint (min. in sq. m)		60								
	Height in storeys (min./max.)		1/2								
	Height in meters (min./max.)		5/11								
	Width and depth (min. in meters)		8/6								
39	Subdivision standards								No	tes - Subdivision	
40	Lot size (min. in sq. m)		8,000							division standards for a pa	artially serviced lot.
41	Width (min. in meters)		50						Mor	e restrictive standards ma	y apply. See Chapter IV
	Depth (min. in meters)		60						of th	e By-Law Regarding Sub	division .
	Special conditions (for referen	nce only: see th		Regarding Z	Zonina )						
44	Natural space (%) and trees	•	Floodplai		<u> </u>			Commercia	al inte	grated projects	
45	Water withdrawal protection zone		Noise lev	el zone				Rec. and to	urism	integrated projects	
46	Parc linéaire		Chapter >	(IV							
47	Other notes and special pro	visions								Changes to	the grid
48									By-	law 722-2023, entry in	
49											
50											
51											
52											
53											
54											
55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights

**ZONE: RV-23** 

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regar	ding Zoning : parl	ks, playgrou	nds, natura	l areas, trai	ls, bike path	s, conserva	tion activitie	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses		1	1			1		Ма	in use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to		uses	1			1		Ad	ditional uses (other	r uses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•		· · ·	,
26	Additional dwelling units		•	Home-bas	ed artistic a	and artisana	l activities	•		additional uses to the Co	
27	Guest houses		•	Hobby far	ms					lic or Agricultural groups,	see Chapter III of the
28	Room rental		•	Tourist ad	comodatio	n of the pr	incipal		By-L	aw Regarding Zoning .	
		11 -11		residence	type				NI -	4 4441	
29	Siting standards for main b			I			I			tes – Attachment	
30	Attachment (detached, semi-detac	cnea, row)	D							nt set-back: along Rou	
31	Front set-back (min. in meters)		7.5							Chapter V of the <i>By-l</i> ning.	_aw Regarding
32	Side set-back (min. and total in me	eters)	4.5 / 9						201	y .	
33	Rear set-back (min. in meters)		10						Sid	e set-back: When cald	culated from a street,
34	Land use density (max. %)		10%						the	minimum set-back is	7.5 m.
35	Footprint (min. in sq. m)		60								
	Height in storeys (min./max.)		1/2								
	Height in meters (min./max.)		5/11								
	Width and depth (min. in meters)		8/6						A1.	too Cubalistal	
	Subdivision standards		0.000	I	I	I	I			tes – Subdivision	ially and lat Care
40	Lot size (min. in sq. m) Width (min. in meters)		2,000							division standards for a part erviced lot, see note A. More	
41			20							y. See Chapter IV of the B	y-Law Regarding
42	Depth (min. in meters)		45	\	7				Subc	livisions.	
43	Special conditions (for refere				zoning)	I		Cammarai	al into	arata d praia ata	
44	Natural space (%) and trees	•	Floodplair Noise leve				•			grated projects integrated projects	
45	Water withdrawal protection zone						•	Rec. and to	urisiii	integrated projects	
46	Parc linéaire  Other notes and special pro	vicione	Chapter >	AI V						Changes to	the grid
47	Note A: For an unserviced lot, the		0.4.000.00	m the mir	imum widi	th in EO m			D./	law 723-2023, entry in	_
48	and the minimum depth is 60 m.	mmmuni area i	∍ <del>4</del> ,000 Sq	u.e	milani wia	u 13 JU III			Бу- 202	, ,	to torce inovertiber 3,
49											
50											
51											
52											
53											
54											
55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights

ZONE: RV-24

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses		·		·	1	·	<b>'</b>			
2	See Chapter II of the By-Law Regar	ding Zoning : parl	ks, playgrou	nds, natura	l areas, trai	ls, bike path	s, conserva	tion activities	, etc.		
3	Permitted major use catego	ries							Spe	cifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Spe	cifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses		1		1		ı		Mai	n use quotas	
20	Mixed use									•	
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to	o Residential	uses	_		'			Add	ditional uses (other	ruses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•			
26	Additional dwelling units		•	Home-bas	ed artistic a	and artisana	l activities	•		idditional uses to the Co	
27	Guest houses		•	Hobby far						c or Agricultural groups,	see Chapter III of the
28	Room rental		•	Tourist ac residence		n of the pr	incipal		By-L	aw Regarding Zoning .	
29	Siting standards for main b	uildings	1	rooidonoo	туро				Not	es - Attachment	and size
30	Attachment (detached, semi-detached)		D								
31	Front set-back (min. in meters)		7.5							set-back: When calc	,
32	Side set-back (min. and total in me	eters)	4.5 / 9						tne i	minimum set-back is	7.5 m.
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards		1		1		1		Not	es - Subdivision	
40	Lot size (min. in sq. m)		2,000							ivision standards for a part	
41	Width (min. in meters)		20							viced lot, see note A. More . See Chapter IV of the By	restrictive standards may
42	Depth (min. in meters)		45							visions.	, zan nogaranig
43	Special conditions (for refere	nce only; see the	e <i>By-Law F</i>	Regarding 2	Zoning)			<u> </u>	<u>'</u>		
44	Natural space (%) and trees	•	Floodplair	า				Commercia	al integ	rated projects	
45	Water withdrawal protection zone		Noise lev	el zone				Rec. and to	urism ii	ntegrated projects	
46	Parc linéaire		Chapter >	(IV							
47	Other notes and special pro	ovisions								Changes to	the grid
48	Note A: For an unserviced lot, the and the minimum depth is 60 m.	minimum area i	s 4,000 sq	. m the mir	nimum wid	th is 50 m			By-la 2023	aw 724-2023, entry in 3	to force November 3,
49											
50											
51											
52											
53											
54											
55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights ZONE: RV-25

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard		s, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activities			
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses							,	Ma	in use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to	o Residential	uses					•	Ad	ditional uses (other	uses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•			
26	Additional dwelling units		•	Home-bas	ed artistic a	ınd artisana	l activities	•		additional uses to the Cor	
27	Guest houses		•	Hobby far						lic or Agricultural groups,	see Chapter III of the
28	Room rental		•	Tourist ac residence	comodatio	n of the pr	ncipal		By-I	aw Regarding Zoning .	
29	Siting standards for main b	uildings	·	<b>'</b>	,,			'	No	tes - Attachment	and size
30	Attachment (detached, semi-detac	ched, row)	D						Fro	nt set-back: along Roບ	ites 329 and 364,
31	Front set-back (min. in meters)		7.5							Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in me	eters)	4.5 / 9						Zor	ning .	
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%							e set-back: When calc minimum set-back is ī	,
35	Footprint (min. in sq. m)		60						uie	Illillillillilli Set-back is	.5 111.
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards								No	tes – Subdivision	
40	Lot size (min. in sq. m)		8,000							division standards for a p	
41	Width (min. in meters)		50							e restrictive standards ma	
42	Depth (min. in meters)		60						of th	ne By-Law Regarding Sub	division .
43	Special conditions (for referen	nce only; see the	e <i>By-Law F</i>	Regarding 2	Zoning)						
44	Natural space (%) and trees	•	Floodplaii	า				Commercia	al inte	grated projects	
45	Water withdrawal protection zone		Noise lev	el zone			•	Rec. and to	urism	integrated projects	
46	Parc linéaire		Chapter >	(IV							
47	Other notes and special pro	ovisions								Changes to	
48									By- 202	law 725-2023, entry in 3	to force November 3,
49											
50											
51											
52											
53											
54											
55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights

**ZONE: RV-26** 

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regar	ding Zoning : park	s, playgrou	nds, natural	areas, trail	ls, bike path	s, conserva	tion activities	, etc.		
3	Permitted major use catego	ries							Spe	ecifically permitte	ed uses
4	H1 Single-family residence		•	•							
5											
6											
7											
8											
9											
10											
11									Spe	ecifically prohibit	ed uses
12									•	,	
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ma	in use quotas	
20	Mixed use									iii uoo quotuo	
21	Multiple use										
	Land use density (dw./ha)		max. 3								
	Max dwelling units/building (H4 or	mixed)	max. o								
	Permitted additional uses to		HEOE						Λd	ditional uses (othe	r uppe)
	Intergenerational dwelling units	o ixesidentiai	•	Personal:	and profes	sional serv	rices	•	Au	aitional uses (othe	i uses)
26	Additional dwelling units		•			and artisana		•	For a	additional uses to the Co	mmercial, Industrial,
27	Guest houses		•	Hobby far		and antibane	ii activitics	•	Publ	ic or Agricultural groups,	see Chapter III of the
			•	-		n of the pr	incipal		By-L	aw Regarding Zoning .	
28	Room rental		•	residence							
29	Siting standards for main b	uildings							No	tes – Attachment	and size
30	Attachment (detached, semi-detac	ched, row)	D	S-D					0:1		
31	Front set-back (min. in meters)		7.5	7.5						e set-back: When calo minimum set-back is	·
32	Side set-back (min. and total in me	eters)	4.5 / 9	0 / 4.5					uic	minimum set-back is	7.0111.
33	Rear set-back (min. in meters)		10	10							
34	Land use density (max. %)		10%	10%							
35	Footprint (min. in sq. m)		60	60							
36	Height in storeys (min./max.)		1/2	1/2							
37	Height in meters (min./max.)		5 / 11	5 / 11							
38	Width and depth (min. in meters)		8/6	8/6							
39	Subdivision standards								No	tes – Subdivision	
40	Lot size (min. in sq. m)		8,000	8,000					More	restrictive standards m	ay apply. See Chapter IV
41	Width (min. in meters)		50	50							
42	Depth (min. in meters)		60	60					or th	e By-Law Regarding Sub	ouiviSiUII •
43	Special conditions (for refere	nce only; see the	eBy-Law R	egarding Z	oning)						
44	Natural space (%) and trees	•	Floodplair	1				Commercia	al integ	grated projects	
45	Water withdrawal protection zone		Noise leve	el zone				Rec. and to	urism i	ntegrated projects	
46	Parc linéaire		Chapter X	IV							
47	Other notes and special pro	visions								Changes to	the grid
48									By-I 202		to force November 3,
49											
50											
51											
52											
53											
54											
55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights

ZONE: RV-27

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regar	ding Zoning : park	s, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activitie	s, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use									•	
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)	_								
	Permitted additional uses to		uses						Ad	ditional uses (other	ruses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•	7 10	<u> </u>	
26	Additional dwelling units		•		ed artistic a			•	For	additional uses to the Cor	mmercial, Industrial,
27	Guest houses		•	Hobby far					Pub	ic or Agricultural groups,	see Chapter III of the
					comodatio	n of the pr	incipal		By-Law Regarding Zoning .		
	Room rental		•	residence	type						
29	Siting standards for main b			T	1	1	1		No	tes – Attachment	and size
30	Attachment (detached, semi-detached)	ched, row)	D							nt set-back: along Roւ	
31	Front set-back (min. in meters)		7.5							Chapter V of the By-L	∟aw Regarding
32	Side set-back (min. and total in me	eters)	4.5 / 9						Zor	ing .	
33	Rear set-back (min. in meters)		10						Sid	e set-back: When calc	ulated from a street
34	Land use density (max. %)		10%							minimum set-back is	,
	Footprint (min. in sq. m)		60								
	Height in storeys (min./max.)		1/2								
	Height in meters (min./max.)		5 / 11								
	Width and depth (min. in meters)		8/6								
	Subdivision standards								No	tes - Subdivision	
40	Lot size (min. in sq. m)		8,000						Mor	e restrictive standards ma	ay apply. See Chapter IV
41	Width (min. in meters)		50						of th	e By-Law Regarding Sub	division .
42	Depth (min. in meters)		60								
43	Special conditions (for refere	nce only; see the			Zoning)						
44	Natural space (%) and trees	•	Floodplair							grated projects	
45	Water withdrawal protection zone		Noise lev				•	Rec. and to	urism	ntegrated projects	
46	Parc linéaire		Chapter >	(IV							
47	Other notes and special pro	visions							_	Changes to	
48									By- 202	aw 727-2023, entry in	to force November 3,
40									202	J	
49											
50											
51											
52											
53											
54											
55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights **ZONE: RV-28** 

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard		s, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activities			
3	Permitted major use catego	ries		,	,	,			Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10									_		
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16									-		
17									-		
18	<b>D</b>										
19	Provisions for main uses				ı	ı	l		Ma	ain use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	•								1 1141	
24	Permitted additional uses to	Residential		<b>D</b> .					A	Iditional uses (other	r uses)
25	Intergenerational dwelling units		•	Personal				•	For	additional uses to the Co	mmercial Industrial
26	Additional dwelling units		•		ed artistic a	ing artisana	activities	•		olic or Agricultural groups,	
27	Guest houses		•	Hobby far	ms comodatio	n of the pr	ncinal		Ву-	Law Regarding Zoning .	
28	Room rental		•	residence		ii oi tile pi	псіраі				
29	Siting standards for main be	uildings			71				No	tes - Attachment	and size
30	Attachment (detached, semi-detac	hed, row)	D						Fro	ont set-back: along Rou	utes 329 and 364.
31	Front set-back (min. in meters)		7.5							e Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in me	eters)	4.5 / 9						Zo	ning .	
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%							le set-back: When calc minimum set-back is	
35	Footprint (min. in sq. m)		60						uie	: IIIIIIIIIIIIIIII Sel-Dack IS	7.5 III.
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards								No	otes - Subdivision	
40	Lot size (min. in sq. m)		8,000						Мо	re restrictive standards ma	av apply. See Chapter IV
41	Width (min. in meters)		50								
42	Depth (min. in meters)		60						01 1	he <i>By-Law Regarding Sub</i>	division .
43	Special conditions (for referen	nce only; see the	eBy-Law F	Regarding Z	Coning)						
44	Natural space (%) and trees	•	Floodplaii	ı			•	Commercia	al inte	grated projects	
45	Water withdrawal protection zone	•	Noise lev	el zone			•	Rec. and to	urism	integrated projects	
46	Parc linéaire		Chapter >	(IV							
47	Other notes and special pro	visions				<u>'</u>				Changes to	the grid
48									By 20:	-law 728-2023, entry in 23	to force November 3,
49											
50											
51											
52											
53											
54											
55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights

ZONE: RV-29

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard	ding Zoning : par	ks, playgrou	nds, natural	areas, trail	s, bike path	s, conserva	tion activitie	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5	H2 Two-family residence			•							
6	H3 Three-family residence				•						
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use										
21	Multiple use										
	Land use density (dw./ha)		min. 4 +	min. 4 +	min. 4 +						
	Max dwelling units/building (H4 or										
	Permitted additional uses to	o Residential	uses	,					Ad	ditional uses (othe	r uses)
	Intergenerational dwelling units		•		and profes			•	F	additional wass to the Co	namanaial Industrial
	Additional dwelling units		•		ed artistic a	nd artisana	l activities	•		additional uses to the Co ic or Agricultural groups,	
27	Guest houses		•	Hobby far						aw Regarding Zoning .	
28	Room rental		•	residence	comodatio tvne	n or the pr	ncipai				
29	Siting standards for main b	uildings		1.00.00.100	.,,,,,				No	tes - Attachment	and size
	Attachment (detached, semi-detac		D	D	D						
31	Front set-back (min. in meters)		7.5	7.5	7.5					e set-back: When cald minimum set-back is	
32	Side set-back (min. and total in me	eters)	4.5 / 9	4.5 / 9	4.5 / 9				uie	minimum set-back is	7.5 III.
33	Rear set-back (min. in meters)		10	10	10						
34	Land use density (max. %)		10%	10%	10%						
35	Footprint (min. in sq. m)		60	60	70						
36	Height in storeys (min./max.)		1/2	1/2	1/2						
37	Height in meters (min./max.)		5 / 11	5 / 11	5 / 11						
38	Width and depth (min. in meters)		8/6	8/6	8/6						
39	Subdivision standards								No	tes – Subdivision	
	Lot size (min. in sq. m)		2,000	2,000	2,000					livision standards for a par	
	Width (min. in meters)		25	25	25					<ol> <li>See Chapter IV of the B</li> </ol>	e restrictive standards may y-Law Regarding
	Depth (min. in meters)		45	45	45				suba	livisions.	
43	Special conditions (for referen	nce only; see th	e <i>By-Law R</i>	egarding Z	oning)			Ī			
44	Natural space (%) and trees	•	Floodplair				•			grated projects	
45	Water withdrawal protection zone	•	Noise leve				•	Rec. and to	urism i	ntegrated projects	
	Parc linéaire		Chapter X	.IV							
47	Other notes and special pro		4.000							Changes to	
48	Note A: For an unserviced lot, the and the minimum depth is 60 m.	minimum area i	s 4,000 sq	. m the min	imum widt	h is 50 m			By-I 202		to force November 3,
49											
50											
51											
52											
53											
54									$\perp$		
55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights

ZONE: RV-30

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses				·	·		· · · · · ·			
2	See Chapter II of the By-Law Regar	ding Zoning : park	s, playgrou	nds, natura	l areas, trail	s, bike path	s, conservat	tion activities	s, etc.		
3	Permitted major use catego	ries							Spe	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Spe	ecifically prohibit	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses				ı	1	1		Ma	in use quotas	
20	Mixed use									•	
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to	o Residential	uses		·	·			Add	ditional uses (othe	r uses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•			
26	Additional dwelling units		•	Home-bas	ed artistic a	and artisana	l activities	•		additional uses to the Co	
27	Guest houses		•	Hobby far	ms					c or Agricultural groups,	see Chapter III of the
28	Room rental		•	Tourist ac	comodatio	n of the pr	incipal		By-Law Regarding Zoning .		
29	Siting standards for main b	uildings		1001001100	туро				Notes – Attachment and size		
30	Attachment (detached, semi-detac		D								
31	Front set-back (min. in meters)		7.5							set-back: When cald	
32	Side set-back (min. and total in me	otoro)							ıne	minimum set-back is	7.5 III.
		eleis)	4.5/9								
33	Rear set-back (min. in meters)	elers)	4.5 / 9								
33 34	Rear set-back (min. in meters) Land use density (max. %)	eters)									
	, ,	eters)	10								
34	Land use density (max. %)	eters)	10 10%								
34 35	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.)	elets)	10 10% 60 1/2								
34 35 36	Land use density (max. %) Footprint (min. in sq. m)	elets)	10 10% 60								
34 35 36 37 38	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.)	elets)	10 10% 60 1/2 5/11						Not	res – Subdivision	
34 35 36 37 38 39	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters)	elets)	10 10% 60 1/2 5/11							r <b>es – Subdivision</b> livision standards for a p	
34 35 36 37 38 39	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards	elets)	10 10% 60 1/2 5/11 8/6						Subo	livision standards for a p	
34 35 36 37 38 39 40	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m)	elets)	10 10% 60 1/2 5/11 8/6						Subo	livision standards for a p	partially serviced lot. ay apply. See Chapter IV
34 35 36 37 38 39 40 41	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m) Width (min. in meters)		10 10% 60 1/2 5/11 8/6 8,000 50	Regarding 2	Zoning)				Subo	livision standards for a per restrictive standards ma	partially serviced lot. ay apply. See Chapter IV
34 35 36 37 38 39 40 41 42	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters)		10 10% 60 1/2 5/11 8/6 8,000 50		Zoning)			Commercia	Subo More of the	livision standards for a per restrictive standards ma	partially serviced lot. ay apply. See Chapter IV
34 35 36 37 38 39 40 41 42 43	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters) Special conditions (for reference)	nce only; see the	10 10% 60 1/2 5/11 8/6 8,000 50 60	1	Zoning)				Subo More of the	livision standards for a p restrictive standards ma e By-Law Regarding Sub	partially serviced lot. ay apply. See Chapter IV
34 35 36 37 38 39 40 41 42 43	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters) Special conditions (for reference) Natural space (%) and trees	nce only; see the	10 10% 60 1/2 5/11 8/6 8,000 50 60 eBy-Law F	n el zone	Zoning)				Subo More of the	livision standards for a p restrictive standards m e <i>By-Law Regarding Sut</i> grated projects	partially serviced lot. ay apply. See Chapter IV
34 35 36 37 38 39 40 41 42 43 44	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters) Special conditions (for reference) Natural space (%) and trees Water withdrawal protection zone	nce only; see the	10 10% 60 1/2 5/11 8/6 8,000 50 60 eBy-Law F	n el zone	Zoning)				Subo More of the	livision standards for a p restrictive standards m e <i>By-Law Regarding Sut</i> grated projects	partially serviced lot. ay apply. See Chapter IV adivision.
34 35 36 37 38 39 40 41 42 43 44 45	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters) Special conditions (for reference) Natural space (%) and trees Water withdrawal protection zone Parc linéaire	nce only; see the	10 10% 60 1/2 5/11 8/6 8,000 50 60 eBy-Law F	n el zone	Zoning)				Subo More of the al integ urism i	livision standards for a prestrictive standards made By-Law Regarding Substituted projects  Changes to aw 730-2023, entry in	partially serviced lot. ay apply. See Chapter IV adivision.
34 35 36 37 38 39 40 41 42 43 44 45 46 47	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters) Special conditions (for reference) Natural space (%) and trees Water withdrawal protection zone Parc linéaire	nce only; see the	10 10% 60 1/2 5/11 8/6 8,000 50 60 eBy-Law F	n el zone	Zoning)				Subo More of the	livision standards for a prestrictive standards made By-Law Regarding Substituted projects  Changes to aw 730-2023, entry in	partially serviced lot. ay apply. See Chapter IV adivision .  the grid
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters) Special conditions (for reference) Natural space (%) and trees Water withdrawal protection zone Parc linéaire	nce only; see the	10 10% 60 1/2 5/11 8/6 8,000 50 60 eBy-Law F	n el zone	Zoning)				Subo More of the al integ urism i	livision standards for a prestrictive standards made By-Law Regarding Substituted projects  Changes to aw 730-2023, entry in	partially serviced lot. ay apply. See Chapter IV adivision .  the grid
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters) Special conditions (for reference) Natural space (%) and trees Water withdrawal protection zone Parc linéaire	nce only; see the	10 10% 60 1/2 5/11 8/6 8,000 50 60 eBy-Law F	n el zone	Zoning )				Subo More of the al integ urism i	livision standards for a prestrictive standards made By-Law Regarding Substituted projects  Changes to aw 730-2023, entry in	partially serviced lot. ay apply. See Chapter IV adivision .  the grid
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters) Special conditions (for reference) Natural space (%) and trees Water withdrawal protection zone Parc linéaire	nce only; see the	10 10% 60 1/2 5/11 8/6 8,000 50 60 eBy-Law F	n el zone	Zoning)				Subo More of the al integ urism i	livision standards for a prestrictive standards made By-Law Regarding Substituted projects  Changes to aw 730-2023, entry in	partially serviced lot. ay apply. See Chapter IV adivision .  the grid
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters) Special conditions (for reference) Natural space (%) and trees Water withdrawal protection zone Parc linéaire	nce only; see the	10 10% 60 1/2 5/11 8/6 8,000 50 60 eBy-Law F	n el zone	Zoning)				Subo More of the al integ urism i	livision standards for a prestrictive standards made By-Law Regarding Substituted projects  Changes to aw 730-2023, entry in	partially serviced lot. ay apply. See Chapter IV adivision .  the grid
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50	Land use density (max. %) Footprint (min. in sq. m) Height in storeys (min./max.) Height in meters (min./max.) Width and depth (min. in meters) Subdivision standards Lot size (min. in sq. m) Width (min. in meters) Depth (min. in meters) Special conditions (for reference) Natural space (%) and trees Water withdrawal protection zone Parc linéaire	nce only; see the	10 10% 60 1/2 5/11 8/6 8,000 50 60 eBy-Law F	n el zone	Zoning)				Subo More of the al integ urism i	livision standards for a prestrictive standards made By-Law Regarding Substituted projects  Changes to aw 730-2023, entry in	partially serviced lot. ay apply. See Chapter IV adivision .  the grid

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights

ZONE: RV-31

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard		s, playgrou	nds, natura	l areas, trai	ls, bike path	is, conservat	ion activitie	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sr	ecifically prohibite	ed uses
12									-		, u u u u
13											
14											
15											
16											
17											
18											
19	Provisions for main uses						ľ		Ma	ain use quotas	
20	Mixed use										
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to	Residential	uses				•		Ac	Iditional uses (other	uses)
25	Intergenerational dwelling units		•	Personal	and profes	sional ser	/ices	•			
26	Additional dwelling units		•	Home-bas	ed artistic a	and artisana	al activities	•		additional uses to the Cor	
27	Guest houses		•	Hobby far	ms				Pul	olic or Agricultural groups,	see Chapter III of the
	Poom rontol				comodatio	n of the pr	incipal		Ву-	Law Regarding Zoning .	
28	Room rental		•	residence							
29	Siting standards for main b								No	otes – Attachment	and size
30	Attachment (detached, semi-detac	ched, row)	D						0:-	l	
31	Front set-back (min. in meters)		7.5							le set-back: When calc minimum set-back is 7	
32	Side set-back (min. and total in me	eters)	4.5 / 9						uic	THIRITIAN SEC-DACK IS I	.5 111.
33	Rear set-back (min. in meters)		10								
34	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
37	Height in meters (min./max.)		5/11								
38	Width and depth (min. in meters)		8/6								
	. , , ,		370						NI-	otes - Subdivision	
39	Subdivision standards		9.000						IAC	nes – Subulvision	
40	Lot size (min. in sq. m)		8,000						Мо	re restrictive standards ma	y apply. See Chapter IV
41	Width (min. in meters)		50	-					of t	he <i>By-Law Regarding Sub</i>	division .
42	Depth (min. in meters)		60				<u> </u>				
43	Special conditions (for referen	nce only; see the			Zoning)						
44	Natural space (%) and trees	•	Floodplair							grated projects	
45	Water withdrawal protection zone		Noise lev					Rec. and to	urism	integrated projects	
46	Parc linéaire		Chapter >	(IV							
47	Other notes and special pro	visions								Changes to	the grid
48									By 20:	-law 731-2023, entry int 23	to force November 3,
49											
50									H		
51									$\vdash$		
52									$\vdash$		
53									$\vdash$		
									-		
54									$\vdash$		
55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights

ZONE: RV-32

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regar	ding Zoning : park	s, playgrou	nds, natura	l areas, trail	ls, bike path	s, conserva	tion activitie	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use									•	
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to		uses						Ad	ditional uses (other	ruses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•			,
26	Additional dwelling units		•		ed artistic a			•		additional uses to the Cor	
27	Guest houses		•	Hobby far	ms				Public or Agricultural groups, see Chapter III of the		
	Room rental			-	comodatio	n of the pr	incipal		By-l	aw Regarding Zoning .	
28			•	residence	type						
29	Siting standards for main b			ı	ı	1	ı		No	tes – Attachment	and size
30	Attachment (detached, semi-detached)	ched, row)	D							nt set-back: along Rou	
31	Front set-back (min. in meters)		7.5							Chapter V of the By-L	₋aw Regarding
32	Side set-back (min. and total in me	eters)	4.5 / 9						201	ing .	
33	Rear set-back (min. in meters)		10						Sid	e set-back: When calc	ulated from a street.
34	Land use density (max. %)		10%						the	minimum set-back is 7	7.5 m.
	Footprint (min. in sq. m)		60								
	Height in storeys (min./max.)		1/2								
	Height in meters (min./max.)		5 / 11								
	Width and depth (min. in meters)		8/6								
	Subdivision standards			T	T	T	T		No	tes - Subdivision	
40	Lot size (min. in sq. m)		8,000						Mor	e restrictive standards ma	ay apply. See Chapter
41	Width (min. in meters)		50						IV o	f the <i>By-Law Regarding</i> S	Subdivision .
42	Depth (min. in meters)		60								
43	Special conditions (for refere	I			Zoning)			I			
44	Natural space (%) and trees	•	Floodplair							grated projects	
45	Water withdrawal protection zone	I	Noise lev					Rec. and to	urism	ntegrated projects	
46	Parc linéaire		Chapter >	av						01 1	
47	Other notes and special pro	ovisions								Changes to	
48									By- 202	aw 732-2023, entry in	to force November 3,
49									202	•	
50											
51									-		
52											
53											
54											
55											
JJ	İ										

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights **ZONE: RV-33** 

,			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regards	ing Zoning : parl	s, playgrou	nds, natural	areas, trail:	s, bike path	s, conserva	tion activities			
3	Permitted major use categor	ies								ecifically permitte	d uses
4	H1 Single-family residence		•						(1)	C6-01	
5	H2 Two-family residence			•							
6	H3 Three-family residence				•						
7	C6 Accommodation					• (1)					
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use									iii aoo qaotao	
21	Multiple use										
22	Land use density (dw./ha)		min. 4 +	min. 4 +	min. 4 +						
23	Max dwelling units/building (H4 or m	nived)	111111.4	111111. 4	111111. 4						
	Permitted additional uses to		HEOE						۸۸	ditional uses (other	
24	Intergenerational dwelling units	Residential	I	Personal a	and profess	nional con	viono.		Au	ultional uses (other	r uses)
25			•		ed artistic a			•	For	additional uses to the Co	mmercial. Industrial.
26	Additional dwelling units		•			nu arusana	ii activities	•		lic or Agricultural groups,	
27	Guest houses		•	Hobby fari Tourist ac		n of the nr	incinal		By-l	aw Regarding Zoning .	
28	Room rental		•	residence		ii oi tile pi	пісіраі				
29	Siting standards for main bu	ildings		1	-71				No	tes - Attachment	and size
30	Attachment (detached, semi-detach	ed, row)	D	D	D	D			Fro	nt set-back: along Rou	ites 329 and 364
31	Front set-back (min. in meters)		7.5	7.5	7.5	7.5				Chapter V of the <i>By-L</i>	
32	Side set-back (min. and total in met	ers)	4.5 / 9	4.5 / 9	4.5 / 9	4.5 / 9			Zor	ning .	
33	Rear set-back (min. in meters)	·	10	10	10	10					
34	Land use density (max. %)		10%	10%	10%	10%				e set-back: When calc	,
35	Footprint (min. in sq. m)		60	60	60	60			the	minimum set-back is	7.5 m.
36	Height in storeys (min./max.)		1/2	1/2	1/2	1/2					
37	Height in meters (min./max.)		5 / 11	5/11	5/11	5 / 11					
38	Width and depth (min. in meters)		8/6	8/6	8/6	8/6					
	Subdivision standards		0,0	0,0	0,0	070			No	tes - Subdivision	
40	Lot size (min. in sq. m)		2,000	2,000	2,000	2,000				division standards for a part	tially serviced lot. For an
41	Width (min. in meters)		25	25	25	25			unse	erviced lot, see note A. More	e restrictive standards may
42	Depth (min. in meters)		45	45	45	45				<li>y. See Chapter IV of the By divisions.</li>	y-Law Regarding
43	Special conditions (for reference	ce only: see the				40			1		
44	Natural space (%) and trees	•	Floodplair		.oriirig )			Commercia	ıl into	grated projects	
45	Water withdrawal protection zone	•	Noise leve				•			integrated projects	
	Parc linéaire		Chapter X				•	rtco. and to	ai 13111	integrated projects	
	Other notes and special prov	vicione	Onapter 7	AI V						Changes to	the arid
47	Note A: For an unserviced lot, the m		s 4 000 sa	m the min	imum widt	h is 50 m			Bv	law 733-2023, entry in	
48	and the minimum depth is 60 m.	iiiiiiiiuiii alea i	s 4,000 sq		iiiiuiii wiat	11 15 50 111			202		to force november 3,
49											
50											
51											
52											
53											
54								7	L		
55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights

ZONE: RV-34

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regar	ding Zoning : park	s, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activitie	s, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Sp	ecifically prohibite	ed uses
12											
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ма	in use quotas	
20	Mixed use									•	
21	Multiple use										
22	Land use density (dw./ha)		max. 3								
23	Max dwelling units/building (H4 or	mixed)									
24	Permitted additional uses to		uses						Ad	ditional uses (other	r uses)
25	Intergenerational dwelling units		•	Personal	and profes	sional serv	rices	•			,
26	Additional dwelling units		•		ed artistic a			•		additional uses to the Co	
27	Guest houses		•	Hobby far	ms				Pub	ic or Agricultural groups,	see Chapter III of the
	Room rental			-	comodatio	n of the pr	incipal		By-L	aw Regarding Zoning .	
28			•	residence	type						
29	Siting standards for main b			ı	ı	ı	ı	1	No	tes – Attachment	and size
30	Attachment (detached, semi-detached)	ched, row)	D							nt set-back: along Rou	
31	Front set-back (min. in meters)		7.5							Chapter V of the By-L	_aw Regarding
32	Side set-back (min. and total in me	eters)	4.5 / 9						201	ing .	
33	Rear set-back (min. in meters)		10						Side	e set-back: When cald	culated from a street.
34	Land use density (max. %)		10%							minimum set-back is	<i>'</i>
	Footprint (min. in sq. m)		60								
	Height in storeys (min./max.)		1/2								
	Height in meters (min./max.)		5 / 11								
	Width and depth (min. in meters)		8/6								
	Subdivision standards									tes - Subdivision	
40	Lot size (min. in sq. m)		8,000							division standards for a p e restrictive standards ma	
41	Width (min. in meters)		50							e By-Law Regarding Sub	
42	Depth (min. in meters)		60		7				01 11	o by-Law Regarding Sub	
43	Special conditions (for refere	nce only; see the			Zoning)	ı		I .			
44	Natural space (%) and trees	•	Floodplair							grated projects	
45	Water withdrawal protection zone	I	Noise lev				•	Rec. and to	urism	ntegrated projects	
46	Parc linéaire		Chapter >	uν						Ob.	41
47	Other notes and special pro	ovisions								Changes to	
48									By- 202	aw 734-2023, entry in 3	to force November 3,
49									202	~	
50											
51											
52											
53											
54											
55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights ZONE: RV-35

		1	2	2 3	4	5	6		Sheet 1 of 1
1	Generally permitted uses								
2	See Chapter II of the By-Law Regard		ounds, n	atural areas, tra	ails, bike path	ns, conserva	tion activitie		
3	Permitted major use catego	ries						Specifically permitte	d uses
4	H1 Single-family residence	•							
5									
6									
7									
8									
9									
10								0 15 11 1111	
11								Specifically prohibit	ed uses
12									
13 14									
15									
16									
17									
18									
19	Provisions for main uses							Main use quotas	
20	Mixed use							mum dec que tue	
21	Multiple use								
22	Land use density (dw./ha)	max.	3						
23	Max dwelling units/building (H4 or	mixed)							
24	Permitted additional uses to	Residential uses						Additional uses (other	r uses)
25	Intergenerational dwelling units	•	Perso	onal and profe	essional ser	vices	•		·
26	Additional dwelling units	•	Home	e-based artistic	and artisan	al activities	•	For additional uses to the Co	
27	Guest houses	•	Hobb	y farms				Public or Agricultural groups	see Chapter III of the
28	Room rental	•		st accomodat	ion of the p	rincipal		By-Law Regarding Zoning .	
29	Siting standards for main b	uildings	resid	ence type				Notes - Attachment	and size
30	Attachment (detached, semi-detached)								
31	Front set-back (min. in meters)	7.5						Front set-back: along Ro see Chapter V of the By-	
32	Side set-back (min. and total in me		9					Zoning.	zaw riogaramg
33	Rear set-back (min. in meters)	10							
34	Land use density (max. %)	10%						Side set-back: When cale	
35	Footprint (min. in sq. m)	60						the minimum set-back is	7.5 m.
36	Height in storeys (min./max.)	1/2							
37	Height in meters (min./max.)	5 / 1	ı						
38	Width and depth (min. in meters)	8 / 6							
39	Subdivision standards	,					•	Notes - Subdivision	
40	Lot size (min. in sq. m)	8,000	)					More restrictive standards m	av apply. See Chapter IV
41	Width (min. in meters)	50						of the By-Law Regarding Sui	
42	Depth (min. in meters)	60						of the by-Law Regarding dai	Jaivision :
43	Special conditions (for referen	nce only; see the By-Lav	/ Regard	ing Zoning)					
44	Natural space (%) and trees	• Floodp	ain				Commerci	al integrated projects	
45	Water withdrawal protection zone		evel zon	е			Rec. and to	urism integrated projects	
46	Parc linéaire	Chapte	r XIV						
47	Other notes and special pro	visions						Changes to	
48								By-law 735-2023, entry in 2023	to force November 3,
49									
50									
51									
52									
53									
54									
55									

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights **ZONE: RV-36** 


			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regard	<i>ding Zoning</i> : park	s, playgrou	nds, natura	l areas, trail	s, bike path	s, conserva	tion activities	, etc.		
3	Permitted major use catego	ries							Sp	ecifically permitte	d uses
4	H1 Single-family residence		•						(1)	C6-06	
5	C6 Accommodation			• (1)							
6											
7											
8											
9											
10											
11									Sp	ecifically prohibit	ed uses
12									_		
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ma	in use quotas	
20	Mixed use								IVIC	iii use quotas	
	Multiple use										
21	'										
22	Land use density (dw./ha)	maissa d\	max. 3								
23	Max dwelling units/building (H4 or								A -1	-1141 1	
24	Permitted additional uses to	o Residentiai						T	Ad	ditional uses (othe	r uses)
	Intergenerational dwelling units		•		and profes			•	For	additional uses to the Co	mmercial Industrial
26	Additional dwelling units		•		ed artistic a	ind artisana	l activities	•		lic or Agricultural groups,	
27	Guest houses		•	Hobby far		n af tha ne	in ain al		By-L	.aw Regarding Zoning .	
28	Room rental		•	residence	comodatio	n or the pr	ncipai	•		3 3 4 3 4 3	
29	Siting standards for main b	uildinas		residence	type				No	tes - Attachment	and size
	Attachment (detached, semi-detac		D	D						nt set-back: along Ro	
31	Front set-back (min. in meters)	, ,	7.5	7.5						Chapter V of the <i>By-i</i>	
32	Side set-back (min. and total in me	eters)	4.5 / 9	4.5 / 9						ning .	
33	Rear set-back (min. in meters)	,	10	10							
34	Land use density (max. %)		10%	10%						e set-back: When cald	,
35	Footprint (min. in sq. m)		60	60					the	minimum set-back is	7.5 m.
36	Height in storeys (min./max.)		1/2	1/2							
37	Height in meters (min./max.)		5/11	5/11							
38	Width and depth (min. in meters)		8/6	8/6							
39	Subdivision standards		0/0	0/0					No	tes – Subdivision	
40	Lot size (min. in sq. m)		8,000	8,000							
	Width (min. in meters)		50	50					Mor	e restrictive standards ma	ay apply. See Chapter IV
41	Depth (min. in meters)		60	60					of th	e By-Law Regarding Sub	odivision .
		ann anh ann th			Zoning\						
43	Special conditions (for referen				zoning)			0	1 : 4		
44	Natural space (%) and trees	•	Floodplair							grated projects	
45	Water withdrawal protection zone		Noise leve					Rec. and tol	ırısm	integrated projects	
46	Parc linéaire		Chapter X	u V			•			Oh	Ale e auri al
47	Other notes and special pro	visions								Changes to	
48									By- 202	•	to force November 3,
40									202	.0	
49											
50											
51											
52											
53											
54											
55											

Annexe B du Règlement 642-2022 de zonage Municipality of Morin-Heights

ZONE: RV-37

			1	2	3	4	5	6			Sheet 1 of 1
1	Generally permitted uses										
2	See Chapter II of the By-Law Regar	ding Zoning : parl	ks, playgrou	nds, natura	l areas, trai	ls, bike path	s, conserva	tion activitie	, etc.		
3	Permitted major use catego	ries							Spe	ecifically permitte	d uses
4	H1 Single-family residence		•								
5											
6											
7											
8											
9											
10											
11									Spe	ecifically prohibite	ed uses
12									•	<b>,</b> ,	
13											
14											
15											
16											
17											
18											
19	Provisions for main uses								Ma	in use quotas	
20	Mixed use									445445	
21	Multiple use										
	Land use density (dw./ha)		max. 3								
	Max dwelling units/building (H4 or	mixed)	max. o								
	Permitted additional uses to		IISAS						Δd	ditional uses (other	11606)
	Intergenerational dwelling units	o reolaciitiai	•	Personal	and profes	sional serv	rices	•	Au	antional ascs (other	u363)
26	Additional dwelling units		•			and artisana		•	For	additional uses to the Cor	mmercial, Industrial,
27	Guest houses		•	Hobby far		and distourie			Publ	ic or Agricultural groups,	see Chapter III of the
				_		n of the pr	ncipal		By-L	aw Regarding Zoning .	
28	Room rental		•	residence			·				
29	Siting standards for main b	uildings	,	,	,		,		No	tes – Attachment	and size
30	Attachment (detached, semi-detac	ched, row)	D						Side	e set-back: When calc	ulated from a street
31	Front set-back (min. in meters)		7.5							minimum set-back is 7	
32	Side set-back (min. and total in me	eters)	4.5 / 9								
33	Rear set-back (min. in meters)		10								
	Land use density (max. %)		10%								
35	Footprint (min. in sq. m)		60								
36	Height in storeys (min./max.)		1/2								
	Height in meters (min./max.)		5 / 11								
38	Width and depth (min. in meters)		8/6								
39	Subdivision standards								No	tes - Subdivision	
	Lot size (min. in sq. m)		8,000						More	e restrictive standards ma	y apply. See Chapter IV
	Width (min. in meters)		50							e By-Law Regarding Sub	
	Depth (min. in meters)		60			<u> </u>			J	,	. =.=
43	Special conditions (for referen	nce only; see the	e <i>By-Law R</i>	egarding 2	Zoning)						
44	Natural space (%) and trees	•	Floodplair	1				Commerci	al integ	grated projects	
45	Water withdrawal protection zone		Noise leve	el zone				Rec. and to	urism i	ntegrated projects	
46	Parc linéaire		Chapter X	(IV							
47	Other notes and special pro	ovisions								Changes to	
48									By-I 202	aw 737-2023, entry in 3	to force November 3,
49											
50											
51											
52											
53											
54											
55											

#### SCHEDULE C: WATER WITHDRAWAL SYSTEM PROTECTION ZONES



#### SCHEDULE D: LIST OF NATIVE PLANTS

Latin name	Common name	French name	Sunlight	Height (m)	Humidity	Soil	Stabilization
			Trees		ı		
Abies balsamea	Balsam Fir	Sapin baumier	Su-PS	25	M–H	А	
Acer pensylvanicum	Striped Maple	Érable de Pennsylvanie	PS-Sh	15	M–H	L–S– G	
Acer rubrum	Red Maple	Érable rouge	Su-PS	20	M–H	Α	
Acer saccharinum	Silver Maple	Érable argenté	Su-PS	30	M–H	L–C	
Acer saccharum	Sugar Maple	Érable à sucre	Su-PS	30	М	SL-CL	•
Betula alleghaniensis	Yellow Birch	Bouleau jaune	Su-PS	22	M–H	А	
Betula papyrifera	Paper Birch	Bouleau à papier	Su	20	M–H	S–L	
Fraxinus americana	White Ash	Frêne d'Amérique	Su	30	М	L-S	
Fraxinus nigra	Black Ash	Frêne noir	Su	22	H–M	L–C	
Fraxinus pennsylvanica	Red Ash	Frêne de Pennsylvanie	Su	22	M–H	Α	•
Larix laricina	Eastern Larch	Mélèze laricin	Su	15	L–H	Α	•
Picea glauca	White Spruce	Épinette blanche	Su-PS	22	H–M	L–C	•
Picea mariana	Black Spruce	Épinette noire	Su-PS-Sh	22	Н	Α	
Pinus resinosa	Red Pine	Pin rouge	Su-PS-Sh	30	M–L	S–G– L	•
Pinus strobus	Eastern White Pine	Pin blanc	Su-PS	30	M–L	SL	
Populus balsamifera	Balsam Poplar	Peuplier baumier	Su	22	H–M	Α	
Populus deltoides	Eastern Cottonwood	Peuplier deltoïde	Su	30	Н–М	Α	•
Populus grandidentata	Large-Toothed Aspen	Peuplier à grandes dents	Su	22	H–M	Α	
Populus tremuloides	Trembling Aspen	Peuplier faux- tremble	Su	15	H–M	А	
Prunus serotina	Rum Cherry	Cerisier tardif	Su	22	M–L	S–L	
Quercus macrocarpa	Bur Oak	Chêne à gros fruits	Su	30	М	А	•
Quercus rubra	Red Oak	Chêne rouge	Su	30	М	L–C	•
Salix amygdaloides	Peachleaf Willow	Saule à feuilles de pêcher	Su	15	H–M	А	
Sorbus americana	American Mountain-Ash	Sorbier d'Amérique	Su	20	М	SL	
Sorbus decora	Showy Mountain- Ash	Sorbier des montagnes	Su	10	М	А	
Thuja occidentalis	Eastern Arborvitae	Thuya occidental	Su-PS	20	H–L	Α	•
Tilia americana	American Linden	Tilleul d'Amérique	Su-PS	30	М	L	•
			Shrubs				
Aronia melanocarpa	Black Chokeberry	Aronie noire	Su-PS	2	М–Н	А	
Acer spicatum	Mountain Maple	Érable à épis	PS-Sh	6	М–Н	L-S	•

Latin name	Common name	French name	Sunlight	Height (m)	Humidity	Soil	Stabilization
Alnus viridis subsp. crispa	Mountain Alder	Aulne crispé	Su	3	M–H	А	•
Amelanchier canadensis	Shadblow Serviceberry	Amelanchier du Canada	Su-PS	7	М	L-S	
Amelanchier laevis	Allegheny Serviceberry	Amelanchier glabre	Su-PS	7	М	L–S	•
Andromeda polifolia	Northern Bog Rosemary	Andromède à feuilles de Polium	Su-PS	0.6	M–H	L–S	
Arctostaphylos uvaursi	Bearberry	Raisin d'ours	Su-PS-Sh	0.3	L–H	C-L-S	
Alnus incana subsp. rugosa	Speckled Alder	Aulne rugueux	Su-PS	10	Н	G–L	•
Chamaedaphne calyculata	Leatherleaf	Cassandre caliculé	Su-PS	1	Н	А	
Comptonia peregrina	Sweetfern	Comptonie voyageuse	Su-PS	0.9	L–H	S–G	•
Cornus alternifolia	Pagoda Dogwood	Cornouillier à feuilles alternes	Su-PS	5	Н	L	
Cornus stolonifera	Red-Osier Dogwood	Cornouiller stolonifère	Su-PS-Sh	2	L–H	Α	•
Corylus cornuta	Beaked Hazelnut	Noisetier à long bec	Su-PS	2.4	L–M	Α	
Diervilla lonicera	Bush Honeysuckle	Dièreville chèvrefeuille	Su-PS	1.2	L–M	S–G	•
Hypericum kalmianum	Kalm's St. John's Wort	Millepertuis de Kalm		0.9	ND	ND	
llex verticillata	Common Winterberry	Houx verticillé	Su-PS	3	Н	L	
Kalmia angustifolia	Sheep Laurel	Kalmia à feuilles étroites	Su-PS	1	L–H	L	
Ledum groenlandicum	Labrador Tea	Thé du Labrador	Su-PS	1.2	Н	S	
Lonicera canadensis	American Fly Honeysuckle	Chèvrefeuille du Canada	PS-Sh	1.8	М–Н	А	
Myrica gale	Sweetgale	Myrique baumier	Su-PS	1.2	Н	L	•
Physocarpus opulifolius	Common Ninebark	Physocarpe à feuilles d'obier	Su-PS	3	L–H	Α	•
Potentilla fruticosa	Bush Cinquefoil	Potentille frutescente	Su-PS	1.3	М	Α	•
Prunus pensylvanica	Pin Cherry	Cerisier de Pennsylvanie	Su	5	M–L	Α	
Prunus virginiana	Chokecherry	Cerisier de Virginie	Su	10	M–L	L	
Rhododendron canadense	Rhodora	Rhododendron du Canada	PS-Sh	1.2	M–H	L–SL	
Rhus aromatica	Fragrant Sumac	Sumac aromatique	Su-PS	1.8	L–M	А	•
Rhus typhina	Staghorn Sumac	Sumac vinaigrier	Su	7.6	L	Α	•
Rosa blanda	Smooth Wild Rose	Rosier inerme	Su	2	L–M	Α	•
Rosa nitida	Shining Rose	Rosier brillant	Su	1	М	S–L– G	•
Rubus idaeus	Raspberry	Framboisier	Su-PS-Sh	1.2	М	Α	
Rubus occidentalis	Black Raspberry	Ronce occidentale	PS-Sh	1.8	М	L	•

Latin name	Common name	French name	Sunlight	Height (m)	Humidity	Soil	Stabilization
Rubus odoratus	Flowering Raspberry	Ronce odorante	Su-PS-Sh	2	M–H	S	•
Salix discolor	Pussy Willow	Saule discolor	Su	5	M–H	Α	•
Salix eriocephala	Cottony Willow	Saule rigide	Su	4	M–H	Α	•
Salix exigua subsp. interior	Sandbar Willow	Saule de l'intérieur	Su-PS	6	М–Н	А	•
Salix lucida	Shining Willow	Saule brillant	Su-PS	8	M–H	Α	•
Salix pellita	Satiny Willow	Saule satiné	PS-Sh	3	M–H	Α	•
Salix petiolaris	Slender Willow	Saule à long pétiole	Su	3	М–Н	Α	•
Salix sericea	Silky Willow	Saule soyeux	Su-PS	3.6	M–H	Α	
Sambucus canadensis	American Elder	Sureau du Canada	Su-PS-Sh	3.6	L–H	Α	•
Sambucus pubens	Scarlet Elderberry	Sureau pubescent	Su-PS	4	Н	Α	•
Sheperdia canadensis	Russet Buffaloberry	Shepherdie du Canada	Su	2.5	L	S	•
Spiraea latifolia	Broad-leaved Meadowsweet	Spirée à larges feuilles	Su	1.5	М	Α	•
Spiraea tomentosa	Hardhack	Spirée tomenteuse	Su-PS	1.5	L–M	A (≠ C)	•
Symphoricarpos albus	Common Snowberry	Symphorine blanche	Su-PS-Sh	1.5	Н	Α	•
Vaccinium angustifolium	Lowbush Blueberry	Bleuet à feuilles étroites	PS-Sh	0.6	L–M	S	
Vaccinium macrocarpon	American Cranberry	Canneberge à gros fruits	Su-PS	0.3	М–Н	L–S	
Vaccinium myrtilloides	Velvetleaf Blueberry	Bleuet fausse- myrtille	Su-PS	0.6	Н	L	
Viburnum cassinoides	Northern Wild Raisin	Viorne cassinoïde	Su-PS-Sh	2	L–H	L	•
Viburnum lantanoides	Hobblebush	Viorne à feuilles d'aulne	PS-Sh	2	М	S	•
Viburnum lentago	Nannyberry	Viorne flexible	Su-PS-Sh	5.4	L–H	Α	•
Viburnum trilobum	American Cranberrybush	Viorne trilobée	Su-PS	3.6	М	L	•
		Cre	eping plants				
Clematis legusticifolia	Virgin's Bower	Clématite de Virginie	Su-PS	4	M–H	CL-SL	•
Parthenocissus quinquefolia	Virginia Creeper	Vigne vierge	Su-PS-Sh	15	М	Α	•
Vitis riparia	Riverbank Grape	Vigne des rivages	Su-PS	3	М–Н	Α	
		Herbaceous	s plants (perer	nnials)			
Anaphalis margaritacea	Pearly Everlasting	Immortelle vivace	Su	50	L	А	
Anemone canadensis	Canada Anemone	Anémone du Canada	Su-PS	40	M–H	L-CL	•
Angelica atropurpurea	Angelica	Angélique noire- pourpée	Su-PS	250	М	А	
Apocynum cannabinum	Indian Hemp	Apocyn chanvrin	Su-PS	80	M–H	Α	•
Aquilegia canadensis	Canada Columbine	Ancolie du Canada	Su-PS	60	L	S	

Latin name	Common name	French name	Sunlight	Height (m)	Humidity	Soil	Stabilization
Asclepias incarnata	Swamp Milkweed	Asclépiade incarnate	Su	120	М–Н	Α	
Aster cordifolius	Heart-Shaped Aster	Aster cordifolié	PS-Sh	60	Н	Α	
Aster puniceus	Red-Stalk Aster	Aster ponceau	Su-PS	150	Н	Α	
Aster umbellatus	Umbellate Aster	Aster à ombelles	Su-PS	150	Н	Α	
Calamagrostis canadensis	Canadian Reedgrass	Foin bleu	Su-PS	120	Н	А	
Caltha palustris	Marsh Marigold	Populage des marais	Su-PS-Sh	30	VH	L–CL	
Campanula rotundifolia	Bluebell	Campanule à feuilles rondes	Su	30	L	G	
Chelone glabra	Turtlehead	Galane glabre	PS-Sh	90	M–H	S–L	•
Comarum palustre	Marsh Cinquefoil	Comaret des marais	Su-PS	35	H–VH	SL	
Cornus canadensis	Bunchberry	Quatre-temps	PS	10	н	А	
Epilobium angustifolium	Fireweed	Épilobe à feuilles étroites	Su	200	L	Α	
Eupatorium maculatum	Purple Joe-Pye Weed	Eupatoire maculé	Su-PS	200	М–Н	L-CL	•
Eupatorium perfoliatum	Perfoliate Thoroughwort	Eupatoire perfoliée	Su-PS	75	М–Н	Α	•
Heliopsis helianthoides	False Sunflower	Héliopsis faux- hélianthe	Su	120	L–M	S–L	•
Impatiens capensis	Cape Touch-me- not	Impatiente du cap	PS-Sh	100	М–Н	А	
Iris versicolor	Blue Flag Iris	Iris versicolore	Su-PS	55 H –VH A	•		
Lobelia cardinalis	Cardinal Flower	Lobelie cardinale	Su-PS	90	H–M	CL-L	•
Mentha arvensis	Wild Mint	Menthe du Canada	Su	50	H–M	Α	•
Monarda fistulosa	Wild Bergamot	Monarde fistuleuse	Su	100	L	А	
Myosotis laxa	Smaller Forget- me-Not	Myosotis laxiflore	Su	30	н	А	•
Physostegia virginiana	Obedient Plant	Physostégie de Virginie	Su-PS	70	M–H	Α	•
Pontederia cordata	Pickerelweed	Pontédérie cordée	Su	80	н	L–CL	
Rudbeckia laciniata	Cut-leaved Coneflower	Rudbeckie laciniée	Su	150	M–H	А	•
Sagittaria latifolia	Broadleaf Arrowhead	Sagittaire latifoliée	Su-PS	100	VH	С	
Sanguisorba canadensis	Canadian Burnet	Sanguisorbe du Canada	Su-PS	150	Н	ND	
Scutellaria lateriflora	Side-Flowering Skullcap	Scutellaire latérifore	Su	70	H–M	L	•
Solidago canadensis	Canada Goldenrod	Verge d'or du Canada	Su	110	L–M	А	•
Symphyotrichum lateriflorum	Calico Aster	Aster latériflore	Su-PS	70	М–Н	А	

Latin name	Common name	French name	Sunlight	Height (m)	Humidity	Soil	Stabilization
Symphyotrichum novae-angliae	New England Aster	Aster de Nouvelle- Angleterre	Su-PS	50	L–M	А	•
Thalictrum pubescens	Tall Meadow- Rue	Pigamon pubescent	Su-PS-Sh	180	М–Н	S–L	•
Thalictrum venulosum	Veiny Meadow- Rue	Pigamon veiné	Su	60	М–Н	S–L	•
Tiarella cordifolia	Foamflower	Tiarelle cordifolée	PS-Sh	20	M–H	Α	
Verbena hastata	Blue Vervain	Verveine hastée	Su	110	Н	Α	•
			Grasses				
Bolboschoenus fluviatilis	River Bulrush	Scirpe fluviatile	Su	1	Н	L-CL	•
Calamagrostis canadensis	Canadian Reedgrass	Calamagrostide du Canada	Su	1.3	H–M	А	•
Deschampsia cespitosa	Tufted Hairgrass	Deschampsie cespiteuse	Su-PS-Sh	1	М	А	•
Elymus canadensis	Canada Limegrass	Élyme du Canada	Su	1.5	M–H	Α	•
Glyceria canadensis	Canada Mannagrass	Glycérie du Canada	Su-PS-Sh	1	М–Н	Α	
Glyceria grandis	Tall Mannagrass	Glycérie géante	Su	1.6	M–H	Α	•
Glyceria striata	Nerved Mannagrass	Glycérie striée	Su-PS-Sh	0.9	М–Н	А	•
Hierochloe odorata	Sweetgrass	Foin d'odeur	Su-PS	0.6	Н	Α	
Juncus effusus	Common Rush	Jonc épars	Su	0.6	Н	Α	•
Leersia oryzoides	Rice Cutgrass	Léersie faux riz	Su	1.3	M–H	Α	•
Panicum virgatum	Switchgrass	Panic raide	Su-PS	1.5	ND	ND	
Schoenoplectus acutus var. acutus	Hardstem Bulrush	Scirpe aigu	Su	2	Н	L-CL	•
Schoenoplectus pungens	American Bulrush	Scirpe d'Amérique	Su	1	Н	L-CL	•
Schoenoplectus tabernaemontani	Softstem Bulrush	Scirpe des étangs	Su	1.5	Н	L–CL	•
Scirpus cyperinus	Common Woolgrass	Scirpe souchet	Su	1.5	Н	L–CL	•
Spartina pectinata	Pectinate Spartina	Herbe à liens	Su-PS	1	М	L–CL	•
Bolboschoenus fluviatilis	River Bulrush	Scirpe fluviatile	Su	1	Н	L–CL	•
Ferns							
Athyrium filix- femina	Lady Fern	Athyrie fougère- femelle	Su-PS-Sh	0.6	L–H	S–L	•
Athyrium filix- femina var. aungustum	Northern Lady Fern	Fougère-femelle du Nord	Su-PS-Sh	0.6	L–H	S–L	•
Dennstaedtia punctilobula	Hayscented Fern	Dennstaedia à lobules ponctués	Su-PS-Sh	0.9	L–H	Α	•
Dryopteris cristata	Crested Wood Fern	Dryoptère à crêtes	PS-Sh	0.55	М	L	•
Dryopteris marginalis	Marginal Wood Fern	Dryoptère à sores marginaux	PS-Sh	0.6	M–L	А	•
Dryopteris spinulosa	Spinulose Shield Fern	Dryoptéride spinuleuse	Su-PS-Sh	0.5	L–M	Α	•

Latin name	Common name	French name	Sunlight	Height (m)	Humidity	Soil	Stabilization
Dryopteris thelypteris	Marsh Shield Fern	Dryoptéride thélyptéride	PS-Sh	0.6	VH	Α	•
Mattheuccia strupthiopteris	Ostrich Fern	Fougère à l'autruche	PS-Sh	2.3	М–Н	А	•
Onoclea sensibilis	Sensitive Fern	Onoclée sensible	Su-PS-Sh	0.8	Н	А	•
Osmunda cinnamomea	Cinnamon Fern	Osmonde cannelle	PS-Sh	1.25	H–M	CL-SL	•
Osmunda regalis	Royal Fern	Osmonde royale	Su-PS-Sh	1.25	Н	S-CL	•
Thelypteris palustris	Marsh Shield Fern	Thélyptère des marais	PS-Sh	0.6	Н	А	•

#### SCHEDULE E: TABLE OF FLOOD LEVELS FOR THE RIVIÈRE À SIMON

Contain	01.1.7.		Velocity (m)	
Sector	Chain (m)	2-year	20-year	100-year
	12485	242.29	242.46	242.53
	12461.3*	242.24	242.41	242.47
	12437.6*	242.18	242.35	242.41
MH01	12414*	242.11	242.28	242.34
	12390.3*	242.04	242.19	242.25
	12366.6*	241.94	242.09	242.15
	12343	241.59	241.71	241.76
	12340 Structure			
MH02	12333	241.12	241.28	241.34
	12315.6*	241.12	241.28	241.34
	12298.3*	241.12	241.28	241.34
	12281	241.09	241.26	241.32
	12246.95 Culvert			
	12221.78	241.06	241.19	241.23
	12197.1*	241.06	241.19	241.23
	12172.5*	241.06	241.19	241.23
	12147.9*	241.06	241.19	241.23
	12123.3*	241.06	241.18	241.23
	12098.7*	241.05	241.18	241.23
MH03	12074.1*	241.05	241.18	241.22
	12049.5*	241.05	241.18	241.22
	12024.9*	241.05	241.18	241.22
	12000.3*	241.05	241.17	241.22
	11975.8*	241.05	241.17	241.21
	11951.2*	241.04	241.17	241.21
	11926.6*	241.04	241.17	241.21
	11902	241.04	241.16	241.20
	11877.4*	241.04	241.16	241.21
	11852.8*	241.04	241.16	241.21
	11828.2*	241.04	241.16	241.21
	11803.6*	241.04	241.16	241.21
	11779.0*	241.04	241.16	241.21
	11754.5*	241.04	241.16	241.21
	11729.9*	241.04	241.16	241.21
MH04	11705.3*	241.04	241.16	241.21
	11680.7*	241.04	241.16	241.21
	11656.1*	241.04	241.16	241.21
	11631.5*	241.04	241.16	241.21
	11607	241.04	241.16	241.21
	11597.18 Structure			
	11587.18	233.24	233.36	233.41

04	Ohadin (m)	Velocity (m)					
Sector	Chain (m)	2-year	20-year	100-year			
	11563.8*	232.84	232.99	233.04			
	11540.5*	232.17	232.36	232.42			
	11517.1*	231.80	231.93	231.99			
	11493.8*	231.79	231.92	231.97			
	11470.5	231.78	231.92	231.97			
	11453 Structure						
	11441.4	230.02	230.15	230.21			
	11418.7*	229.94	230.05	230.10			
	11396.0*	229.91	230.01	230.05			
	11373.3*	229.90	229.99	230.03			
	11350.6*	229.89	229.98	230.02			
	11327.9*	229.89	229.98	230.01			
MH05	11305.25	229.89	229.98	230.01			
WII 103	11284.52 Bridge						
	11280.25	229.88	229.96	229.99			
	11275.42 Bridge						
	11217.23	229.89	229.98	230.02			
	11193.0*	229.89	229.98	230.02			
	11168.8*	229.89	229.98	230.02			
	11144.7*	229.89	229.98	230.01			
	11120.5*	229.89	229.98	230.01			
	11096.35	229.89	229.98	230.01			
MH06	11071.7*	229.89	229.98	230.01			
WII 100	11047.2*	229.89	229.98	230.01			
	11022.6*	229.89	229.98	230.01			
	10998.0*	229.89	229.98	230.01			
	10973.4*	229.89	229.98	230.01			
	10948.9	229.89	229.98	230.01			
MH07	10927.07 Structure						
WII 107	10926	227.38	227.78	227.94			
	10907.9*	227.30	227.72	227.89			
	10889.95	227.24	227.67	227.85			
	10881	227.25	227.68	227.86			
	10867.7 Bridge						
	10864.29	226.77	227.06	227.17			
	10840.0*	226.58	226.87	226.99			
	10815.8*	226.43	226.72	226.84			
MH08	10791.5*	226.30	226.60	226.73			
	10767.3*	226.20	226.51	226.64			
	10743.1*	226.12	226.43	226.57			
	10718.8*	226.05	226.37	226.52			
	10694.6*	225.99	226.33	226.48			
	10670.4*	225.95	226.29	226.44			
	10646.1*	225.91	226.26	226.42			
	10621.9*	225.88	226.24	226.40			

0	Ob airs (ma)	Velocity (m)					
Sector	Chain (m)	2-year	20-year	100-year			
	10597.6*	225.86	226.22	226.38			
	10573.4*	225.84	226.21	226.37			
	10549.2*	225.83	226.20	226.36			
	10524.9*	225.82	226.19	226.36			
	10500.75	225.81	226.18	226.35			
	10477.0*	225.80	226.17	226.34			
	10453.4*	225.80	226.17	226.34			
	10429.7*	225.79	226.16	226.33			
	10406.1*	225.78	226.15	226.32			
	10382.4*	225.77	226.14	226.31			
	10358.7*	225.76	226.13	226.30			
	10335.1*	225.75	226.12	226.29			
	10311.45	225.73	226.10	226.28			
MH09	10308.76 Bridge						
МНОЭ	10308.45	225.62	226.04	226.23			
	10284.3*	225.61	226.04	226.23			
	10260.1*	225.61	226.04	226.23			
	10236*	225.61	226.04	226.23			
	10211.8*	225.60	226.04	226.23			
	10187.7*	225.60	226.03	226.23			
	10163.5*	225.60	226.03	226.23			
	10139.4*	225.60	226.03	226.23			
	10115.2*	225.60	226.03	226.23			
	10091.1*	225.59	226.03	226.22			
	10066.9*	225.59	226.03	226.22			
	10042.8*	225.59	226.03	226.22			
	10018.6*	225.59	226.03	226.22			
	9994.5*	225.59	226.02	226.22			
	9970.35*	225.59	226.02	226.22			
	9946.2*	225.58	226.02	226.22			
	9922.05*	225.58	226.02	226.22			
	9897.89*	225.58	226.02	226.22			
	9873.75*	225.58	226.02	226.22			
	9849.6*	225.58	226.02	226.22			
MULAO	9825.45*	225.58	226.02	226.21			
MH10	9801.3*	225.57	226.02	226.21			
	9777.14*	225.57	226.02	226.21			
	9753*	225.57	226.01	226.21			
	9728.85	225.57	226.01	226.21			
	9704.06*	225.57	226.01	226.21			
	9679.27*	225.56	226.01	226.21			
	9654.48*	225.56	226.01	226.21			
	9629.69*	225.56	226.01	226.21			
	9604.90*	225.56	226.01	226.21			
	9580.11*	225.56	226.01	226.21			

Contain	Chain (m)		Velocity (m)					
Sector	Chain (m)	2-year	20-year	100-year				
	9555.32*	225.56	226.01	226.21				
	9530.54*	225.56	226.01	226.21				
	9505.75*	225.56	226.01	226.21				
	9480.96*	225.56	226.01	226.21				
	9456.17*	225.56	226.01	226.21				
	9431.38*	225.56	226.01	226.21				
	9406.59*	225.56	226.01	226.20				
	9381.80*	225.56	226.01	226.20				
	9357.01*	225.56	226.01	226.20				
	9332.22*	225.56	226.01	226.20				
	9307.44*	225.55	226.00	226.20				
	9282.65*	225.55	226.00	226.20				
MH11	9257.86*	225.55	226.00	226.20				
	9233.07*	225.55	226.00	226.20				
	9208.28*	225.55	226.00	226.20				
	9183.49*	225.55	226.00	226.20				
	9158.70*	225.55	226.00	226.20				
	9133.92	225.55	226.00	226.20				
	9112.07 Bridge							
	9088.98	225.33	225.60	225.70				
	9029.24 Bridge							
	9023	225.32	225.58	225.69				
	8998*	225.32	225.58	225.69				
	8973*	225.32	225.58	225.69				
	8948*	225.32	225.58	225.69				
	8923*	225.32	225.58	225.69				
MUMO	8898*	225.32	225.58	225.69				
MH12	8873*	225.32	225.58	225.69				
	8848	225.32	225.58	225.69				
	8823*	225.31	225.58	225.68				
	8798*	225.31	225.58	225.68				
	8773*	225.31	225.58	225.68				
	8748*	225.31	225.58	225.68				
	8723*	225.31	225.58	225.68				
	8698*	225.31	225.58	225.68				
	8673*	225.31	225.58	225.68				
	8648*	225.31	225.58	225.68				
	8623*	225.31	225.58	225.68				
	8598*	225.31	225.57	225.68				
MH13	8573*	225.31	225.57	225.68				
	8548*	225.31	225.57	225.68				
	8523*	225.31	225.57	225.68				
	8498*	225.31	225.57	225.68				
	8473*	225.31	225.57	225.68				
	8448*	225.31	225.57	225.67				

04	Oh sin (m)	Velocity (m)					
Sector	Chain (m)	2-year	20-year	100-year			
	8423*	225.30	225.57	225.67			
	8398*	225.30	225.57	225.67			
	8373*	225.30	225.57	225.67			
	8348*	225.30	225.57	225.67			
	8323*	225.30	225.56	225.67			
	8298*	225.30	225.56	225.67			
	8273*	225.30	225.56	225.67			
	8248*	225.30	225.56	225.67			
	8223*	225.30	225.56	225.66			
	8198*	225.29	225.56	225.66			
	8173*	225.29	225.56	225.66			
	8148*	225.29	225.56	225.66			
	8123*	225.29	225.55	225.66			
	8098*	225.29	225.55	225.66			
	8073	225.29	225.55	225.66			
	8050.09*	225.29	225.55	225.65			
	8027.18*	225.29	225.55	225.65			
	8004.27*	225.28	225.55	225.65			
	7981.36*	225.28	225.55	225.65			
	7958.45*	225.28	225.54	225.65			
	7935.54*	225.28	225.54	225.64			
	7912.63*	225.28	225.54	225.64			
	7889.72*	225.28	225.54	225.64			
	7866.81	225.27	225.53	225.64			
	7842.82*	225.27	225.53	225.63			
	7818.84*	225.27	225.53	225.63			
	7794.86*	225.27	225.52	225.63			
	7770.88	225.26	225.52	225.62			
	7746.23*	225.26	225.52	225.62			
	7721.58*	225.26	225.51	225.61			
	7696.93	225.18	225.42	225.51			
	7673.94*	225.13	225.36	225.45			
MUIAA	7650.96*	225.05	225.28	225.37			
MH14	7627.98*	224.94	225.16	225.25			
	7605	224.65	224.86	224.94			
	7604 Structure						
	7580	224.65	224.86	224.94			
	7572 Structure						
	7530	224.65	224.86	224.94			
	7506.15	224.25	224.41	224.48			
	7500 Structure						
	7498.2	223.60	223.83	223.91			
	7477*	223.55	223.78	223.86			
	7455.8*	223.50	223.72	223.81			
	7434.6*	223.44	223.66	223.74			


Castan	Objective (see)	Velocity (m)					
Sector	Chain (m)	2-year	20-year	100-year			
	7413.4*	223.37	223.58	223.66			
	7392.2*	223.27	223.47	223.55			
	7371	223.05	223.20	223.27			
	7347.54*	222.87	223.03	223.09			
	7324.09*	222.70	222.85	222.91			
	7300.63*	222.53	222.68	222.73			
	7277.18*	222.36	222.51	222.56			
	7253.72*	222.20	222.34	222.39			
	7230.27*	222.02	222.17	222.23			
MH15	7206.81*	221.84	222.01	222.07			
WIIIIO	7183.36*	221.66	221.85	221.92			
	7159.90*	221.51	221.72	221.79			
	7136.45*	221.41	221.63	221.69			
	7113	221.35	221.56	221.63			
	7089*	221.28	221.49	221.56			
	7065*	221.21	221.42	221.48			
	7041*	221.14	221.34	221.41			
	7017*	221.07	221.26	221.33			
	6993*	221.00	221.19	221.26			
	6969*	220.93	221.12	221.19			
	6945*	220.86	221.05	221.12			
	6921*	220.79	220.98	221.05			
MH16	6897*	220.72	220.91	220.98			
MHIO	6873*	220.65	220.84	220.92			
	6849*	220.58	220.77	220.85			
	6825*	220.51	220.71	220.79			
	6801*	220.44	220.64	220.73			
	6777*	220.37	220.58	220.67			
	6753*	220.31	220.53	220.61			
	6729*	220.25	220.47	220.56			
	6705	220.19	220.42	220.51			
	6681.43*	220.13	220.37	220.46			
	6657.87*	220.08	220.32	220.41			
	6634.31*	220.02	220.27	220.36			
MH17	6610.75*	219.96	220.22	220.31			
	6587.18*	219.91	220.16	220.26			
	6563.62*	219.86	220.11	220.21			
	6540.06*	219.81	220.06	220.16			
	6516.5	219.64	219.88	219.97			
	6494.6*	219.50	219.74	219.84			
	6472.7*	219.36	219.61	219.70			
MU19	6450.8*	219.22	219.47	219.57			
MH18	6428.9*	219.06	219.32	219.43			
	6407	218.86	219.16	219.28			
	6406.13 Bridge						


04	Objective (see)	Velocity (m)					
Sector	Chain (m)	2-year	20-year	100-year			
	6400	217.70	217.79	217.82			
	6379.75*	217.70	217.77	217.87			
	6359.5	217.57	217.77	217.84			
	6334.81*	217.26	217.48	217.58			
	6310.12*	216.97	217.16	217.24			
	6285.44*	216.67	216.87	216.94			
	6260.75*	216.37	216.56	216.64			
	6236.07*	216.07	216.26	216.33			
	6211.38*	215.77	215.96	216.03			
	6186.69*	215.46	215.65	215.72			
	6162.01*	215.15	215.34	215.41			
	6137.32*	214.84	215.03	215.10			
	6112.64*	214.51	214.71	214.78			
	6087.95*	214.19	214.38	214.46			
	6063.26*	213.87	214.06	214.13			
	6038.58*	213.55	213.73	213.81			
	6013.89*	213.22	213.41	213.48			
MH19	5989.21*	212.90	213.09	213.16			
MH 19	5964.52*	212.57	212.76	212.83			
	5939.83*	212.26	212.46	212.54			
	5915.153	212.07	212.27	212.35			
	5890.90*	211.86	212.07	212.15			
	5866.66*	211.66	211.86	211.94			
	5842.42*	211.45	211.66	211.74			
	5818.17*	211.25	211.45	211.53			
	5793.93*	211.04	211.24	211.32			
	5769.69*	210.83	211.03	211.11			
	5745.44*	210.62	210.82	210.90			
	5721.20*	210.41	210.61	210.69			
	5696.95*	210.20	210.40	210.48			
	5672.71*	209.98	210.18	210.26			
	5648.47*	209.76	209.97	210.04			
	5624.22*	209.55	209.75	209.83			
	5599.98*	209.33	209.53	209.61			
	5575.73*	209.11	209.31	209.39			
	5551.49*	208.88	209.08	209.16			
MH20	5527.25*	208.65	208.84	208.93			
MH20	5503.00*	208.38	208.57	208.65			
	5478.76*	208.14	208.37	208.46			
	5454.52	208.00	208.25	208.35			
	5430	208.00	208.25	208.36			
	5426.61 Bridge						
	5420.66	207.94	208.19	208.28			
	5396.68*	207.93	208.18	208.27			
	5372.70*	207.92	208.17	208.27			


Sector	Chain (m)	Velocity (m)		
		2-year	20-year	100-year
	5348.73*	207.90	208.16	208.26
	5324.75*	207.90	208.15	208.25
	5300.78*	207.89	208.14	208.24
	5276.80*	207.88	208.13	208.24
	5252.82*	207.87	208.13	208.23
	5228.85*	207.86	208.12	208.22
	5204.87*	207.86	208.11	208.22
	5180.9	207.85	208.11	208.21
	5156.20*	207.84	208.10	208.21
	5131.50*	207.83	208.09	208.20
	5106.80*	207.82	208.08	208.19
	5082.11*	207.82	208.08	208.18
	5057.41*	207.81	208.07	208.18
	5032.71*	207.80	208.06	208.17
	5008.01*	207.79	208.05	208.16
	4983.32*	207.78	208.05	208.15
MH21	4958.62*	207.77	208.04	208.15
	4933.92*	207.77	208.03	208.14
	4909.22*	207.76	208.02	208.13
	4884.53*	207.75	208.01	208.12
	4859.83*	207.74	208.01	208.12
	4835.13*	207.73	208.00	208.11
	4810.43*	207.72	207.99	208.10
	4785.74*	207.71	207.98	208.09
	4761.04*	207.70	207.97	208.08
	4736.34*	207.69	207.96	208.07
	4711.64*	207.68	207.95	208.06
	4686.95*	207.67	207.94	208.05
	4662.25*	207.66	207.93	208.04
	4637.55*	207.65	207.92	208.03
	4612.85*	207.64	207.91	208.02
MH22	4588.16*	207.63	207.90	208.01
	4563.46*	207.62	207.89	208.00
	4538.76*	207.61	207.87	207.98
	4514.06*	207.59	207.86	207.97
	4489.37*	207.58	207.84	207.96
	4464.67*	207.56	207.83	207.94
	4439.97*	207.55	207.81	207.92
	4415.27*	207.53	207.79	207.91
	4390.58*	207.51	207.77	207.89
	4365.88*	207.49	207.75	207.86
	4341.18*	207.46	207.73	207.84
	4316.48*	207.43	207.70	207.81
	4291.79	207.40	207.66	207.77
	4266.81*	207.37	207.63	207.75


Sector	Chain (m)	Velocity (m)		
		2-year	20-year	100-year
	4241.84*	207.35	207.61	207.72
	4216.86*	207.32	207.58	207.70
	4191.89*	207.29	207.56	207.67
	4166.91*	207.27	207.53	207.65
	4141.94*	207.24	207.51	207.63
	4116.96*	207.22	207.48	207.60
	4091.99*	207.19	207.46	207.58
	4067.01*	207.17	207.44	207.56
	4042.04*	207.14	207.41	207.54
	4017.06*	207.12	207.39	207.51
	3992.09*	207.10	207.37	207.49
	3967.11*	207.07	207.35	207.47
	3942.14*	207.05	207.32	207.45
	3917.16*	207.03	207.30	207.43
	3892.19*	207.00	207.28	207.41
	3867.22*	206.98	207.26	207.39
	3842.24*	206.96	207.24	207.37
	3817.27*	206.94	207.22	207.35
	3792.29*	206.92	207.20	207.33


#### SCHEDULE F: FLOOD ZONE MAPS OF THE RIVIÈRE À SIMON














#### SCHEDULE G: PARC LINÉAIRE DU CORRIDOR AÉROBIQUE

